SAFETY DATA SHEET



HS025-11-2018

Product Number: 25

Intumescent Protection Sleeve System for Cables

Description:

Complete fire and smoke protection system for cables passing through brick, block, and concrete fire barrier walls. Consist of a sleeve and a smoke protection plate each end.

This product comprises of the following materials and therefore is supported by the following Health & Safety Data Sheets:

- (Appendix 1) Health & Safety Sheet Intumescent
- (Appendix 2) Health & Safety Sheet Fire Proof Sponge
- Health & Safety Sheet Zintec Metal (not available)

Under Regulation 1907/2006 REACH Safety Data Sheets are only required for hazardous substances and mixtures/preparations; Intumescent Systems Ltd is not therefore legally obliged to supply Safety Data Sheets for its articles. Despite this Intumescent Systems Ltd has decided to provide its customers with information regarding the safe use and handling of the products listed above by means of this Safety Data Sheet.

*The information contained in this safety data sheet is given in good faith. It is accurate to the best of our knowledge and belief and represents the most up to date information. The information given in this data sheet does not constitute or replace the user's own assessment of workplace risk as required by other health and safety legislation.

HEALTH & SAFETY DATA SHEET APPENDIX 1

MULTIGRAF INTUMESCENT MATERIAL

Issue 3. July 2018

1. IDENTIFICATION OF THE PREPARATION AND COMPANY

PRODUCT NAME: Multigraf Intumescent Material MANUFACTURER/SUPPLIER: Multigraf Intumescent Systems Ltd

ADDRESS: Envirograf House, Barfrestone, Dover, Kent, CT15 7JG
TELEPHONE / FAX / EMAIL: 01304 842555 01304 842666 sales@envirograf.com

EMERGENCY PHONE NUMBER: 01304 842555 (Monday to Friday 8.30 – 5.30)

2. HAZARDS IDENTIFICATION

HAZARD STATEMENTS:

- 1. None for the non-woven products (manufactured articles) covered by this MSDS
- 2. None for dust and fibres released during handling

Cutting through the material and surface scuffing may release small amounts of airborne fibre, clay and carbon dust which are mechanically irritant to skin, eyes and upper respiratory system.

As with any dust, pre-existing upper respiratory symptoms and lung diseases may be aggravated.

Under the European chemicals Regulation 1907/2006 REACH this product is considered to be an article. These materials do not contain any substances of very high concern or substances intended to be released under normal foreseeable conditions of use.

Under Regulation 1907/2006 REACH Safety Data Sheets are only required for hazardous substances and mixtures/preparations; Intumescent Systems Ltd is not therefore legally obliged to supply Safety Data Sheets for its non-woven products.

Despite this Intumescent Systems Ltd has decided to provide its customers with information regarding the safe use and handling of the products listed above by means of this Material Safety Data Sheet

3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION:

Substance	CAS / EC No	% by weight	Classification and labelling Regulation EC 1272/2008	Classification and labelling Directive 67/548/EEC
Mineral Wool*	287922-11-6	20 – 85	Not Classified	Not Classified
Exfoliating Graphite	7782-42-5/231-995-3	4.0 – 60	Not Classified	Not Classified
Polymeric Binder and Self Adhesive coating	N/A - polymer	5.0 - 30	Not Classified	Not Classified

^{*} Man-made vitreous silicate fibres of random orientation with alkaline oxide and alkali earth oxides (Na₂O + K₂O+CaO+MgO+BaO) content grater that 18% by weight and fulfilling one of the Note Q conditions for increased bio-solubility. Mineral wool fibres satisfying the Note Q conditions for increased bio-solubility are not classified as carcinogenic according to Directive 97/69/EC and Regulation EC 1272/2008 (page332 of the JOCE L353 of 31 Dec 2008) Self-adhesive products are supplied faced on one side with a Kraft release paper.

4. FIRST AID MEASURES

SKIN: Rinse affected areas with water and wash gently with soap. Do not use detergent.

EYES: Flush eyes with large quantities of water, Have eye bath readily available in areas where eye contact may occur. Seek medical attention if irritation continues.

INGESTION: Drink plenty of water. Seek medical advice.

INHALATION: Remove to fresh air, drink water and clear throat and blow nose to evacuate fibre/dust. Seek medical attention.

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA: Use extinguishing agent suitable for type of surrounding combustible materials. Do not inhale products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Do not allow dust to be wind-blown.

Unwanted product should be collected and stored in sealed bags.

Do not use compressed air to remove dust or fibres from equipment

Dust/fibre should be removed using a suitable vacuum cleaner with HEPA exhaust air filtration.

The collected deposits and used vacuum cleaner bags should be sealed into poly-bags before disposal.

If sweeping is required the area should be thoroughly damped down with water before sweeping commences to prevent dust and fibres becoming airborne during sweeping

7. HANDLING AND STORAGE

HANDLING: Keep dust generation to a minimum.

STORAGE: Store dry and cool. Keep in original wrapping until required for use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

APPLICABLE OCCUPATIONAL EXPOSURE LIMITS: from HSE EH40/2005 – second edition 2011 MACHINE MADE MINERAL FIBRE:

(excluding Refractory Ceramic Fibre and Special Purpose Fibres): 2.0 fibres/ml & 5 mg/m; (8 hr TWA)

FINE CARBON DUST: 3.5 mg/m; (8 hr TWA) and 7 mg/m; (15 minute reference))

RESPIRATORY PROTECTION: Use local ventilation systems where available. If workplace exposures exceed

the limits wear disposable dust respirator to EN149:2001 FFP2 minimum

HAND PROTECTION: Use of disposable nitrile rubber gloves is recommended.

EYE PROTECTION: Wear goggles or safety glasses with side shields. Do not wear contact lenses.

SKIN PROTECTION: Wear overalls that are loose fitting at the neck and wrists.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Flexible Grey fibrous mat with black speckle

DENSITY: 200 - 500 kg/m³

EXPANSION: Rapid volumetric expansion occurs when product is heated above 200°C

FLAMMABILITY: Material will sustain combustion for a short period until organic binder (and SAB coating) is

burnt out or resulting expansion self-extinguishes.

10. STABILITY AND REACTIVITY

STABILITY / CONDITIONS TO AVOID: Stable.

MATERIALS TO AVOID: Strong oxidizing agents, strong alkalis and hydrofluoric acid.

HAZARDOUS DECOMPOSITION PRODUCTS: Decomposition of the polymeric binder will occur at temperature above 200°C releasing smoke, H₂O, CO, CO₂ and hydrocarbons. When heated above 250°C the graphite will expand resulting in a thermally insulation char.

HAZARDOUS POLYMERISATION: Will not occur

11. TOXICOLOGICAL INFORMATION

MINERAL WOOL FIBRE:

Coarse fibres: in common with other man-made mineral fibres the vitreous silicate fibres in this product are mechanical irritants which may result in temporary irritation of the throat, eyes or skin.

Respirable fibres: the mineral wool fibres in these products contain fibres which are less than 3.0µm diameter and greater than 5.0µm long and which are classified as respirable.

Animal studies: short term inhalation studies of rats exposed to high levels of stone wool fibres have shown that the long fibres are biodegradable and quickly disappear from the lungs.

Human Epidemiological studies: large morbidity and mortality studies of both European and North American mineral wool manufacturing workers have been conducted with traditional mineral wools. The studies found no significant evidence of non-malignant lung disease (e.g. fibrosis) The studies did not establish a causal relationship between exposure to traditional mineral wools and malignant diseases (lung cancer or mesothelioma). The particular mineral wool fibre used in the products covered by this SDS is based on a new formulation with increased bio-solubility giving even more rapid clearance of fibres from the lungs compared with traditional mineral wools.

GRAPHITE:

Powdered graphite is non-toxic. High levels of airborne graphite dust may be a mechanical eye irritant. Skin contact with graphite dust may cause temporary irritation due to mechanical effects; repeated prolonged exposures may lead to dermatitis. Airborne graphite dust is an upper respiratory irritant; exposures may aggravate pre-existing upper respiratory and lung diseases. Cases of pneumoconiosis, pulmonary fibrosis and emphysema have been reported in workers following prolonged exposures to high levels of airborne graphite dust.

POLYMERIC BINDER AND SELF ADHESIVE COATING:

The Polymeric binder and SAB coating are considered to be non-hazardous.

12. ECOLOGICAL INFORMATION

This product will remain stable over time with the inorganic components remaining inert.

13. DISPOSAL CONSIDERATIONS

Waste is not classified as a hazardous waste and may be disposed of at a normal licensed industrial waste site. Local regulations should be considered. Waste should be bagged or suitably contained for disposal to prevent any dusts being wind blown during disposal.

14. TRANSPORT INFORMATION

Not regulated for Transport. Ensure that dust is not windblown during transportation. Ensure that dust or fibres are not wind-blown during transportation.

15. REGULATORY INFORMATION

Product Hazard Classification according to Directive 67/548 EEC: Not classified

Product Hazard Classification according to Regulation CE1272/2008:

Article - not classified

16. OTHER INFORMATION

Notes: revised and reissued with minor changes 6th September 2018

Further information regarding working with man made mineral fibres and measurement techniques may be obtained by referring to Guidance Note EH46 1990 and NDHS59 1998 published by the UK, Health & Safety Executive.

^{*}The information contained in this safety data sheet is given in good faith. It is accurate to the best of our knowledge and belief and represents the most up to date information. The information given in this data sheet does not constitute or replace the user's own assessment of workplace risk as required by other health and safety legislation.

HEALTH & SAFETY INFORMATION SHEET APPENDIX 2

FIRE PROOF SPONGE

Issue 3. September 2018

1. IDENTIFICATION OF THE PREPARATION AND COMPANY

PRODUCT NAME: Fire Proof Sponge

MANUFACTURER/SUPPLIER: Envirograf

ADDRESS: Envirograf House, Barfrestone, Dover, Kent, CT15 7JG
TELEPHONE/FAX/EMAIL: 01304 842555 01304 842666 sales@envirograf.com

EMERGENCY PHONE NUMBER: 01304 842555 (Monday to Friday 8.30 – 5.30)

2. HAZARDS IDENTIFICATION

Fireproof sponge is an "article", not a chemical. It is not classified as dangerous under the Chemicals (Hazard Information and Packaging for Supply) Regulations (CHIP), Classification, Labelling, and Packaging of Chemical Regulations (CPL) & the UN's Globally Harmonised System (GHS), and therefore does not require a Safety Data Sheet. It is exempt from the requirements to register under REACH. As a service to our customers, however, Envirograf has produced this Product Information Sheet

Classification

(EC 1272/2008) :Not applicable

Classification

(1999/45/EC) :Not applicable

Label Elements:Not applicableSignal Word:Not applicableHazard Statements:Not applicablePrecautionary Statements:Not applicableSupplemental information:Not applicable

Other hazards :Not applicable

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No	EC No	REACH Reg No	Classification	Conc'n %
Not applicable	Not	Not	Not applicable	Not applicable	Not
	applicable	applicable			applicable

Further information: Poly-addition products of isocyanates, polyols and water. Controlled by catalysts, stabilizers and other substances resulting in cellular polyurethane foams which are then post treated with flame retardants, and polymeric binding agent.

4. FIRST AID MEASURES

Description of first aid measures SEE BELOW

Inhalation: Consult physician if coughing, discomfort, or obstruction of air passage occurs.

Skin contact: Wash off any foam dust.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water until irritation subsides. If

necessary, seek medical advice.

Ingestion: Consult physician if coughing, discomfort, or obstruction of air passage occurs. **Most important symptoms and effects, both acute and delayed**: None expected.

Indication of any immediate medical attention and special treatment needed: None expected

5. FIRE-FIGHTING MEASURES

General hazard: Under extreme temperatures the sponge will decompose and emit toxic gases. In the event of a fire, evacuate premises immediately and call the Fire Brigade. Avoid inhalation of smoke and gases. **Extinguishing media:** To suit local surroundings (e.g. Water, carbon dioxide, foam, dry powder)

Extinguishing media not to be used: None reported

Special exposure hazards: Decomposition products released in a fire, (e.g. Carbon black, carbon Monoxide, carbon dioxide, oxides of nitrogen, hydrogen cyanide), should be considered toxic if inhaled

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Remove all sources of ignition. No

Methods and materials for containment and cleaning up: Pick up and sweep up as for any other inert material

Environmental Precautions: Do not allow to get into waste water or waterways.

Reference to other sections: Not Applicable

7. HANDLING AND STORAGE

Precautions for safe handling: Handle in accordance with good hygiene and safety practice.

Conditions for sage storage including any incompatibilities: No special conditions required, but ideally to be stored in dry conditions

Specific end use(s): Industrial and professional

Keep away from sparks, naked lights, open flames, exposed electrical elements or other ignition sources. Smoking should be forbidden in areas where material is stored or processed

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Personal protection: Wear personal protective equipment appropriate to the task -see below.

Eye protection: See below. Skin protection: See below Respiratory protection: See below.

Other personal protection: Unless exposure to foam dust is anticipated, dust masks, goggles and gloves are not required. Mechanical ventilation should be considered in operations that generate large quantities of foam dust

Environmental exposure controls: Do not allow to get into waste water or waterways.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical form: Cellular foam. Colour: Dark Grev Odour: Faint, characteristic **Odour Threshold:** Not available Molecular weight: Not applicable Molecular formula: Not applicable Not applicable pH: Not applicable Melting pt/range: Flash point: Not applicable Relative evaporation rate: Not applicable

BS EN 13501-1 **General Flammability:** Euroclass B-s1, d1 Fire Propagation Index <12 BS476 pt 6 Surface Spread of Flame Class "1" BS476 pt 7 Building Regs. 1991 (Fire Safety) Class "0" BS476 pt 6 & pt 7

Operating Temperature -30 to 100°C **UL94 Classification** 94 V-0 UL 94 Class A ASTM E84-95

Surface Burning Behaviour

Explosive limits: Not applicable Not applicable Vapour pressure: Vapour density: Not applicable

Density: >90 kg/M3 BS EN ISO 845

Partition coefficient (log P

or log K n-octanol water): Not applicable **Decomposition Temp.:** Not applicable Viscosity: Not applicable

Explosive properties: Not applicable, based on structure Oxidising properties: Not applicable, based on structure

Other information: Not applicable

10. STABILITY AND REACTIVITY

Reactivity: Almost inert

Chemical stability: Stable under normal conditions of handling and storage.

Possibility of hazardous reactions: None reported. Incompatible materials: Not applicable, based on structure.

Hazardous decomposition products: Decomposition products released in a fire, (e.g. carbon black, carbon monoxide, carbon dioxide oxides of nitrogen, hydrogen cyanide), should be considered toxic if inhaled.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects: No data available for the product.

Acute toxicity – oral: No data available for the product.

Acute toxicity – inhalation: No data available for the product.

Acute toxicity – dermal: No data available for the product.

Skin corrosion/irritation: Repeated exposure may cause skin dryness. **Serious eye damage/irritation:** May cause eye irritation in dust form. **Respiratory sensitisation:** No data available for the product.

Skin sensitisation: No data available for the product.

CMR effects: No data available for the product.

Single dose toxicity: No data available for the product

Repeated dose toxicity: No data available for the product.

Aspiration hazard: None reported.

Adverse health effects and symptoms: No data are available for the product...

Other information None.

12. ECOLOGICAL INFORMATION

Toxicity: No data available for product.
Fish, acute: No data available for product.
Fish, chronic: No data available for product
Invertebrates Algae: No data available for product.
Soil organisms: No data available for product.
Micro-organisms: No data available for product.
Other organisms: No data available for product.

Persistence and degradability: No data available for product. **Bioaccumulative potential:** No data available for product.

Mobility in soil No data available for product.

Results of PBT and vPvB assessment: Not classified.

Other adverse effects: None reported.

13. DISPOSAL CONSIDERATIONS

Advice on disposal: Under EU Environmental Regulations and Directives, there are no special requirements for disposal of Fire Proof Sponge

Further information: Various methods are available for the recycling of uncontaminated cellular foam including crumbed or shredded or rebounded to produce reconstituted foam

14. TRANSPORT INFORMATION

Land transport (ADR/RID)

UN number: Not applicable

UN proper shipping name: Not applicable **Transport hazard class(es):** Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable
Special precautions for user: None reported.
Emergency action code Not applicable
Hazard Identification Number: Not applicable

Marine transport (IMDG)

UN number: Not applicable

UN proper shipping name: Not applicable **Transport hazard class(es):** Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable **Special precautions for user:** None reported.

Air transport (ICAO/IATA)
UN number: Not applicable

UN proper shipping name: Not applicable **Transport hazard class(es):** Not applicable

Packing group: Not applicable

Environmental hazards: Not applicable **Special precautions for user:** None reported.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for product: Not applicable

Chemical Safety Assessment: Not applicable

16. OTHER INFORMATION

Date of revision 6th September 2018

Reason for revision General review / change of format

Sections revised All sections revised

Key to abbreviations and acronyms:

1999/45/EC EU Dangerous Preparations Directive

ACGIH American Conference of Governmental Industrial Hygienists, Inc.

ADR European agreement governing the international carriage of dangerous goods by road

CAS No Chemical Abstracts Service Registry Number

CHIP 4 Chemicals (Hazard Information and Packaging) for Supply Regulations 2009

CLP Classification, Labelling and Packaging Regulation (EC) 1272/2008

CMR Carcinogen, Mutagen, Reprotoxin

DGEAC Dangerous Goods Emergency Action Code List 2009

EC No European Inventory of Chemical Substances number

ECHA European Chemicals Agency

EH40 (2005) HSE's list of Workplace Exposure Limits, as updated and amended

GHS Globally Harmonised System for classification and labelling chemicals

REACH Registration, Evaluation and Authorisation of Chemicals Regulation (EC) 1907/2006

RTECS Registry of Toxic Effects of Chemical Substances