

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Trade name : Crosslinker A
CAS No : 64265-57-2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Crosslinker for coatings

1.3. Details of the supplier of the safety data sheet

Coatings2Go
399 Concord
Street Carlisle
MA, 01741
USA
T 1-978-369-7411 - F 978-371-9940
info@coatings2go.com - COATINGS2GO.COM

1.4. Emergency telephone number

Emergency number : 1-978-369-7411

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Eye Dam. 1	H318
Skin Sens. 1A	H317
Muta. 2	H341
STOT RE 2	H373 (kidneys, oral)
Aquatic Toxicity- Acute 2	H411
Acute Toxicity. 4	H302

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



Signal word

Hazard statements:

Precautionary statements: Prevention

Precautionary statements: Response

:
: Danger
: H317 - May cause an allergic skin reaction
: H318 - Causes serious eye damage
: H373 - May cause damage to organs through prolonged or repeated exposure
: H341 - Suspected of causing genetic defects
: H302 - Harmful if swallowed
: H411 - Toxic to aquatic life with long lasting effects
: P201 - Obtain special instructions before use
: P202 - Do not handle until all safety precautions have been read and understood
: P260 - Do not breathe vapors
: P273 - Avoid release to the environment
: P264 - Wash hands thoroughly after using
: P270 - Do not eat, drink or smoke when using this product
: P280 - Wear eye protection / face protection
: P272 - Contaminated work clothing must not be allowed out of the workplace
: P302 + P352 + 362 + 364 - If on skin: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse.

Crosslinker A

Safety Data Sheet 1007

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
 Date of issue: 10/07/2014 Revision date: 03/02/2022

Precautionary statements: Storage : P305+P351+P338 + P310- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or Physician.
 Precautionary statements: Disposal : P301 + P312 + P330 – IF SWALLOWED: Call a POISON CENTER or Physician if you feel unwell.
 : P308 + P313 - IF exposed or concerned: Get medical attention
 : P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
 : P391 – Collect spillage.
 : P314 - Get medical advice/attention if you feel unwell
 : P405 - Store locked up
 : P501 - Dispose of contents/container to approved facilities in accordance with local/regional/national regulations

2.3. Other hazards

Substance meets criteria for PBT according to Regulation (EC) No. 1907/2006 Annex VIII Not Listed (PBT: Specified)
 Substance meets criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex VIII Not Listed (vPvB: Specified)

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Substance type : Substance
 Name : Polyfunctional Aziridine Crosslinker
 CAS No : 64265-57-2

	Product identifier	%	GHS-US classification
Polyfunctional Aziridine Crosslinker	(CAS No.) 64265-57-2 REACH # 01-2119963929-15 EC: 939-180-9	100	Eye Dam. 1, H318 Skin Sens. 1A, H317 Muta. 2, H341 STOT RE 2, H373 Aquatic Tox 2, H411 Acute Tox. 4 H302
2- methylaziridine	(CAS No.) 75-55-8 EC: 200-878-8 Index: 613-033-00-6	0-0.0009802	Flam. Liq. 2 H225 Acute Tox. 2 H300 Acute Tox. 1 H310 Eye Dam. 1 H318 Carc. 1B H350 Aquatic Chronic 2 H411
Allylamine	(CAS No.) 107-11-9 EC: 203-463-9 Index: 612-046-00-4	0-0.0000099	Flam.Liq. 2 H225 Acute Tox. 3 H301 Acute Tox. 1 H310 Acute Tox 3 H331 Skin Corr. 1B H314 Aquatic Chronic 2 H411
Xylene, mixture of isomers	(CAS No.) 1330-20-7 REACH # 01-2119488216-32 EC: 215-535-7 Index: 601-022-00-9	0-0.0000099	Flam Liq. 3 H226 Acute Tox. 4 H312 Acute Tox. 4 H332 Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H335 STOT RE 2 H373 ASP. Tox. 1 H304 Aquatic Chronic 3 H412

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention

Crosslinker A

Safety Data Sheet 1007

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
 Date of issue: 10/07/2014 Revision date: 03/02/2022

First-aid measures after inhalation	: Get medical attention immediately. Call a POISON CENTER or doctor/physician. Remove to fresh air and keep at rest in a position comfortable for breathing. It may be dangerous to the person providing first aid to give mouth-to-mouth respiration. If unconscious, place in the recovery position and seek medical advice. Maintain an open airway. Loosen tight clothing. In case of inhalation of decomposition in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours
First-aid measures after skin contact	: Get immediate medical advice/attention. Immediately call a POISON CENTER or doctor/physician. Wash skin immediately with plenty of soap and water for at least 15 minutes. If redness, itching or a burning sensation develops, get medical attention. Wash contaminated clothing and decontaminate footwear before reuse
First-aid measures after eye contact	: Get medical attention immediately. Immediately call a POISON CENTER or doctor/physician. Immediately flush with plenty of water for at least 15 minutes. If redness, itching, or a burning sensation develops, have eyes examined and treated by medical personnel.
First-aid measures after ingestion	: Get immediate medical advice/attention. Immediately call a POISON CENTER or doctor/physician. Rinse mouth thoroughly with water. DO NOT INDUCE VOMITING. Give one or two glasses of water to drink and refer to medical personnel or take direction from either a physician or a poison control center. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. If unconscious, place in the recovery position and seek medical advice
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. Serious effects may be delayed following exposure
Symptoms/injuries after skin contact	: May cause an allergic skin reaction
Symptoms/injuries after eye contact	: Causes serious eye damage
Symptoms/injuries after ingestion	: Not expected to be a primary route of exposure. May cause chemical burns of the mouth, throat, and esophagus

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. In case of inhalation of decomposition in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire
Unsuitable extinguishing media	: None known

5.2. Special hazards arising from the substance or mixture

Explosion hazard	: The pressure in sealed containers can increase under the influence of heat.
Reactivity	: The product is stable at normal handling and storage conditions.

5.3. Advice for firefighters

Firefighting instructions without suitable training	: Evacuate unnecessary personnel. No action shall be taken involving any personal risk
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Wear self-contained breathing apparatus with full facepiece and full protective clothing. If contact occurs with material or its solutions, immediately flush with water and remove contaminated clothing
Special protective equipment for fire fighters	: Firefighters should wear positive pressure self-contained breathing apparatus (SCBA) and full protective equipment.
Other information	: Decomposition products can be toxic and irritating. Do not allow run-off from fire fighting to enter drains or water courses. Hazardous decomposition products may be released during prolonged heating like smokes, carbon monoxide and dioxide, aldehydes and organic acids and amines

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Crosslinker A

Safety Data Sheet 1007

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
 Date of issue: 10/07/2014 Revision date: 03/02/2022

General measures : No action shall be taken involving any personal risk without suitable training. Evacuate unnecessary personnel. Evacuate area. Do not touch or walk through spilled material. Do not breathe vapor. Provide adequate ventilation.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing. Wear skin, eye and respiratory protection during cleanup. Do not breathe vapor. In case of inadequate ventilation wear respiratory protection

Emergency procedures : Stop leak if safe to do so. Ventilate the area

6.1.2. For emergency responders

Protective equipment : In case of insufficient ventilation, wear suitable respiratory equipment. Wear personal protective equipment. Wear skin, eye and respiratory protection during cleanup. Floors may become slippery if spilled

Emergency procedures : Evacuate non-emergency personnel. Evacuate area. Do not breathe vapor or mist. Absorb and/or contain spill with inert material, then place in suitable container. Shovel into suitable and closed container for disposal

6.2. Environmental precautions

Avoid release to the environment. Do not discharge the product into the environment. Clean up any spills as soon as possible, using an absorbent material to collect it. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

6.3. Methods and material for containment and cleaning up

For containment : Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Collect all waste in suitable and labeled containers and dispose according to local legislation

Methods for cleaning up : Absorb and/or contain spill with inert material, then place in suitable container. Dispose of waste using a licensed waste disposal contractor. Place in designated, labeled waste container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Use personal protective equipment as required. Avoid breathing vapors. In case of inadequate ventilation wear respiratory protection. Avoid contact with skin, eyes, or clothing. Do not eat, drink or smoke when using this product. Remove all contaminated clothing and footwear before entering eating area. Wash thoroughly after handling

Hygiene measures : Do not eat, drink or smoke when using this product. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use good personal hygiene practices. Wash thoroughly after handling

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Do not store in unlabeled containers. Keep locked up. Keep only in the original container in a cool, well-ventilated place. Opened containers must be carefully closed and kept upright to avoid leakage. Store at temperatures below 38oC. Store in a well-ventilated place. Keep container tightly closed. Store away from incompatible materials

Incompatible materials : Strong oxidizing agents. Acids

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

This substance does not have an established Occupational Exposure Limit

Crosslinker A

Safety Data Sheet 1007

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
 Date of issue: 10/07/2014 Revision date: 03/02/2022

Occupational exposure limits

Product/ingredient name	Exposure limit values
xylene, mixture of isomers	EH40/2005 WELs (United Kingdom (UK), 12/2011). Absorbed through skin. STEL: 441 mg/m ³ 15 minutes. TWA: 50 ppm 8 hours. TWA: 220 mg/m ³ 8 hours. STEL: 100 ppm 15 minutes.

8.2. Exposure controls

Appropriate engineering controls	: Because specific work environments and material handling procedures vary, safety procedures should be developed for each intended application. No ACGIH TLV or OSHA PEL assigned to this product. Minimize exposure in accordance with good hygiene practices. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits
Personal protective equipment	: Personal protective equipment should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling the product. Protective clothing. Gloves. Protective goggles .Insufficient ventilation: wear respiratory protection
Materials for protective clothing Hand protection	Butyl rubber Chemical resistant impervious gloves should be worn when handling chemical products if a risk assessment indicates this is necessary. Consult glove manufacturer for suitability for the specific workplace. Wear suitable gloves resistant to chemical penetration.
Eye protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. . Chemical goggles or safety glasses. Face shield if splashing is possible.
Skin and body protection	Wear chemically protective gloves, lab coat or apron to prevent prolonged or repeated skin contact.
Respiratory protection	In case of inadequate ventilation wear respiratory protection. Observe OSHA regulations for respirator use (29 CFR1910.134). If respiratory protection is needed, use a NIOSH certified respirator with an Assigned Protection Factor (APF) of at least 10. Air-purifying or fresh air-supplied respirators may be necessary for spray applications or high temperature use which may produce inhalation exposure. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Light yellow
Odour	: Amine-like
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -58C
Freezing point	: No data available
Boiling point	: Decomposes > 175C
Flash point	: 253 °C Setaflash. Closed Cup.
Auto-ignition temperature	: 345C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: <0.01 kPa
Relative vapour density at 20 °C	: No data available
Relative density	: 1.08
Density	: 1.08 g/cm ³
Solubility	: Partially soluble in hot and cold water.
Log Pow	: -1.4
Log Kow	: No data available
Viscosity, kinematic	: 185 cSt
Viscosity, dynamic	: 200 mPa.s
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable at normal handling and storage conditions.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous polymerization should not occur.

10.4. Conditions to avoid

No special recommendations.

10.5. Incompatible materials

Acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂). Nitrogen oxides. Aldehydes. Organic acids. Ammonia and amines.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified (ATE Estimate- Oral 2020.2 mg/kg)

Acute Toxicity

Product/ingredient name	Result	Species	Dose	Exposure
allylamine	LD50 Dermal	Rabbit	35 mg/kg	-
	LD50 Oral	Rat	102 mg/kg	-
2-methylaziridine	LD50 Oral	Rat	19 mg/kg	-
Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl] propane-1,3-diyl bis(2-methylaziridine-1-propionate) and 2,2-bis([[3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl]butyl 3-2,2-bis([[3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl] butoxy] propanoate	LD50 Oral	Rat - Female	2000 mg/kg	-
xylene, mixture of isomers	LC50 Inhalation Vapour	Rat - Male, Female	6247 ppm	4 hours
	LD50 Dermal	Rabbit	12126 mg/kg	-
	LD50 Oral	Rat - Male	3523 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl)propionyl]methyl] propane-1,3-diyl bis(2-methylaziridine-1-propionate) and 2,2-bis([[3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl]butyl 3-2,2-bis([[3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl] butoxy] propanoate	Skin - Erythema/ Eschar	Rabbit	0.7	4 hrs 0.5g	24-72 h
	Eyes - Cornea opacity	Rabbit	3.4	0.1ml	24-72h
	Eyes - Iris lesion	Rabbit	1.1	0.1ml	24-72h
	Eyes - Redness of the conjunctivae	Rabbit	2.8	0.1ml	24-72h
	Eyes - Oedema of the conjunctivae	Rabbit	4.0	0.1ml	24-72h
allylamine	Eyes - Severe irritant	Rabbit	-	-0.3333mintes 50 mg 1 hour	

Crosslinker A

Safety Data Sheet 1007

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Date of issue: 10/07/2014 Revision date: 03/02/2022

	Skin - Severe irritant Skin - Visible necrosis	Human	-		1 hour
xylene, mixture of isomers	Skin - Irritant	Rat	-	-	-
	Eyes - Moderate irritant	Rabbit	-	-	-
	Respiratory - Irritant	Mammal - species unspecified	-	-	-

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Eyes- Corneal opacity; Rabbit, Score 3.4; Exposure 0.1ml; 24-72h Eyes- Iris lesion; Rabbit, Score 1.1; Exposure 0.1ml; 24-72h Eyes- Redness of conjunctivae; Rabbit; Score 2.8; Exposure 0.1ml; 24-72h Eyes- Edema of the conjunctivae; Rabbit; Score 4; Exposure 0.1ml; 24-72h
Respiratory or skin sensitization	: May cause an allergic skin reaction
Germ cell mutagenicity	: OECD 471 Bacterial Reverse Mutation Test-In vitro; Bacteria ; Result- positive OECD 473 IN Vitro Mammalian Chromosomal Aberration Test- Mammalian animal cell: Somatic ; Result- positive OECD 474 Mammalian Erythrocyte Micronucleus Test- In vivo ; Mammalian animal cell ; Somatic ; Result- positive
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
Specific target organ toxicity (single exposure)	: Not classified (Based on available data, the classification criteria are not met)
Specific target organ toxicity (repeated exposure)	: May cause damage to organs through prolonged or repeated exposure- Oral. Target organs not determined,
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Symptoms/injuries after inhalation	: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. Serious effects may be delayed following exposure
Symptoms/injuries after skin contact	: May cause an allergic skin reaction
Symptoms/injuries after eye contact	: Causes serious eye damage
Symptoms/injuries after ingestion	: Not expected to be a primary route of exposure. May cause chemical burns of the mouth, throat, and esophagus

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Reaction mass of 2-ethyl-2-[[[3-(2-methylaziridin-1-yl)propionyl] methyl]propane-1,3-diyl bis(2-methylaziridine-1-propionate) and 2,2-bis([[3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl]butyl 3-2, 2-bis([[3-(2-methylaziridin-1-yl)propanoyl]oxy)methyl]butoxy] propanoate	Category 2	Oral	kidneys

SECTION 12: Ecological information

12.1. Toxicity

Polyfunctional Aziridine Crosslinker (64265-57-2)

LC50 fishes 1	> 100 mg/l Cyprinus carpio, 96 h
LC50 other aquatic organisms 1	3.8 - 5.5 mg/l Algae, 72 h
EC50 Daphnia 1	81 mg/l, 48 h
NOEC (acute) Algae,	0.92 mg/l Fresh water, 72h

Crosslinker A

Safety Data Sheet 1007

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
 Date of issue: 10/07/2014 Revision date: 03/02/2022

NOEC (acute) Daphnia	22mg/l, 48h
Allylamine	
LC50 Fish Carassius auratus	6000ug/l Fresh Water 96h Mortality
EC50 Algae	23000ug/l Fresh Water 96h
LC50 Daphnia	28000ug/l 48H Mortality
Xylenes, mixture of isomers	
LC50 Fish acute	2.6mg/l 96h
EC50 Algae acute	2.2mg/l 72h
EC50 Daphnia	1mg/l 24h
Chronic NOEC Fish	1.3mg/l 56days
Chronic NOEC Daphnia	0.96mg/l 7 days

12.2. Persistence and degradability

Polyfunctional aziridine- 1%-29days Not Readily Biodegradable OECD 301B

12.3. Bioaccumulative potential

Polyfunctional Aziridine Crosslinker (64265-57-2)

Log Pow	-1.4
Bioaccumulative potential	Low.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other adverse effects : No known significant effects or critical hazards.
 Effect on ozone layer : No additional information available
 Effect on the global warming : No known ecological damage caused by this product.

13.1. Waste treatment methods





- Waste treatment methods : Dispose in a safe manner in accordance with local/national regulations. Do not discharge into drains or the environment.
- Sewage disposal recommendations : Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction
- Waste disposal recommendations : This material and its container must be disposed of in a safe way, and as per local legislation. The generation of waste should be avoided or minimized whenever possible. Incineration or landfill should only be considered when recycling is not feasible
- Additional information : Do not re-use empty containers without proper cleaning or reconditioning. Empty containers contain product residue. Observe all hazard precautions. If container is to be disposed, ensure all product residues are removed prior to disposal. Remove all product residue from container and puncture or otherwise destroy the empty container before disposal

SECTION 14: Transport information

Crosslinker A

Safety Data Sheet 1007

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Date of issue: 10/07/2014 Revision date: 03/02/2022

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	UN3082	UN3082	UN3082	UN3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N. O.S. (Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl) propionyl]methyl]propane-1,3-diyl bis (2-methylaziridine-1-propionate) and 2,2-bis({ [3-(2-methylaziridin-1-yl) propanoyl]oxy)methyl) butyl 3-2,2-bis({[3-(2-methylaziridin-1-yl) propanoyl]oxy)methyl) butoxy] propanoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N. O.S. (Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl) propionyl]methyl]propane-1,3-diyl bis (2-methylaziridine-1-propionate) and 2,2-bis({ [3-(2-methylaziridin-1-yl) propanoyl]oxy)methyl) butyl 3-2,2-bis({[3-(2-methylaziridin-1-yl) propanoyl]oxy)methyl) butoxy] propanoate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N. O.S. (Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl) propionyl]methyl]propane-1,3-diyl bis (2-methylaziridine-1-propionate) and 2,2-bis({ [3-(2-methylaziridin-1-yl) propanoyl]oxy)methyl) butyl 3-2,2-bis({[3-(2-methylaziridin-1-yl) propanoyl]oxy)methyl) butoxy] propanoate)	Environmentally hazardous substance, liquid, n.o.s. (Reaction mass of 2-ethyl-2-[[3-(2-methylaziridin-1-yl) propionyl]methyl]propane-1,3-diyl bis (2-methylaziridine-1-propionate) and 2,2-bis({ [3-(2-methylaziridin-1-yl) propanoyl]oxy)methyl) butyl 3-2,2-bis({[3-(2-methylaziridin-1-yl) propanoyl]oxy)methyl) butoxy] propanoate)
14.3 Transport hazard class(es)	9 	9 	9 	9 
14.4 Packing group	III	III	III	III
14.5 Environmental hazards	Yes.	Yes.	Yes.	Yes.

ADR/RID : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. **Hazard identification** number 90
Limited quantity 5 L **Special provisions** 274, 335, 601, 375

ADN : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. **Special provisions** 274, 335, 375, 601

IMDG: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. **Emergency schedules** F-A, S-F
Special provisions 274, 335, 969

IATA : This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8. **Quantity limitation** Passenger and Cargo Aircraft: 450 L. Packaging instructions: 964. Cargo Aircraft Only: 450 L. Packaging instructions: 964. Limited Quantities - Passenger Aircraft: 30 kg. Packaging instructions: Y964.
Special provisions A97, A158, A197

SECTION 15: Regulatory information

15.1. US Federal regulations

Crosslinker A (64265-57-2)

EPA TSCA Regulatory Flag	All components are included or exempt from listing on the TSCA Inventory of Chemical Substances.
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard Delayed (chronic) health hazard

15.2. International regulations

CANADA

All components of this product are listed on the Canada Domestic Substances List (DSL).

EU-Regulations

EU Regulation (EC) No. 1907/2006 (REACH)

Crosslinker A

Safety Data Sheet 1007

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
 Date of issue: 10/07/2014 Revision date: 03/02/2022

Annex XIV- List of substances subject to authorization

Annex XIV- None of the components are listed

Substances of Very high Concern- None of the components are listed

Annex XVII- Restrictions on the manufacture, placing ON THE Market and use of certain dangerous substances, mixtures and articles- Not Applicable

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

Crosslinker A (64265-57-2)

All components of this product are listed on the Canada Domestic Substances List (DSL).

15.3. US State regulations

Crosslinker A(64265-57-2)

State or local regulations	WARNING: This product contains <0.1% chemical known to the State of California to cause cancer and birth defects or other reproductive harm.
----------------------------	--

SECTION 16: Other information

- Revision date : See header on first page
- Data sources : Previous SDS. Supplier SDS.
- Training advice instructions. : Educate and train employees in the safe use and handling of this product. Follow all label instructions
- Other information : The information contained in the Safety Data Sheet is based on our data available on the date of publication. The information is intended to aid the user in controlling the handling risks; it is not to be construed as a warranty or specification of the product quality. The information may not be or may not altogether be applicable to combinations of the product with other substances or to particular applications

HMIS III Rating

- Health : 3* Serious hazard, chronic effect
- Flammability : 1 Slight Hazard
- Physical : 1 Slight Hazard
- Personal Protection : X

SDS US (GHS HazCom 2012)

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. This information is based on the material as manufactured, it may not be valid for this material if used in combination with any other materials or in any process. Surface Solutions Labs/Coatings2Go shall not be held liable for any damage resulting from handling or from contact with the product(s).