

PAVEMENT STANDARD SERIES SPECIFICATIONS

LINELAZER 3400



LINELAZER 130HS



LINELAZER V 3900



SPECIFICATIONS			
Part Number – 1 mech gun	25M224	17H447	17H449
Part Number – 2 mech guns	-	17H448	17H450
Max. Tip Size – 1 gun	0.027"	0.037"	0.035"
Max. Tip Size – 2 guns	-	0.029"	0.025"
Max Flow – l/min. (gpm)	2.8 (0.75)	4.9 (1.3)	4.7 (1.25)
Max. Pressure – bar (PSI)	227 (3300)	227 (3300)	227 (3300)
Motor Rating – cm ³	120	120	120
Weight – kg (lbs)	72.5 (160)	119 (263)	104 (230)
FEATURES			
Endurance Pump	Mechanical	Hydraulic	Mechanical
AVRS		■	■
EZ Align System		■	■
EasyMark System	■	■	■
LiveLook Display			■
DualComfort Handle Bar System		■	■
Quick Select Gun Selector		Manual	Manual
Rear-gun Mounted		■	■
LineDriver*		Optional	Optional
COMPOSITION			
Tips	LL5317 LL5319	LL5319 LL5321	LL5319 LL5321
Guard	RAC V (243161)	RAC V (243161)	RAC V (243161)
Gun	Flex Plus gun (248157)	Flex Plus gun (248157)	Flex Plus gun (248157)
Hose	Hose 1/4" x 15 m (249080)	Hose 3/8" x 6.7 m (124884)	Hose 3/8" x 15 m (245225)
Pump Filter	60 mesh (243984)	50 mesh (24V455)	50 mesh (24V455)
TSL	118 ml (238049)	118 ml (238049)	118 ml (238049)

Note: For a full comprehensive Graco linelazer product offering visit us at graco.com or contact your local Graco Sales representative

PAVEMENT STANDARD SERIES SPECIFICATIONS

LINELAZER V 5900



LINELAZER V 200HS



SPECIFICATIONS		
Part Number – 1 mech gun	17H454	17H459
Part Number – 2 mech guns	17H455	17H461
Max. Tip Size – 1 gun	0.043"	0.047"
Max. Tip Size – 2 guns	0.029"	0.033"
Max Flow – l/min. (gpm)	6.0 (1.6)	8.14 (2.15)
Max. Pressure – bar (PSI)	227 (3300)	227 (3300)
Motor Rating – cm ³	160	200
Weight – kg (lbs)	113 (250)	139 (306)
FEATURES		
Endurance Pump	Mechanical	Hydraulic
AVRS	■	■
EZ Align System	■	■
EasyMark System	■	■
LiveLook Display	■	■
DualComfort Handle Bar System	■	■
Quick Select Gun Selector	Manual	Manual
Rear-gun Mounted	■	■
LineDriver*	Optional	Optional
COMPOSITION		
Tips	LL5319	LL5319
	LL5321	LL5321
Guard	RAC V (243161)	RAC V (243161)
Gun	Flex Plus gun (248157)	Flex Plus gun (248157)
Hose	Hose 3/8" x 15 m (245225)	Hose 3/8" x 6.7 m (124884)
Pump Filter	50 mesh (24V455)	50 mesh (24V455)
TSL	118 ml (238049)	118 ml (238049)

Note: For a full comprehensive Graco linelazer product offering visit us at graco.com or contact your local Graco Sales representative

PAVEMENT E-POWER SERIES SPECIFICATIONS

LINELAZER ES 1000



LINELAZER ES 2000



SPECIFICATIONS		
Part Number – 1 gun	25M228	
Part Number – 2 guns		25N561
Max. Tip Size – 1 gun	0.025"	0.033"
Max. Tip Size – 2 guns		0.025"
Max. Flow – l/min. (gpm)	2.3 (0.6)	4.1 (1.1)
Max. Pressure – bar (PSI)	227 (3300)	227 (3300)
Battery Power – Volt (Ah)	12V (100Ah Deep-Cycle AGM)	2x12V (100Ah Deep-Cycle AGM)
Weight – kg (lbs)	154 (340)	195 (430)
FEATURES		
LiveLook Display		■
SmartControl™	■	■
FastFlush™	■	
Endurance™ Pump	Mechanical	Mechanical
Hydraulic pressure gauge	■	
EZ Align™ System	■	■
EasyMark System	■	■
DualComfort™ Handle bar system	■	■
QuickSelect™ Gun Selector	Manual	Manual
Rear-gun Mounted	■	■
LineDriver*	Optional	Optional
ProConnect		
COMPOSITION		
Tips	LL5317	LL5319
	LL5319	LL5421
Guard	RAC V (243161)	RAC V (243161)
Gun	Flex Plus™ (248157)	Flex Plus™ (248157)
Hose	BlueMax™ II 1/4" x 15 m (249080)	BlueMax™ II 1/4" x 15 m (249080)
Pump Filter – mesh	60 (243984)	60 (243984)
Power Supply	1 x 12V - 100Ah battery with 230V Inverter	2 x 12V - 100Ah battery with 230V Inverter
TSL	118 ml (238049)	118 ml (238049)

LINEDRIVER SPECIFICATIONS

	Part Number	Motor Engine cc (hp)	Weight kg (lb)
LineDriver HD 200	262005	200 cc	125 (277)
LineDriver ES	25N556	4x6V DEEP CYCLE AGM 225 AH	250 (550)

*To be used on LineLazer, ThermoLazer, GrindLazer



Note: For a full comprehensive Graco linelazer product offering visit us at graco.com or contact your local Graco Sales representative