

SW-804

8-Port 10/100Mbps Desktop Fast Ethernet Switch



High-speed 10/100Mbps Workgroup Switch

PLANET Fast Ethernet Switch SW-804 provides business and home users with a cost-effective integrated system of small-office / home-office networking. It is with compact-sized plastic case design and just right for the network of 10 to 50 users.

Stable Fast Ethernet Switch Performance

The SW-804 also supports Store-and-Forward forwarding scheme to ensure low latency and high data integrity. The high performance throughput (filtering / forwarding rate: 14,880 packets per second in 10Mbps, and 148,800 packets per second in 100Mbps) and 448K bit packet buffer help the SW-804 to boost bandwidth, eliminate unnecessary traffic, and relieve congestion on your critical server path. With an intelligent address recognition algorithm, the SW-804 could recognize up to a 1K different MAC address and provide 1.6Gbps switching capacity, which makes the SW-804 offer wire-speed packets transfer performance without risk of packet loss.

Flexible Desktop Size Design

The SW-804 is the fancy-shaped plastic model to fit into space-limited environment. With concepts of "Easy to install and use", "Compact sized design", and "Simple troubleshooting", the SW-804 provides cost-conscious business and home users with the foundation from an integrated system of small-office / home-office networking.



RJ-45 Interface

- · Eight 10/100Mbps Fast Ethernet ports
- Complies with IEEE 802.3, 10Base-T, IEEE 802.3u
 100Base-TX Ethernet standards
- · Supports auto MDI/MDI-X function

Switching

- Hardware-based 10/100Mbps, half / full duplex , flow control and auto-negotiation
- Features Store-and-Forward mode with wire-speed filtering and forwarding rates
- IEEE 802.3x flow control for full duplex operation and back
 pressure for half duplex operation
- Integrated address look-up engine, supporting 1K absolute MAC addresses
- · Handles up to 1536bytes packet
- · Automatic address learning and address aging
- · Supports CSMA/CD protocol

Hardware

· Made from plastic, desktop size and wall-mount design


1

- · LED indicators for system power, per port Link / Act
- 5V DC, 1A external power adapter
- · FCC, CE Class B compliant



Plug & Play and Easy Installation


All RJ-45 copper interfaces in the SW-804 support 10/100Mbps auto-negotiation for optimal speed detection through RJ-45 Category 5/5e cables. Supporting standard for auto-MDI/MDI-X can detect the type of connection to any Ethernet device without requiring special straight or crossover cables. The Flow Control function allows the SW-804 to support routers and servers for direct connection to this switch with fast and reliable data transfer.



Applications

Ideal Switch for Home / SOHO Network

With eight 10/100Mbps ports, the SW-804 provides a cost-effective and high-performance solution for Home and SOHO network applications. To segment the network and ease the network traffic, the SW-804 is perfect for SOHO switched networks as the friendly network backbone. In addition, the network status can be monitored at a glance by the SW-804 providing array LED indicators.





Specifications

| Product | SW-804 |
|---|--|
| Hardware Specification | |
| Hardware Version | 3 |
| 10/100Base-TX Ports | 8 auto MDI/MDIX ports |
| LED Display | One for Power, One for Link / Act per port |
| Enclosure | Plastic |
| Dimensions (W x D x H) | 168 x 100 x 29 mm |
| Weight (g) | 152g |
| Power Requirements (External power adapter) | 5V DC, 1A |
| Power Consumption (100M Full operation) | 2.5 watts / 8.5 BTU |
| Standards Conformance | |
| Standards Compliance | IEEE 802.3 (Ethernet) IEEE 802.3u (Fast Ethernet) IEEE 802.3x (Full-duplex Flow Control) |
| Regulation Compliance | FCC Part 15 Class B, CE |
| Environments | |
| Temperature | Operating: 0~50 degrees C Storage: -10~70 degrees C |
| Humidity | Operating: 5~95% Storage: 5~95% (non-condensing) |

SW-804

3

Ordering Information

SW-804

8-Port 10/100Mbps Desktop Fast Ethernet Switch (plastic case)