

**Technical data**

Protection class IP67

Operating temperature -40°C ~ +105°C

Maximum torque 1.0N · m (10kgf · cm)

## IP67 HEATSINK ALUMINIUM ENCLOSURE




### FEATURE

- Functional aluminium enclosure with IP67 and heat release effect. Normal and EMI-Shielded version are available.
- Heavy-duty enclosure, the extrusion body with heat-sink and the die-casted panels.
- PCB or chassis is mountable horizontally by sliding into grooved inner body frame.
- Designed for a tough environment such as required heavy duty, high waterproofing, and countermeasures against heat, so suitable for a measuring instrument, industrial control box, industrial camera housing, and so on.

### N type Components

Ref. #	Part name	Pcs	Material	Color / Finish
1	End panel	2	Die-cast aluminium	Metallic gray · Black / Powder coated
2	Body frame	1	Aluminium extrusion	Silver · Black / Anodized
3	Gasket	2	Silicone	Black
4	Screw	8	Stainless steel	Unfinished
5	Rubber feet	4	Polyurethane	Black



## E type Components

Ref. #	Part name	Pcs	Material	Color / Finish
1	End panel	2	Die-cast aluminium	Silver · Black / Painted (Inside unfinished)
2	Body frame	1	Aluminium extrusion	Silver · Black / Anodized
3	Shielded gasket	2	Conductive silicone	Black
4	Screw	8	Stainless steel	Unfinished
5	Rubber feet	4	Polyurethane	Black

