

Stubbs Lane, Beckington, Frome, BA11 6TE, UK Tel: +441373470418

Email: info@phytovistalabs.com Web: www.phytovistalabs.com

Reported Date: 16/11/2021 No. C-AR02605-2-1

CERTIFICATE OF ANALYSIS

Sample Information				
Description: Kloris The Eye Cream		Sample Condition: CONFORMS		
PV ID: AR02605-2	Test method: PVSOP-47	Received date: 09-Nov-2021		
Batch no: 1224	Storage Condition: AMBIENT	Test started date: 09-Nov-2021		
Customer Information				
Name: Kloris				
Address: 27 Old Gloucester Street, London, WC1N3AX				
Method Information				
Cannabinoid Content by HPLC-DAD				

Results apply to sample as received

Analyte	Units	Result	Limit Of Quantification (LOQ)
Cannabidivarinic Acid (CBDVA)	%w/w	<loq< th=""><th>0.0050</th></loq<>	0.0050
Cannabidivarin (CBDV)	%w/w	<loq< th=""><th>0.0050</th></loq<>	0.0050
Cannabidiolic Acid (CBDA)	%w/w	<loq< th=""><th>0.0050</th></loq<>	0.0050
Cannabigerolic Acid (CBGA)	%w/w	<loq< th=""><th>0.0050</th></loq<>	0.0050
Cannabigerol (CBG)	%w/w	<loq< th=""><th>0.0050</th></loq<>	0.0050
Cannabidiol (CBD)	%w/w	1.0243	0.0050
Tetrahydrocannabivarin (THCV)	%w/w	<loq< th=""><th>0.0050</th></loq<>	0.0050
Tetrahydrocannabivarinic Acid (THCVA)	%w/w	<loq< th=""><th>0.0050</th></loq<>	0.0050
Cannabinol (CBN)	%w/w	<loq< th=""><th>0.0050</th></loq<>	0.0050
Δ9-Tetrahydrocannabinol (Δ9-THC)	%w/w	<loq< th=""><th>0.0050</th></loq<>	0.0050
Δ8-Tetrahydrocannabinol (Δ8-THC)	%w/w	<loq< th=""><th>0.0071</th></loq<>	0.0071
Cannabicyclol (CBL)	%w/w	<loq< th=""><th>0.0050</th></loq<>	0.0050
Cannabichromene (CBC)	%w/w	<loq< th=""><th>0.0050</th></loq<>	0.0050
Tetrahydrocannabinolic Acid (THCA)	%w/w	<loq< th=""><th>0.0050</th></loq<>	0.0050
Cannabichromenic Acid (CBCA)	%w/w	<loq< th=""><th>0.0050</th></loq<>	0.0050

Additional Information:

Reviewed By:

Rob McMahon

R. J. Mur

Senior Analytical Chemist

Opinions and interpretations are outside of the scope of any accreditation. By placing the order for services with PhytoVista Laboratories, terms and conditions are deemed to be accepted by the submitter. Report shall not be reproduced, except in full, without the approval of the testing laboratory.