



Chain.com.au (by Abacon Products Pty Ltd) is an official Interclamp® distributor.

## Orders

Phone - 03 9331 5544

Email - [sales@abaconproducts.com.au](mailto:sales@abaconproducts.com.au)


Online - [chain.com.au](http://chain.com.au)\*

\*Not all products may be available online
















































## Sizes

Five different size ranges of Interclamp are available as shown in the table, hence a suitable size can be selected for any particular application. Interclamps are easily identified by a type number of each design, e.g. 125, followed by a size code, e.g. D48, the latter part of which corresponds with the approximate outside diameter of the tube to be used (48.3mm = 1 1/2" nominal bore in this case). Hence a 90° elbow suitable for an 1 1/2" nominal bore tube in this example would be denoted as a 125-D48.

Interclamp Size	Nominal Bore	Outside Diameter
A27	3/4"	26.9mm
B34	1"	33.7mm
C42	1 1/4"	42.4mm
D48	1 1/2"	48.3mm
E60	2"	60.3mm




\* Illustration shows multiple fittings

<b>161</b> B34/A27 C42/B34 D48/B34 D48/C42 E60/D48		<b>165</b> B34 C42 D48 E60		<b>166</b> 0-120° B34 C42 D48 E60		<b>167</b> A27 B34 C42 D48 E60		<b>167M</b> A27 B34 C42 D48 E60	
<b>168</b> A27 B34 C42 D48 E60		<b>168M</b> A27 B34 C42 D48 E60		<b>169</b> A27 B34 C42 D48 E60		<b>169M</b>		<b>170</b> A27 B34 C42 D48 E60	
<b>171</b> A27 B34 C42 D48 E60		<b>172M*</b> C42 D48		<b>173</b> A27 B34 C42 D48 E60		<b>173F</b> A27 B34 C42 D48 E60		<b>173M</b> A27 B34 C42 D48 E60	
<b>174</b> D48		<b>174M</b> D48		<b>175</b> D48		<b>175M</b> D48		<b>176</b> A27 B34 C42 D48 E60	
<b>179</b> A27 B34 C42 D48 E60		<b>182</b> A27 B34 C42 D48		<b>185</b> 27½° D48		<b>191</b> 27½° D48		<b>192</b> B34 C42 D48	
<b>197</b> D48		<b>198</b> B34 C42 D48		<b>199</b> B34 C42 D48		<b>232</b> D48		<b>242</b> C42 D48	
<b>245</b> D48		<b>246</b> B34 C42 D48		<b>251</b> 30°- 45° B34 C42 D48		<b>252</b> 11°- 29° D48		<b>253</b> 11°- 29° D48	
<b>255</b> 11°- 29° D48		<b>256</b> 11°- 29° D48		<b>300*</b> AB CDE		<b>302</b>		<b>303*</b> AB CDE	
				<b>301*</b> AB CDE				<b>304*</b> AB CDE	
<b>310</b>		<b>333</b> Aluminium A27 B34 C42 D48 E60		<b>390</b> 400ml		<b>392</b>		<b>394</b>	



## Interclamp DDA Assist Range

<b>720</b> C42 	<b>721</b> C42 	<b>724</b> C42 	<b>725</b> C42 	
<b>728</b> C42 	<b>729</b> C42 	<b>731</b> C42 	<b>745</b> C42 D48 	<b>746</b> C42 
<b>747</b> C42 D48 	<b>748</b> C42 	<b>750</b> ◊ C42 C42/D48 D48 	<b>751</b> ◊ C42 C42/D48 	<b>764</b> ** C42 
<b>766</b> C42 	<b>797</b> C42 	<b>798</b> * PH2 	* Illustration shows multiple fittings. ** Requires 2 x 150-C42 (not shown) or other expanding fittings. ◊ Requires assembly.	
		<b>799</b> * PH2 		

# Safety Posts

## Interclamp Safety Posts

A simplified modular handrail system

- Save time and money.
- Simplify specification and installation.
- Ball standard replacement system.
- Off-the-shelf solutions.
- Available in 2 colours - **Galvanised** and **Safety Yellow** (see images).

Galvanised




Safety Yellow



Interclamp Safety Post is designed to be a replacement for traditional ball standard systems. Simply choose the posts and rails required and assemble on site.

## 400 Series - Standard Safety Posts

A rapid assembly and cost effective solution for industrial and workplace safety barriers. Ideal for machinery guardrails, zone segregation and personnel safety.



Size	Post	Mid Rail	Top Rail
C42	C42	C42	C42
D48	D48	D48	D48

## Accessories



## 3m Rails



Disclaimer:  
 Products illustrated show Interclamp Safety Yellow Polyester Powder Coated Finish.  
 Horizontal tubes (pale yellow) are not included, as purchased separately.




## 800 Series - DDA Assist Posts


To help compliance with DDA and AS 1428.1-2009 requirements, the 800 Series Assist DDA Safety Post offers a simple solution for creating DDA handrailing structures. Ideal for public access installations including shops, schools, colleges, banks, hospitals, restaurants and public institutions.

### (Offset Top & Offset Middle Rails)

#### Level Sites




#### Sloping Sites (0-11°)




Size	Post	Mid Rail	Top Rail
C42	C42	C42	C42
D48	D48	C42	C42

### (Offset Top & Inline Middle Rails)

#### Level Sites



#### Sloping Sites (0-11°)



Size	Post	Mid Rail	Top Rail
C42	C42	C42	C42
D48	D48	D48	C42

\* 721 Return Bend must be cut to suit angle.

**392**



## 392 Pedestrian Barrier

Available in 900mm and 1800mm widths

The Interclamp Pedestrian Barrier is designed to integrate fully with the Interclamp system and provide rapid construction of pedestrian control structures. The barrier offers strength, durability and versatility enabling it to be used in a wide variety of applications.

Panels can be shipped directly to site as a complete package by selecting the relevant posts for the installation (see below).

**End**



**Middle**



**Corner**



