



Keystone Labs Inc.
 7225 Roper Road
 Edmonton, Alberta T6B 3J4 Canada
 Tel: (587) 458-8411
 Fax: (780) 465-6294
 Email: key@keystonelabs.ca

Testing Report

Keystone Job #: 177-210415A
 Sample Handling #: 2002D-1111
 Invoice #: 21603
 Date Complete: 29 Apr 21

Sample Description: 109/26 CWN
 K/S Number: 21-1743

Test	Method	Assay #	Specification	Result	Pass/Fail
Inorganic Arsenic	SOP-4038	4038A-047	≤ 0.2 ppm	Not Detected	Pass
Cadmium			≤ 0.2 ppm	Not Detected	Pass
Lead			≤ 0.5 ppm	0.116 ppm	Pass
Total Inorganic Mercury (including Methylmercury)			≤ 0.1 ppm	Not Detected	Pass
Pesticides	SOP-4036	4036A-084	Health Canada Limits	Below Limits (see attached) ³	Pass
Total Aerobic Count	USP 43 <2021>	6005A-711	≤ 100,000 CFU/g	<1,000 CFU/g ³	Pass
Total Yeast and Mold			≤ 1,000 CFU/g	<100 CFU/g ³	Pass

- Comments:
1. Samples tested in accordance with GMP.
 2. The results of this testing summary relate to the sample submitted and analyzed.
 3. Results are FIO for Pesticide and Total Aerobic Count/Total Yeast and Mold testing, sample type not verified.
 4. Heavy Metals Specifications are USP<232> for inhalation.


 Signature

29 Apr 21
 Date

Testing Services


 Signature

29 Apr 21
 Date

Quality Assurance

TESTING REPORT



Keystone Labs Inc.
7225 Roper Road SW
Edmonton, Alberta
T6B 3J4 Canada
Tel: (587) 458-8411
Email: key@keystonelabs.ca

Date Complete: 22-Apr-21
Keystone Job #: 177-210415A
Keystone Assay#: 4036A-084
Keystone Sample#: 21-1743
Invoice Number: 21603

Method: Pesticide Residues In Cannabis by LCTQ & GCTQ
Sample Description: 109/26 CWN
Lot#: N/APP

Equipment No.: 1328, 1331
Equipment Used: LC-MS/MS, GC-MS/MS
Testing Method: SOP-4036
Date of Last Validation: 29-Apr-20

Pesticides	Limit (ppm)	Result	LOQ
Compound Name	Health Canada	ppm	ppm
Abamectin	0.10	Below Limit	0.06
Acephate	0.02	Below Limit	0.02
Acequinocyl	0.03	Below Limit	0.05
Acetamiprid	0.10	Below Limit	0.02
Aldicarb	1.00	Below Limit	0.02
Allethrin	0.20	Below Limit	0.05
Azadirachtin	1.00	Below Limit	0.25
Azoxystrobin	0.02	Below Limit	0.02
Benzovindiflupyr	0.02	Below Limit	0.02
Bifenazate	0.02	Below Limit	0.02
Bifenthrin	1.00	Below Limit	0.04
Boscalid	0.02	Below Limit	0.02
Buprofezin	0.02	Below Limit	0.02
Carbaryl	0.05	Below Limit	0.02
Carbofuran	0.02	Below Limit	0.02
Chlorantraniliprole	0.02	Below Limit	0.02
Chlorphenapyr	0.05	Below Limit	0.03
Chlorpyrifos	0.04	Below Limit	0.02
Clofentezine	0.02	Below Limit	0.02
Clothianidin	0.05	Below Limit	0.02
Coumaphos	0.02	Below Limit	0.02
Cyantranilipole	0.02	Below Limit	0.02
Cyfluthrin	0.20	Below Limit	0.03
Cypermethrin	0.30	Below Limit	0.05
Cyprodinil	0.25	Below Limit	0.02
Daminozide	0.10	Below Limit	0.02
Deltamethrin	0.50	Below Limit	0.05
Diazinon	0.02	Below Limit	0.02
Dichlorvos	0.10	Below Limit	0.02
Dimethoate	0.02	Below Limit	0.02
Dimethomorph	0.05	Below Limit	0.02
Dinotefuran	0.10	Below Limit	0.02
Dodemorph	0.05	Below Limit	0.02
Endosulfan-alpha	0.20	Below Limit	0.02
Endosulfan-beta	0.05	Below Limit	0.02
Endosulfan sulfate	0.05	Below Limit	0.02
Ethoprophos	0.02	Below Limit	0.02
Etofenprox	0.05	Below Limit	0.02
Etoxazole	0.02	Below Limit	0.02
Etridiazole	0.03	Below Limit	0.02
Fenoxycarb	0.02	Below Limit	0.02
Fenpyroximate	0.02	Below Limit	0.02
Fensulfthion	0.02	Below Limit	0.02
Fenthion	0.02	Below Limit	0.03
Fenvalerate	0.10	Below Limit	0.05
Fipronil	0.06	Below Limit	0.02
Flonicamid	0.05	Below Limit	0.05
Fludioxonil	0.02	Below Limit	0.02

Pesticides	Limit (ppm)	Result	LOQ
Compound Name	Health Canada	ppm	ppm
Fluopyram	0.02	Below Limit	0.02
Hexythiazox	0.01	Below Limit	0.01
Imazalil	0.05	Below Limit	0.02
Imidacloprid	0.02	Below Limit	0.02
Iprodione	1.00	Below Limit	0.10
Kinoprene	0.50	Below Limit	0.04
Kresoxim-methyl	0.02	Below Limit	0.02
Malathion	0.02	Below Limit	0.02
Metalaxyl	0.02	Below Limit	0.02
Methiocarb	0.02	Below Limit	0.02
Methomyl	0.05	Below Limit	0.02
Methoprene	2.00	Below Limit	0.25
Mevinphos	0.05	Below Limit	0.02
MGK-264	0.05	Below Limit	0.02
Myclobutanil	0.02	Below Limit	0.02
Naled	0.10	Below Limit	0.02
Novaluron	0.05	Below Limit	0.02
Oxamyl	3.00	Below Limit	0.02
Paclobutrazol	0.02	Below Limit	0.02
Parathion-methyl	0.05	Below Limit	0.02
Permethrin	0.50	Below Limit	0.10
Phenothrin	0.05	Below Limit	0.05
Phosmet	0.02	Below Limit	0.02
Piperonyl butoxide	0.20	Below Limit	0.02
Pirimicarb	0.02	Below Limit	0.02
Prallethrin	0.05	Below Limit	0.05
Propiconazole	0.10	Below Limit	0.02
Propoxur	0.02	Below Limit	0.02
Pyraclostrobin	0.02	Below Limit	0.02
Pyrethrins	0.05	Below Limit	0.02
Pyridaben	0.05	Below Limit	0.02
Quintozene	0.02	Below Limit	0.02
Resmethrin	0.10	Below Limit	0.02
Spinetoram	0.02	Below Limit	0.02
Spinosad	0.10	Below Limit	0.02
Spirodiclofen	0.25	Below Limit	0.02
Spiromesifen	3.00	Below Limit	0.02
Spirotetramat	0.02	Below Limit	0.02
Spiroxamine	0.10	Below Limit	0.02
Tebuconazole	0.05	Below Limit	0.02
Tebufenozide	0.02	Below Limit	0.02
Teflubenzuron	0.05	Below Limit	0.02
Tetrachlorvinphos	0.02	Below Limit	0.02
Tetramethrin	0.10	Below Limit	0.02
Thiacloprid	0.02	Below Limit	0.02
Thiamethoxam	0.02	Below Limit	0.02
Thiophanate-methyl	0.05	Below Limit	0.05
Trifloxystrobin	0.02	Below Limit	0.02

Comments: The results of this testing summary relate to the sample submitted and analyzed.
Sample type not validated. Results are For Information Only (FIO).

Sign: Date: 22 Apr 21
Testing Services

Sign: Date: 22 Apr 21
Quality Assurance



Testing Report



Keystone Labs Inc.
7225 Roper Road SW
Edmonton, Alberta
T6B 3J4 Canada
Tel: (587) 458-8411
Email: key@keystonelabs.ca

Sample Description: 109/26 CWN


Invoice #: 21603

Date Complete: 22-Apr-21
Keystone Job #: 177-210415A
Keystone Assay#: 4038A-047
Keystone Sample#: 21-1743
Data File: 026SMPL.d

Equipment No. 1336
Equipment Used ICP-MS
Testing Method SOP-4038

Heavy Metal	Units	Detection Limit	Result
Arsenic	mg/kg	0.025	ND
Cadmium	mg/kg	0.025	ND
Mercury	mg/kg	0.0025	ND
Lead	mg/kg		0.116

Comments: The results of this testing summary relate to the sample submitted and analyzed.


Signature
22 Apr 21
Date
Testing Services


Signature
22 Apr 21
Date
Quality Assurance

