

 Document ID
 ABS – HI121

 Issued Date
 1997.04.12

 Revised Date
 2009.9.01

 Page
 1 of 5

Grade: HI121 ABS Resin

1. Chemical Product & Company Identification

a. Chemical Product Name
 b. Usage
 Acrylonitrile, 1,3 Butadiene, and Styrene Co-polymer
 Electronic Goods, Automotive Parts, Package, etc

c. Chemical Type Thermoplastics

d. Company's Address LG Chem, Ltd. 20, Yeouido-dong, Yeongdeungpo-gu, Seoul, 150-721, Korea

e. Phone / Fax number 82-2-3773-6880, 3324 / 82-2-3773-3395

f. Prepared By ABS / EP Division

2. Hazards Identification

a. Threshold Limit Not established

b. Effect of overexposure

Eye Contact
 Solid or dust may cause irritation or corneal injury due to mechanical action

• Skin Contact Essentially nonirritating to skin, Mechanical injury only

Skin Absorption Unlikely due to physical properties

• Ingestion Unlikely due to physical state.

Inhalation Dust may cause irritation to respiratory

In case of breathing, fumes released from heated material

CAS Number

Contente

may cause respiratory irritation

Chronic Effects Not AvailableMutagenicity Not Available

3. Composition / Information On Ingredients

	0/10 Hamber	Contonto
a. ABS(Acrylonitrile-Butadiene-Styrene)	9003-56-9	95 ~ 100%
b. Typical Stabilizer		0 - 3%
c. Typical lubricants		0 - 3%



Document ID	ABS - HI121
Issued Date	1997.04.12
Revised Date	2009.9.01
Page	2 of 5

Grade: HI121 ABS Resin

4. First Aid Measures

a. Eye Contact Immediately rinse eyes with copious amount of running water

and seek medical advice

b. Skin Contact Essentially nonirritating to skin but rinse with copious water

c. Ingestion If vomiting occurs, lower the head to ease vomiting and seek for medical

Advice

d. Inhalation In case of breathing, fumes released from heated material may

cause respiratory irritation

In case of inhaling dense smoke, immediately remove a person to fresh air. If necessary, apply artificial respiration

and seek medical attention immediately

e. Mutagenicity Not Available

5. Fire Fighting Measures

a. Flammable Properties

• Flash Point None

Method Used Not applicableAuto ignition Temperature Not applicable

b. Extinguishing Media Usually use water and use extinguishing media appropriate to

surrounding conditions

c. Special Fire Fighting Procedure Cool Containers with water spray. In closed stores, provide fire

fighter with self-contained breathing apparatus in positive

pressure mode

d. Usual Fire and Explosion Hazards Irritating gases and dense smoke

6. Accidental Release Measures

a. Personal Precautions Pellets or beads may present a slipping hazard

b. Environmental Precautions Keep out of irrigation ditches, sewers, and water supplies

Spills should be collected to prevent contamination of waterways

c. Cleanup Sweep up



Document ID	ABS – HI121
Issued Date	1997.04.12
Revised Date	2009.9.01
Page	3 of 5

Grade: HI121 ABS Resin

7. Handling and Storage

a. Handling Avoid formation of dust

Keep bags always closed / Keep container lightly closed

Avoid pellets / bags from getting wet

b. Storage Keep bags / containers in a well-ventilated place

Avoid pellets / bags from getting wet

8. Exposure Controls / Personal Protection

a. Engineering Controls Good general ventilation should be sufficient for most conditions.

Local exhaust ventilation may be necessary for some operations

b. Personal Protective Equipment

Eye / Face Protection
 Use safety glasses. If the is a potential for exposure to particles which

Could cause mechanical injury to the eye, wear chemical goggles

Skin Protection
 No Precautions other than clean body-covering clothing should be needed

Respiratory Protection
 For most conditions, no respiratory protection should be needed; however,

If handling at elevated temperatures without sufficient ventilation, use an approved air-purifying respirator. In dusty atmospheres, use an approved

dust respirator

c. Exposure Guideline (s)

Although some of the additives used in this product may have exposure

guidelines, these additives are encapsulated in the product and no exposure would be expected under normal handling conditions

9. Physical And Chemical Properties

a. Appearance Pellet

b. Odor Almost Odorless

c. pH Neutral

d. Boiling Point Not applicable

e. Evaporation Rate Not applicable at standard condition

f. Specific Gravity 1.05

g. Vapor Pressureh. Vapor DensityNot applicable at standard conditionNot applicable at standard condition

i. Solubility in Water Insoluble

j. Solubility in other Solvent Soluble in THF, Acetone and other Analogous Solvents



Document ID	ABS – HI121
Issued Date	1997.04.12
Revised Date	2009.9.01
Page	4 of 5

Grade: HI121 ABS Resin

10. Stability and Reactivity

a. Stability Stable under normal condition

b. Storage conditions to avoid Avoid fire and heating above $60\,^{\circ}\mathrm{C}$

c. Incompatibility

None known

d. Hazardous decomposition products

Not applicable

e. Hazardous polymerization Not occur

11. Toxicological Information

See Section 3 for Potential Health Effects. For detailed toxicological data, Write or call the address or phone number shown in Section 1.

12. Ecological Information

a. Environmental Fate

Movement & Partitioning
 No bioconcentration is expected because of the high molecular

weight (MW>1000). In the terrestrial environment,

material is expected to remain in the soil. In the aquatic environment,

material will sink and remain in the sediment.

• Degradation & Persistence This water insoluble polymeric solid is expected to the inert in the

environment. Surface degradation is expected with exposure to

sunlight. No appreciable biodegradation is expected.

b. Ecotoxicity Not Expected to be acutely toxic, but pellets, if ingested by waterfowl

or aquatic life, may mechanically cause adverse effects.

13. Disposal Considerations

Disposal: Do not Dump into any sewers, on the ground, or into any body of water.

All disposal methods must be in compliance with all Federal, State/Provincial and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with appliance laws are the responsibility solely of the waste generator.

For unused & uncontaminated product, the preferred options include sending to a licensed, permitted : recycler, reclaim, incinerator or other thermal destruction device.



Document ID	ABS – HI121
Issued Date	1997.04.12
Revised Date	2009.9.01
Page	5 of 5

Grade: HI121 ABS Resin

14. Transport Information

Not classified as hazardous under transport regulations.

15. Regulatory Information

Listed below are chemical substances subject to supplier notification requirements.

U.S. REGULATIONS:

TSCA INVENTORY STATUS: This product complies with the Chemical Substance Inventory requirements of the US EPA TSCA.

CERCLA SECTION 103 (40CFR302.4): Not Listed SARA SECTION 313 (40CFR372.65): Not Listed

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21)

ACUTE: Not Listed CHRONIC: Not Listed FIRE: Not Listed REACTIVE: Not Listed

SUDDEN RELEASE: Not Listed

STATE REGULATIONS:

California Proposition 65: Not Listed

EUROPEAN REGULATIONS: EC NUMBER: Not assigned

This product complies with the requirements of resolution of European Parliament (WE) no. 1907/2006 Dated December 18 2006 concerning REACH (European Union Official Register L396 with its changes In EU Official Register no. L136)

16. Other Information

Product should be handled, stored, and used in accordance with the generally accepted industrial hygiene practices and in conformity with all the applicable legal regulations.

The information provided herein is based on the knowledge possessed at this present time from the view point of safety requirements.

It should, therefore, not be construed as guaranteeing specific properties.