



according to EC 1907/2006 (REACH) and 1272/2008 (CLP)

Product name: ACRYREX® PMMA

Version 1

Revision Date: June 1,2015 Print Date: May 31, 2018

3.2 Additional information:

Reach Info:

	Registration No.
Methyl methacrylate	01-2119452498-28-0009
Methyl acrylate	01-2119459302-44-0013

3.3 For full text of R- and H-phrases: see section 16

Section 4. First-aid measures

4.1 Description of first aid measures

<u>General notes</u>: Remove affected persons from the danger area, at the same time ensuring your own safety. Remove all contaminated clothing immediately

Following inhalation: In case of gases evolving from melted resin, move subject to fresh air. Treat symptomatically

Following skin contact: In case of pellets or powder, wash with water. In case of smelt, wash affected skin area and clothing with plenty of (soap and) water. Seek medical advice

Following eye contact: In case of pellets or powder, flush with plenty of water for at least 15 minutes. Seek medical advice if any dust particles still remain.

In case of gases evolving from melted resin of high temperature, flush with plenty of water for at least 15 minutes. Seek medical advice if necessary

Following ingestion: Induce vomiting. Rinse mouth with water. Seek medical advice if necessary

Self-protection of the first aider: -

4.2 Most important symptoms & effects both acute & delayed

Dust: Skin irritation, eye irritations and redness

4.3 Indication of any immediate medical attention and special treatment needed: -

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Water, foam, dry chemical powder

For safety reasons unsuitable extinguishing agents: -

5.2 Special hazards arising from the substance or mixture: -

5.3 Advice for firefighters

Protective equipment: Self-contained breathing apparatus

<u>Further measures</u>: -5.4 Additional information: -



according to EC 1907/2006 (REACH) and 1272/2008 (CLP)

Product name: ACRYREX® PMMA

Version 1

Revision Date: June 1,2015 Print Date: May 31, 2018

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment & emergency procedures Pellets or powder remained on ground may cause slipping

Wear protective equipment Ensure adequate ventilation Keep away from ignition sources Keep unprotected persons away

6.2 Environmental precautions

Gather pellets and powder thoroughly to avoid birds or fishes taking from draining water. Do not allow product to reach sewage system or water bodies. Inform respective authorities in case product reaches water, sewage system or soil

6.3 Methods and material for containment and cleaning up

Recovery if not contaminated or disposal

6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

Section 7. Handling and storage

7.1 Precautions for safe handling

Protective measures: -

Measures to prevent fire: Prevent from fire around handling area

<u>Measures to prevent aerosol and dust generation</u>: maintain good housekeeping standards to prevent accumulation of dust. To avoid dust explosion resulting from the existence of powder, electrostatics eliminators and grounding should be fixed to such equipment as air transferring pipes, bag filters and hoppers. Use electrically conductive filters for bag filters.

Measures to protect the environment: -

Advice on general occupational hygiene: -

7.2 Conditions for safe storage, including any incompatibilities

<u>Technical measures and storage conditions</u>: Keep the material at a cool dry place. Protect from direct sunlight, rain and violent temperature fluctuation. Fire is inhibited around storage area.

Requirements for storage rooms and vessels: -

Suitable materials and coating: -

Unsuitable materials or coatings: -

Further information on storage conditions: -

7.3 Specific end use(s)

Recommendations: -



according to EC 1907/2006 (REACH) and 1272/2008 (CLP)

Product name: ACRYREX® PMMA

Version 1

Revision Date: June 1,2015 Print Date: May 31, 2018

Section 8. Exposure controls/personal protection

8.1 Control parameters

Exposure limits : None established

8.2 Exposure control

<u>Appropriate engineering controls:</u> Install eyes washer and shower in the place of operation. Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits

Personal protection:

- Respiratory protection: Wear masks for cleaning molding machines
- Hand protection: Heat-insulting gloves when handling molten form
- Eye protection: Wear safety glasses for general purpose. Wear chemical goggles for cleaning molding machines
- Skin and body protection: Gloves necessary for handling melted resin
- Hygiene measures: Wash hands after handling

8.3 Environmental exposure controls

Product related measures to prevent exposure: None specific

Instruction measures to prevent exposure: None specific

Organizational measures to prevent exposure: None specific

Technical measures to prevent exposure: None specific

Environmental exposure controls: Do not allow product to reach sewage system or water bodies

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	Pellet
Odour	None
Colour	Transparent
Odour threshold	Not Established
pH	Not applicable
Melting point / freezing point	104 ~ 118°C (219 ~ 244°F)
Initial boiling point and boiling range	Not applicable
Flash point	> 280 °C
Evaporation rate	Not applicable (Butyl acetate = 1)
Flammability (solid, gas)	Not available
Upper/lower flammability or explosive limits	Not applicable
Vapour pressure	Not applicable
Vapour density	Not applicable
Specific gravity	Approx. 1.19 kg/m3
Bulk density	Approx. 600- 720 kg/m3
Solubility in water	Insoluble
Solubility (non aqueous)	Benzene, Acetone, Methyl Ethyl Ketone(MEK), and Dimethyl formamide (DMF)
Auto-ignition temperature	No self-igniting
Decomposition temperature	> 288 °C
Viscosity	Not applicable
Explosive properties	Not explosive
Oxidizing properties	Not oxidizing

9.2 Other safety information: -



according to EC 1907/2006 (REACH) and 1272/2008 (CLP)

Product name: ACRYREX® PMMA

Version 1

Revision Date: June 1,2015 Print Date: May 31, 2018

Section 10. Stability and reactivity

- 10.1 Reactivity: Non-reactive under normal handling and storage conditions
- **10.2 Chemical stability:** Stable under normal handling and storage conditions
- 10.3 Possible hazardous reaction: -
- 10.4 Conditions to avoid: Avoid excessive heat, flames and all sources of ignition
- 10.5 Incompatible materials: not applicable
- **10.6 Hazardous decomposition products:** not applicable

Section 11. Toxicological information

11.1 Information on toxicological effects

Toxicological effects:

- Acute toxicity (oral): The product is not acute toxic based on similar chemicals.
- Acute toxicity (dermal): Lack of data.
- Acute toxicity (inhalative): Mist or vapor from heated may irritate the respiratory tract.
- Skin corrosion/irritation: No toxic symptoms reported. Monomer vapors from heated PMMA may cause irritation.
- Eye damage/irritation: Lack of data. May cause irritations.
- Sensitisation to the respiratory tract: Lack of data. Not to be expected
- Skin sensitisation: The product is not expected to acute toxic.
- Germ cell mutagenicity/Genotoxicity: Not expected to cause mutagenicity based on its monomer and PMMA structure.
- Carcinogenicity: Lack of data. Not to be expected
- Reproductive toxicity: Lack of data. Not to be expected
- Effects on or via lactation: Lack of data.
- Specific target organ toxicity (single exposure): Lack of data.
- Dusts: Irritating to eyes, respiratory system and skin.
- Specific target organ toxicity (repeated exposure): Lack of data.

Other information

- None

Section 12. Ecological information

12.1 Toxicity

Method	Results	Reference			
Short-term aquatic toxicity					
Based on available data on the constituents the classification criteria are not met					
LC(50)mixture = 5.78 mg/l (additivity and summation method, toxicity information available for 92,5 % of the mixture)					
Long-term aquatic toxicity					
Based on available data on the constituents the classification criteria are met and the mixture is therefore classified as Aquatic Chronic 1					
NOEC _{mixture} = 0.0079 mg/l (additivity and summation method, toxicity information available for 78 % of the mixture)					



according to EC 1907/2006 (REACH) and 1272/2008 (CLP)

Product name: ACRYREX® PMMA

Version 1

Revision Date: June 1,2015 Print Date: May 31, 2018

12.2 Persistence and degradability

Biodegradation: Product is not readily biodegradable. Effects in sewage plants: Not toxic to sewage organisms.

12.3 Bioaccumulative potential

To avoid bioaccumulation plastics should not be disposed in the sea or in other water environments.

12.4 Mobility in soil

Product is not soluble in water.Substance is heavier than water and sinks. mobility in soil: low

12.5 Results PBT & vPvB assessment

According to the revised Annex XIII of regulation (EC) 1907/2006 and (EC) 253/2011: No information available on the product as such

12.5 Other adverse effects:

General information: Do not allow to enter into ground-water, surface water or drains.

12.7 Additional information: -

Section 13. Disposal considerations

13.1 Waste treatment methods

Product / Packaging disposal: Dispose in accordance with the current local regulations. Waste codes according to European Waste Catalogue: -Waste treatment-relevant information: Inadequate incineration may generate toxic gases such as CO, HCN, AN and SM Sewage disposal-relevant information: -Other disposal recommendations: -

Section 14. Transport information

ADR/RID

14.1 UN number Not applicable
14.2 UN proper shipping name Proper Shipping Name: NOT REGULATED
14.3 Transport hazard class(es) Not applicable
14.4 Packing Group Not applicable
14.5 Environmental hazards Not considered environmentally hazardous based on available data
14.6 Special precautions for user Special Provisions: no data available Hazard identification No:no data available



Safety Data Sheet according to EC 1907/2006 (REACH) and 1272/2008 (CLP)

Product name: ACRYREX® PMMA

Version 1

Revision Date: June 1,2015 Print Date: May 31, 2018

ADNR / ADN
14.1 UN number
Not applicable
14.2 UN proper shipping name
Proper Shipping Name: NOT REGULATED
14.3 Transport hazard class(es)
Not applicable 14.4 Packing Group
Not applicable
14.5 Environmental hazards
Not considered environmentally hazardous based on available data
14.6 Special precautions for user
no data available
IMDG
14.1 UN number
Not applicable
14.2 UN proper shipping name
Proper Shipping Name: NOT REGULATED
14.3 Transport hazard class(es) Not applicable
14.4 Packing Group
Not applicable
14.5 Environmental hazards
Not considered environmentally hazardous based on available data
14.6 Special precautions for user
EMS Number: Not applicable
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable
14.1 UN number
Not applicable
14.2 UN proper shipping name
Proper Shipping Name: NOT REGULATED
14.3 Transport hazard class(es)
Not applicable
14.4 Packing Group
Not applicable
14.5 Environmental hazards
Not considered environmentally hazardous based on available data 14.6 Special precautions for user
no data available



Safety Data Sheet according to EC 1907/2006 (REACH) and 1272/2008 (CLP)

Product name: ACRYREX® PMMA

Version 1

Revision Date: June 1,2015 Print Date: May 31, 2018

Section 15. Regulatory information

15.1 Safety, health and environmental regulations /legislation specific for the substance or mixture Authorization and / or restrictions on use: None

EUROPE: This chemical substance is not hazardous according to the Annex I of Directive 67/548/EEC.

15.2 Chemical Safety Assessment

For this substance a chemical safety assessment is not yet required.

Section 16. Other information

16.1 Indication of changes

Version 1: First issue according to Regulations (EC) 453/2010 (REACH) & 1272/2008 (CLP)

16.2 Abbreviations and acronyms

AGS	Ausschuss für Gefahrstoffe	LoW	List of Waste	
AF	Assessment Factor	MARPOL	MARine POLIution	
BCF	BioConcentration Factor	MIE	Minimum Ignition Energy	
CAS	Chemical Abstract Service	N°EC	European Commission number	
CMR	Carcinogenic, Mutagenic and Reprotoxic	NFPA	National Fire Protection Association	
CSR	Chemical Safety Report	NIOSH	National Institute of Occupational Safety and Health	
DFG	German Research Foundation	NOEC	No Obseved Effect Concentration	
DNEL	Derived No Effect Level	NOELR	No Observed Effect Loading Rate	
EC	European Commission	OECD	Organisation for Economic Co-operation	
			and Development	
EC50	Effective Concentration	OEL	Occupational Exposure Limit	
	(required to induce a 50% effect)			
EEC	European Economic Community	OSHA	Occupational Safety and Health Administration	
EWC	European Waste Catalogue Code	PBT	Persistant Bioaccumulable Toxique	
IDLH	Immediately Dangerous to Life or Health	PNEC	Previsible Non Effect Concentration	
IBC	International Bulk Chemical	QSAR	Quantitative Structure-Activity Relationship	
Koc	Soil/Water Partition Coefficient	STOT	Specific Target Organ Toxicity	
Kow	Octanol/Water Partition Coefficient	TCLo	Toxic Concentration Low	
LC50	Lethal Concentration 50	TDLo	Toxic Dose Low	
LD50	Lethal Dose 50	UN	United Nations	
LEL	Lower Explosive Limit	UVCB	Unknown or Variable Composition Complex	
			Reaction Products, or Biological Materials	
LL100	Lethal Loading	vPvB	very Persistent, very Bioaccumulative	
LOEC	Lowest Observed Effect Concentration			

16.3 Key literature references and sources for data

http://esis.jrc.ec.europa.eu/ http://echa.europa.eu/ http://gestis-en.itrust.de



Safety Data Sheet according to EC 1907/2006 (REACH) and 1272/2008 (CLP)

Product name: ACRYREX® PMMA			Version 1	Revision Date: June 1,2015 Print Date: May 31, 2018			
16.4 Relevant R-phrases and/or H-statements (number and full text):							
H220 H225 H226 H301 H311 H315 H317 H318 H319 H331 H332 H335 H340 H350 H351 H400 H411	Causes skin irritation May cause an allergic skin reaction Causes serious eye damage Causes serious eye irritation Toxic if inhaled Harmful if inhaled May cause respiratory irritation May cause genetic defects May cause cancer Suspected of causing cancer	R10 R11 R12 R20 R23/24/25 R36 R37 R38 R40 R41 R43 R45 R46 R50/53 R51/53	swallowed Irritating to eyes Irritating to respiratory Irritating to skin Limited evidence of a of Risk of serious damag May cause sensitisatio May cause cancer May cause inheritable Very toxic to aquatic o adverse effects in the	carcinogenic effect e to eyes on by skin contact genetic damage rganisms, may cause long-term aquatic environment isms, may cause long-term			

16.5 Training advice: -

16.6 Further information: According to the guidance version 2.0 for monomers and polymers from the European Chemicals Agency dated as of April 2012, the classification of the polymer takes into account the classification of all its constituents, such as unreacted monomers. These constituents in fact should be taken into account for classification of the polymer. This means that the same classification methods as for mixture should be applied to polymer substances.

In order to determine a classification for the studies about the water soluble fraction as well as the absorption should be performed on the polymer as such.

To the best of our knowledge and belief, the information contained herein is accurate and obtained from sources believed to be reliable. No representation is made that the information is complete or the material is suitable for all purposes. The final determination as to the suitability of the user's intended use of the material is the sole responsibility of the user. All materials may present unknown hazards even when used in common applications and accordingly, it is the sole responsibility of the user to understand and address all potential hazards, including those identified herein. The information set forth in Sections 11 and 12 reflects data available as of the date hereof. It is anticipated that such data will be updated.