Phone: 208.209.3214 Fax: 208.209.3224

Email: Sales@DynomiteDiesel.com




AFC Spring installation

NOTE: IF THE AFC HOUSING IS GOING TO BE REMOVED, REMEMBER ITS POSITION ON THE PUMP. IT IS VERY IMPORTANT!

- 1. Remove Break off bolt by using a chisel
- 2. Remove bolt opposite to the break off bolt
- 3. Remove the remaining bolts evenly to reduce chance of cracking the AFC housing
- 4. Remove AFC cover



- 5. Remove rubber diaphragm. (This is spring loaded, so be careful. Take note on how the fender washers are installed.)
- 6. Remove AFC Spring and replace it with the supplied DDP spring.



7. Slide Foot toward AFC spring.



8. When installing the rubber diaphragm, make sure the radius of the fender washers are AWAY from the rubber. This insures that the diaphragm will not get cut



9. Loosely install the 4 screws and tighten evenly (one black allen screw should replace the break off bolt.)



10. Remove Star Wheel Cover



- 11. Adjust Star Wheel until it is in the center of the window for initial testing.
- 12. Re-install Star Wheel Cover.
- 13. Drive your vehicle. If it has too much spring pressure boost and power will be slow to respond. Adjust star wheel away from spring. 5 to 10 clicks will make a noticeable difference. If smoke is still too easy on bottom, then adjust the star wheel toward spring. 5 to 10 clicks will make a noticeable difference.

<u>Dynomite Diesel Products (DDP) Injector Limited Warranty</u> Terms & Conditions

Dynomite Diesel would like to thank you for purchasing this product. We truly appreciate your support. We also pledge to give you the absolute best customer service & tech support in the business. If you have a problem with our product or service, please tell us first; we will do everything in our power to correct the situation & make sure you are happy with the final outcome.

DDP & its distributors as well as dealers will not be held responsible for any damage created by this product, misuse of this product, improper install of this product, or misapplication of this product.

By purchasing this product, you agree to not hold DDP or any company or individual who sold it to you responsible for any damage caused to your vehicle, its contents and any personal injury to you, your occupants, or bystanders.

Use a Pyrometer. Do not let exhaust gas temperatures exceed 1250° pre-turbo. Make sure your pyrometer works. Make sure you are installing the right product in your truck. When in doubt, call us first to make sure it is the correct part. This is a performance part designed to enhance your vehicle. When used or installed improperly it can ruin your engine & other parts on your vehicle or cause serious injury. DDP & anyone who sells you a DDP product accepts no liability if you ruin your parts or the parts we or our dealers or distributors sold to you.

No warranty for water damage.

No warranty against dirt or contamination.

No warranty for incorrect part(s) ordered and/or installed.

DDP nor its sellers and/or installers are responsible for towing or vehicle time loss.

DDP limited warranty is on craftsmanship only.

Your original invoice is your proof of purchase for any and all warranty claims. Be sure to keep a copy! DDP will cover one (1) replacement part for 30 days. UPS ground shipping will be used. We do request that a licensed shop determines fault. Please send a digital photo if possible along with a UPS tracking number. We will in turn ship one (1) part, no cost, to the customer.

All injectors are warrantied for one (1) year. You are responsible for shipping them to us. We will then fix or replace as necessary. See Limited Warranty Statement.

Limited Warranty Statement

Dynomite Diesel Products (DDP) is very confident in all of our parts. We do recognize however that during shipping, testing, and/or installation of injectors that changes to the injector may occur.

If failure occurs within the first year after purchase, please call DDP Sales at 208-209-3214 for trouble shooting guidelines. You must provide a UPS tracking number for returned part before new part is sent. No cash refunds will be given. This limited warranty covers no more than one (1) injector. Statistics show that one injector failure is possible, but more than one would be caused by poor installation or contamination which is not covered by DDP.

If returned part is determined to have failed due to something other than DDP workmanship no exchange will be given.

<u>SUPERMENTAL & COMP INJECTORS</u> - DDP custom builds these products per application, only after custom injector order form is filled out and signed. These are custom parts therefore no refunds will be issued. These parts are built for off road race application only. No time or mileage warranty is implied.