

SAFETY DATA SHEET

According to HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: Powder extinguisher with compressed gas

Product Use: Fire Extinguisher
Restriction of Use: Refer to Section 15

New Zealand Supplier: PSL Fire & Safety

Address: 10 Akatea Rd,

Glendene Auckland 0602

Telephone: +64 9 818 8048 Fax: +64 9 818 4484

Email: <u>sales@pslfireandsafety.co.nz</u>

Emergency No: 0800 764 766 (National Poison Centre)

Date of SDS: 9 November 2023

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: Fire Fighting Chemicals - HSR002573

Pictograms





Signal Word: Warning

GHS Category	Hazard Code	Hazard Statement
Liquified Gas	H280	Contains gas under pressure may explode if heated.
Eye irritation Cat. 2	H319	Causes serious eye irritation.

Prevention Code	Prevention Statement
P103	Read carefully and follow all instructions.
P264	Wash hands thoroughly after handling.
P280	Wear protective clothing [as detailed in SDS Section 8].

Response Code	Response Statement
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement

SDS 141 Rev:0 11/23 Page 1 of 6

P403	Store in a well-ventilated place.
P410 + P403	Protect from sunlight. Store in a well-ventilated place.

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.
Monoammionmium phosphate	85 - 91	7722-76-1
Ammoniumsulphate		7783-20-2
Nitrogen		7727-37-9
Silicates		72319-10-9

Section 4.	First Aid Measures
section 4.	FILST AID MEASULES

Routes of Exposure:

If in Eyes

Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical assistance if needed.

If on Skin

Wash skin with plenty of water. If skin irritation occurs: get medical advice/attention.

If Swallowed

Rinse mouth. Do not induce vomiting. Never give anything by mouth to an unconscious person. Consult a doctor/medical service if you feel unwell.

Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms: None known.

Section 5. Fire Fighting Measures

Hazard Type	The product itself does not burn. Contains gas under pressure; may explode if heated.
Hazards from decomposition products	None known.
Suitable Extinguishing media	ABC-powder, Carbon dioxide (CO2), Foam and Extinguishing powder Do not use full water jet.
Precautions for firefighters and special protective clothing	Wear self-contained breathing apparatus and chemical protective clothing. Co-ordinate fire-fighting measures to the fire surroundings.
HAZCHEM CODE	None allocated

Section 6. Accidental Release Measures

For personal protection, see section 8. Provide adequate ventilation.

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Wash with plenty of water. For waste disposal, see Section 13.

Section 7. Handling and Storage

Precautions for Handling:

- Read carefully and follow all instructions.
- Wear protective clothing as detailed in Section 8.

SDS 141 Rev:0 11/23 Page 2 of 6

- The fire extinguisher is a pressure vessel that must only be opened by qualified personnel.
- Maintenance operations must be performed by qualified and entitled personnel.
- Before dismantling the unit, always check the absence of internal pressure, do not
 position your head above the fire extinguisher. Recover the used fire extinguishing
 charge for destruction by an approved die.
- Used working clothes should not be worn outside the work area.
- When using do not eat, drink, smoke, sniff.
- Wash hands before breaks and after work.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Protect from sunlight. Store in a well-ventilated place.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

Engineering Controls

Use with good general ventilation.

Personal Protection Equipment

The following recommendations should be considered although not needed.

Eyes	Wear chemical goggles.
Hands	Use chemical resistant gloves.
Respiratory	Wear gas mask.

Section 9 Physical and Chemical Properties

Appearance	Liquid under pressure
Colour	Not available
Odour	Not available
Odour Threshold	Not available
рН	Not available
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower	Not available
Explosive Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Relative Density	Not available
Solubility	Not available
Partition Coefficient:	Not available
Auto-ignition	Not available
Temperature	
Decomposition	Not available
Temperature	

SDS 141 Rev:0 11/23 Page 3 of 6

Kinematic Viscosity	Not available
Particle Characteristics	Not available

Section 10. Stability and Reactivity

Stability of Substance	Stable at normal temperatures and when used as	
	recommended.	
Possibility of hazardous	None known.	
reactions		
Conditions to Avoid	None known.	
Incompatible Materials	Alkali (lye)	
	- BC-powder	
	- Be careful, never mix ABC and BC powders: release of	
	ammonia	
Hazardous Decomposition	Does not decompose when used for intended uses.	
Products		

Section 11	Toxicological Information
------------	---------------------------

Acute Effects:

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Not applicable.
Skin	Not applicable.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Individual component information:

Acute Toxicity:

Chemical Name	Oral - LD50	Dermal - LD50	Inhalation – LC50
ammonium dihydrogenorthophosphate (7722-76-1)	>2000 mg/kg (Rat)	>5000mg/kg (Rat)	>5ppmV (Rat)
Ammonium sulphate (7783-20-2)	2000mg/kg <v> 4200mg/kg (Rat)</v>	2000 mg/kg (Rat)	3.5 ppmV

Section 12. Ecotoxicological Information

This product is not hazardous to the environment.

Persistence and degradability	No data available for this product itself	
Bioaccumulation	No data available for this product itself	
Mobility in Soil	No data available for this product itself	
Other adverse effects Contains one or more greenhouse gases, not subject Regulation (EC) 842/2006 May contribute to the		
	greenhouse effect when discharged in large quantities.	

Component Toxicity:

ammonium dihydrogenorthophosphate (7722-76-1)

EC50 48 hr crustacea 1790 mg/l LC50 96 hr fish 85,9 mg/l

SDS 141 Rev:0 11/23 Page 4 of 6

ammonium sulphate (7783-20-2)

EC50 48 hr crustacea 121.7 mg/l < V < 169 mg/l

LC50 96 hr fish 53 mg/l < V < 57,2 mg/l

ErC50 algae 1605 mg/l

ErC50 other aquatic plants 1618 mg/l

NOEC chronic fish 5,29 mg/l

NOEC chronic crustacea 3,12 mg/l

NOEC chronic algae 2700 mg/l

Section 13. Disposal Considerations

Disposal Method:

Must be recycled or disposed of according to the applicable regulations.

Wastewaters may also be able to be treated on site to biodegrade (if local authority waste regulations allow) by holding in ponds and/or irrigation to ground according to quantity and contaminants other than foam.

Precautions or methods to avoid: Must not be disposed of together with household garbage. Do not allow products to reach the sewage system unless authorised by agreement with the wastewater treatment plant operator.

Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2020 and SNZ HB 5433:2021



Road, Rail, Sea and Air Transport

UN No	1044
Class - Primary	2.2
Proper Shipping Name	FIRE EXTINGUISHERS with compressed gas
Marine Pollutant	No
Special Provisions	If the product's individual container is below 500ml, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

Section 15 Regulatory Information

This substance is classified as hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: Fire Fighting Chemicals - HSR002573

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	Not required
Emergency Response Plan	Not required
Secondary Containment	Not required
Restriction of Use	Only use for the intended purpose.

Section 16 Other Information

Glossary

EC₅₀ Median effective concentration.

SDS 141 Rev:0 11/23 Page 5 of 6

EEL Environmental Exposure Limit.
EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

2. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 edition.

3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).

4. Transport of Dangerous goods on land NZS 5433:2020

5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact PSL Fire & Safety, if further information is required.

Issue Date: 9 November 2023 Review Date: 9 November 2028

SDS 141 Rev:0 11/23 Page 6 of 6