

1 Identification

- **Product identifier**
- **Trade name:** LU 9800 LUSTRE BLACK
- **Article number:** 88020162
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Decoration materials or decoration aids for glass or porcelain ware.
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Heraeus Precious Metals GmbH & Co. KG
Heraeusstr. 12-14
D-63450 Hanau
- **Information department:**
Electronic Materials Division
Telefon: 0049 6181-35 4217
Telefax: 0049 6181-35 16 4217
Mail: ifd-msds@heraeus.com
- **Emergency telephone number:**
24-h-Number:
0049 6132-84463

2 Composition information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Chemical Mixture

- **Dangerous components:**

8000-25-7 Rosemary oil	10-25%
64742-95-6 Solvent naphtha (petroleum), light arom.	10-25%
68457-13-6 Cobalt, borate neodecanoate complexes	5-10%
98-55-5 p-menth-1-en-8-ol	2.5-5%
13434-24-7 Hexanoic acid, 2-ethyl-, manganese(2+) salt (2:1)	2.5-5%
76-22-2 bornan-2-one	≤ 2.5%
64742-48-9 Naphtha (petroleum), hydrotreated heavy	≤ 2.5%
91-17-8 Decahydronaphthalene	≤ 2.5%
514-10-3 abietic acid, technical	≤ 2.5%
68917-18-0 Oils, mint	≤ 2.5%
138-86-3 dipentene	≤ 2.5%
64742-48-9 Naphtha (petroleum), hydrotreated heavy	≤ 2.5%
7785-26-4 (-)-pin-2(3)-ene	≤ 1.0%
586-62-9 Cyclohexene, 1-methyl-4-(1-methylethylidene)-	≤ 1.0%
78-70-6 Linalool	≤ 0.5%

3 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

(Contd. on page 2)

USA

Trade name: LU 9800 LUSTRE BLACK

(Contd. of page 1)


GHS08 Health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.


GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Label elements
GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms

GHS02

GHS07

GHS08
Signal word Danger
Hazard-determining components of labeling:

Cobalt, borate neodecanoate complexes

Rosemary oil

Hexanoic acid, 2-ethyl-, manganese(2+) salt (2:1)

Solvent naphtha (petroleum), light arom.

Hazard statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:
NFPA ratings (scale 0 - 4)


Health = 1

Fire = 2

Reactivity = 0

(Contd. on page 3)

Trade name: LU 9800 LUSTRE BLACK

(Contd. of page 2)

HMIS-ratings (scale 0 - 4)

HEALTH	1	Health = *1
FIRE	2	Fire = 2
REACTIVITY	0	Reactivity = 0

4 First-aid measures

- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

5 Fire-fighting measures

- **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:**
Water
Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Wear protective clothing.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Storage:**
· **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Store away from foodstuffs.

(Contd. on page 4)

Trade name: LU 9800 LUSTRE BLACK

(Contd. of page 3)

- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Prevent from drying out.
- **Specific end use(s)** No further relevant information available.

8 Exposure control/personal protection

· **Additional information about design of technical systems:** No further data; see item 7

· **Components with limit values that require monitoring at the workplace:**

76-22-2 bornan-2-one

PEL () Long-term value: 2 mg/m³

REL () Long-term value: 2 mg/m³

TLV () Short-term value: 19 mg/m³, 3 ppm

Long-term value: 12 mg/m³, 2 ppm

138-86-3 dipentene

WEEL () Long-term value: 30 ppm

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the skin.
- Avoid contact with the eyes and skin.

· **Breathing equipment:**

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A2B2P3

· **Protection of hands:**



Protective gloves

Only use chemical-protective gloves with CE-labeling of category III.

Check protective gloves prior to each use for their proper condition.

After use of gloves apply skin-cleaning agents and skin cosmetics.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

For short use and minimal soiling we recommend disposable protective gloves made of special nitrile.

For longer use and stronger soiling we recommend 4H-Chemicals-Protective-Gloves from the company SETON

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

(Contd. on page 5)

Trade name: LU 9800 LUSTRE BLACK

(Contd. of page 4)

- **Body protection:** Protective work clothing

9 Physical and chemical properties

- General Information

- Appearance:

Form:	Fluid
Color:	Brown
Odor:	Characteristic
Odour threshold:	Not determined.

- pH-value: Not determined.

- Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.

- Flash point: < 55 °C (< 131 °F)

- Flammability (solid, gaseous): Not applicable.

- Ignition temperature: 450 °C (842 °F)

- Decomposition temperature: Not determined.

- Auto igniting: Product is not selfigniting.

- Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

- Explosion limits:

Lower:	0.7 Vol %
Upper:	7.5 Vol %

- Vapor pressure at 20 °C (68 °F): 5 hPa (4 mm Hg)

- Density: Not determined.

- Relative density: Not determined.

- Vapour density: Not determined.

- Evaporation rate: Not determined.

- Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

- Partition coefficient (n-octanol/water): Not determined.

- Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

- Solvent content:

Organic solvents:	14.2 %
Water:	0.0 %

Solids content: 40.2 %

- Other information: No further relevant information available.

10 Stability and reactivity

- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.
(< 100 °C)

- Incompatible materials: No further relevant information available.

(Contd. on page 6)

Trade name: LU 9800 LUSTRE BLACK

(Contd. of page 5)

 · **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

Acute toxicity:
LD/LC50 values that are relevant for classification:
64742-95-6 Solvent naphtha (petroleum), light arom.

Oral LD50 > 5000 mg/kg (rat)

Dermal LD50 > 3160 mg/kg (rabbit)

Inhalative LC50/4 h > 5,2 mg/l (rat)

98-55-5 p-menth-1-en-8-ol

Oral LD50 4300 mg/kg (rat)

64742-48-9 Naphtha (petroleum), hydrotreated heavy

Oral LD50 > 5000 mg/kg (rat)

Dermal LD50 > 3000 mg/kg (rabbit)

91-17-8 Decahydronaphthalene

Oral LD50 4170 mg/kg (rat)

Dermal LD50 5900 mg/kg (rht)

Inhalative LC50/1h 1.08 mg/l (rat)

68917-18-0 Oils, mint

Oral LD50 1240 mg/kg (rat)

Dermal LD50 > 5000 mg/kg (rabbit)

138-86-3 dipentene

Oral LD50 5300 mg/kg (rat) (RTECS)

Dermal LD50 > 2000 mg/kg (kan)

64742-48-9 Naphtha (petroleum), hydrotreated heavy

Oral LD50 > 5000 mg/kg (rat)

Dermal LD50 > 3000 mg/kg (rabbit)

7785-26-4 (-)-pin-2(3)-ene

Oral LD50 3700 mg/kg (rat)

586-62-9 Cyclohexene, 1-methyl-4-(1-methylethylidene)-

Oral LD50 4390 mg/kg (rat)

Dermal LD50 > 5000 mg/kg (rabbit)

78-70-6 Linalool

Oral LD50 2790 mg/kg (rat)

Dermal LD50 5610 mg/kg (rht)

Primary irritant effect:

 · **on the skin:** Irritant to skin and mucous membranes.

 · **on the eye:** Irritating effect.

 · **Sensitization:** Sensitization possible through skin contact.

Additional toxicological information:
Carcinogenic categories
IARC (International Agency for Research on Cancer)

68457-13-6 Cobalt, borate neodecanoate complexes 2B

1330-20-7 xylene 3

108-88-3 toluene 3

(Contd. on page 7)

Printing date 01/09/2014

Version number 8

Reviewed on 01/09/2014

Trade name: LU 9800 LUSTRE BLACK

(Contd. of page 6)

- **NTP (National Toxicology Program)**
None of the ingredients is listed.

12 Ecological information

- **Aquatic toxicity:**
 - 64742-95-6 Solvent naphtha (petroleum), light arom.
EC50/96h 19 mg/l (algae)
LC50/48h 6.14 mg/l (daphnia)
LC50/96h 9.22 mg/l (fish)
 - 68917-18-0 Oils, mint
EC50/48h 78.9 mg/l (daphnia)
 - 138-86-3 dipentene
EC50/48h 17 mg/l (daphnia) (ECOTOX Database)
LC50/96h 80 mg/l (fish) (Regenhogenforelle, ECOTOX Database)
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (in accordance with VwVwS from 15.05.1999): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Contact manufacturer for recycling information.
- **Uncleaned packagings:**
- **Recommendation:** Contact manufacturer for recycling information.

14 Transport information

- **UN-Number**
- **DOT, ADR, IMDG, IATA** UN1263
- **UN proper shipping name**
- **DOT** Paint
- **ADR** 1263 Paint, special provision 640E, ENVIRONMENTALLY HAZARDOUS
- **IMDG** PAINT (Rosemary oil, Solvent naphtha (petroleum), light arom.), MARINE POLLUTANT
- **IATA** PAINT

(Contd. on page 8)

Trade name: LU 9800 LUSTRE BLACK

(Contd. of page 7)

- Transport hazard class(es)

- DOT



- Class 3 Flammable liquids.

- Label 3

- ADR, IMDG



- Class 3 Flammable liquids

- Label 3

- IATA



- Class 3 Flammable liquids.

- Label 3

- Packing group

- DOT, ADR, IMDG, IATA III

- Environmental hazards: Product contains environmentally hazardous substances: dipentene, Rosemary oil

- Marine pollutant: Yes

Symbol (fish and tree)

- Special marking (ADR):

Symbol (fish and tree)

- Special precautions for user

Warning: Flammable liquids

- Danger code (Kemler):

30

- EMS Number:

F-E,S-E

- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

- UN "Model Regulation":

UN1263, Paint, special provision 640E, ENVIRONMENTALLY HAZARDOUS, 3, III

15 Regulatory information

- Sara

- Section 355 (extremely hazardous substances):

None of the ingredient is listed.

- Section 313 (Specific toxic chemical listings):

1330-20-7 xylene

108-88-3 toluene

- TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 9)

USA

Trade name: LU 9800 LUSTRE BLACK

(Contd. of page 8)

Proposition 65
Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

108-88-3 toluene

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

108-88-3 toluene

Carcinogenity categories
EPA (Environmental Protection Agency)

 1330-20-7 xylene I

 108-88-3 toluene II
TLV (Threshold Limit Value established by ACGIH)

 76-22-2 bornan-2-one A4

 1330-20-7 xylene A4

 108-88-3 toluene A4
NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms


GHS02 GHS07 GHS08

Signal word Danger
Hazard-determining components of labeling:

Cobalt, borate neodecanoate complexes

Rosemary oil

Hexanoic acid, 2-ethyl-, manganese(2+) salt (2:1)

Solvent naphtha (petroleum), light arom.

Hazard statements

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 10)

Printing date 01/09/2014

Version number 8

Reviewed on 01/09/2014

Trade name: LU 9800 LUSTRE BLACK

(Contd. of page 9)

P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Information about limitation of use:

Employment restrictions concerning young persons must be observed.
 Employment restrictions concerning pregnant and lactating women must be observed.

16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing MSDS: TFD-MSDS

Contact: Mr. Hesse

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(calc.): calculated

*** Data compared to the previous version altered.**

1/5A