

SAFETY DATA SHEET

Section 1: IDENTIFICATION

Name, address, telephone number and emergency telephone number of the manufacturer:

Standard Ceramic Supply Company
24 Chestnut Street / P.O. Box 16240
Carnegie, PA 15106-2028
Telephone / Emergency Telephone Number: 412-276-6333

Product Identifier used on the label: Ceramic Underglazes

Recommended use of product: Glazing of ceramic ware

Lemon Yellow	E-2	Royal Purple	E-78
Apple Green	E-15	Reddish Purple	E-80
Dark Green	E-23	Jet Black	E-83
Chartreuse	E-31A	Bluish Black	E-85
Chinese Blue	E-39	French Gray	E-88
Dark Blue	E-42	White	E-90
Fawn Brown	E-53	Turquoise	E-92
Chocolate Brown	E-56	Dusty Rose	E-95
Red Brown	E-59	Orange-Red	E-96
Coral	E-66	Dark Red	E-97
Rose Pink	E-69	Orange	E-98
Maroon	E-73		

Section 2: HAZARDS IDENTIFICATION

Contains Crystalline Silica

Classification: Eye Damage/Irritation Skin Corrosion/Irritation Toxicity - Single Exposure Specific Target Organ Toxicity/Repeated Exposure Carcinogenicity	Category 2 Category 2 Specific Target Organ Category 3 - Respiratory Category 1 - Respiratory Category 1a
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------

Label Elements:



Signal Word:

DANGER

Hazard Statement(s): H372: Causes damage to lungs through prolonged or repeated exposure via inhalation.

Precautionary Statement(s): P260: Do not breathe dust.

P285: Always wear respiratory protection.

P501: Dispose of contents/containers in accordance with local regulation.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS	CAS NUMBER	% OF FORMULA
Frit (lead free)	65997-18-4	Varies
Various Pigments	Confidential	Varies
Kaolin/Clay	1332-58-7	15% - 18%
Zirconium Silicate	10101-52-7	0% - 8%

Section 4: FIRST-AID MEASURES

DESCRIPTION OF FIRST-AID MEASURES

Ingestion: Contact a physician immediately.

Inhalation: May cause irritation; remove from exposure.

Skin Contact: May cause irritation; rinse skin with soap and water.

Eye Contact: May cause irritation; flush eyes with water for at least 15 minutes. If irritation continues afterwards, contact a physician.

Section 5: FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Suitable extinguishing media: None

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Protective equipment for firefighters: None

Special firefighting procedures: None

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and/or Emergency Procedures: None

Environmental Precautions: None

Methods and Materials for Containment and Clean Up: None

Special Spill Response Procedures: None

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling and Use: Local Exhaust Ventilation when spraying

Conditions for Safe Storage: None

Incompatible Materials: None

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS

Ingredients	OSHA PEL	ACGIH TLV
Frit (lead free)	15mg/m ³	N/A
Various Pigments	N/A	N/A
Kaolin/Clay	N/A	N/A
Zirconium Silicate	N/A	N/A

EXPOSURE CONTROLS

Ventilation and engineering measures: Adequate Ventilation (local exhaust) when spraying.

Respiratory protection: Use NIOSH approved respirator when spraying.

Skin protection: Wear appropriate protective clothing such as, overalls, smocks, and aprons.

Eye/face protection: Wear safety glasses to keep dust out of eyes.

Hygienic Practices: Food, beverages, and smoking materials should not be in work area. Employees should wash hands thoroughly before eating, drinking, or smoking.

Section 9: PHYSICAL/CHEMICAL PROPERTIES

Appearance (physical state, color, etc.):	Colored and/or Clear liquids
Upper/lower flammability or explosive limits:	None
Odor:	None
Vapor pressure:	N/A
Odor threshold :	Negligible
Vapor density:	N/A
pH:	N/A
Relative density:	N/A
Freezing point:	32 degrees Fahrenheit
Solubility(ies)	N/A
Initial boiling point and boiling range:	N/A
Flash Point:	N/A
Evaporation rate:	N/A
Flammability (solid gas)	N/A
Partition coefficient: n-octanol/water:	None
Auto-ignition temperature:	N/A
Decomposition temperature:	None
Viscosity :	N/A

Section 10 : STABILITY /REACTIVITY

Reactivity: N/A

Chemical stability: Stable

Possibility of hazardous reactions: None

Conditions to avoid: Fumes from firing in kiln; Mist created when spraying

Incompatible materials: None

Hazardous decomposition products: N/A

Section 11: TOXICOLGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE

Routes of Entry: Inhalation is the most important during excessive handling of dried, unfired glazed materials during spraying.

POTENTIAL HEALTH EFFECTS, Signs and symptoms of short-term (acute) exposure:

Sign and symptoms inhalation: Coughing or irritation may occur.

Sign and symptoms ingestion: Sickness or irritation may occur.

Sign and symptoms skin: Redness or irritation may occur.

Sign and symptoms eyes: Redness or irritation may occur.

Potential chronic health effects: These mixtures contain silica, which can cause Silicosis through inhalation over an extended period of time. Overexposure to silica may also result in injury to the lungs.

Carcinogenicity: Cobalt is considered an animal carcinogen. Silica (quartz) is a human carcinogen.

Additional Information: The waster-based, premixed products should be non-toxic during recommended use.

Pigments are various metals and metal compounds. The risk of exposure to these metals is minimal due to the low percentages used in glazed formulas. Dermal exposure is negligible since some of the metals used have poor dermal absorption.

Frits are used silica glass like substances. Bioavailability is limited because of the physical appearance of the frit.

Toxicological data: These products conform to ASTM-4236 and have been certified by an independent, 3rd party toxicologist to be NON-TOXIC.

Section 12: ECOLOGICAL INFORMATION (non-mandatory)

Eco toxicity: None

Persistence and degradability: Yes

Bioaccumulation potential: No

Mobility in soil: No

Other adverse environmental effects: None

Section 13: DISPOSAL CONSIDERATIONS (non-mandatory)

Handling for Disposal: None

Methods of Disposal: None

Section 14: TRANSPORT INFORMATION (non-mandatory)

UN Shipping Name: N/A

UN Number: None

Environmental Hazard: None

Packing Group: None

Transportation Hazard Class: N/A

Special Precautions: None

NOT DANGEROUS FOR TRANSPORT

Section 15: REGULATORY INFORMATION (non-mandatory)

Silica (Quartz) and Cobalt are both listed by California, Proposition 65, as a carcinogen.

Silica (Quartz) and Cobalt are listed on the IARC, OSHA, and NTP carcinogen list.

All ingredients are on U.S. TSCA Inventory.

All products listed in this SDS conform to ASTM-4236 standards. Materials have been evaluated under the provisions of Labeling of Hazardous Art Material Act. These products have been listed as non-toxic and non-flammable under proposed use conditions. No specific warning is required.

Section 16: OTHER INFORMATION

This information is furnished with out warranty, representation, inducement, or license of any kind, except that it is accurate to the best of knowledge of Standard Ceramic Supply Company or obtained from other references and sources believed to be accurate.

Standard Ceramic Supply Company does not assume any legal responsibility for use or reliance on our products. Customers are encouraged to conduct their own tests before using any product. Read all product labels prior to handling.

Preparation date: 05/21/2014