

Talison Lithium Limited

ABN: 15 140 122 078

Level 4, 37 St George's Terrace, Perth WA 6000 Locked Bag 40, Cloisters Square, Perth WA 6850 T +61 8 9263 5555 F +61 8 9202 1144 www.talisonlithium.com

SPODUMENE CONCENTRATE SC7.0 MATERIAL SAFETY DATA SHEET

Date of Issue: 4 March 2011

Section 1 - General

Product: Spodumene Concentrate SC7.0

Trade Name: Spodumene Concentrate SC7.0

CAS Substance ID: CAS RN 1302-37-0

Producer: Talison Lithium Limited

Level 4, 37 St Georges Terrace Perth WA 6000, Australia

Telephone: (61 8) 9263 5555 Facsimile: (61 8) 9202 1144

Marketing Department:

Facsimile: (61 8) 9202 1133

Email: minerals@talisonlithium.com

Section 2 - Chemical and Physical Data

Description of Material: Mixture of naturally occurring silicates and quartz.

Major Constituents: Spodumene [LiAl(Si₂0₆)] 88%

Quartz (SiO₂) 12%

Appearance: Very fine dry sand

Colour: White to beige

Smell: Very faint fatty odour

Specific Gravity: 3.1

Bulk Density: 1.5 tonnes/m³ (wet)

Moisture Content: <1% H₂O

Molecular Weight: Not applicable, complex mixture of minerals

Melting Point: Incipient fusion at 1375°C

Boiling Point: N/A

Solubility: Insoluble in water and common dilute acids.

Soluble in Hydrofluoric Acid.

Section 3 - Physical Hazards

Material is non-combustible, non-reactive, stable.

Section 4 - Health Hazard Data

Toxicity: Material is inert and non-toxic.

Dust: Should be treated as other products containing quartz. TLV Total

Dust 10 mg/m³, TLV Respirable Dust 3 mg/m³. TLV Silica Dust 0.1 mg/m³. Prolonged and repeated exposure to dust may cause

silicosis.

First Aid: **Eyes**: Flush with water for at least 15 minutes with eyelids open.

Skin: Wash well with water and soap.

Inhalation: Remove person to fresh air. Consult with physician.

Potential for

Carcinogenicity: Spodumene is not listed as a carcinogen or potential carcinogen

by the National Toxicology Program of the US Public Health Service, nor has it been found to be a carcinogen or potential carcinogen by OSHA or the International Agency for Research for Cancer. There are low levels of quartz in this product and silica/quartz is classified as carcinogenic to humans (IARC Group 1). Where respirable dust levels are controlled its potential for

adverse health effects is minimised.

Section 5 - Spill or Leak Procedures

Should be cleaned up by methods appropriate for dusty materials and disposed of in compliance with federal, provincial/state and local laws as they apply to non-hazardous material.

Section 6 - Handling Precautions

Respiratory Protection: NIOSH/MSHA approved respirator is recommended when

working in dusty conditions.

Eyes and Face: Safety glasses are recommended when any possibility of dust

particles entering the eyes exists.

Other Protective Clothing: Gloves and other protective clothing may be worn if contact is

appreciable.

Section 7 - Hazard Rating Summary

Health: Slight Flammability: Minimal Reactivity: Minimal

Personal Protection: Dust Respirator and Safety Glasses

Section 8 - Use of this Data

The data in this material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. The information set forth herein is based on technical data that Talison Lithium Limited believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside our control, we make no warranties, expressed or implied, and assume no liability in connection with any use of this information. Nothing herein is to be taken as a licence to operate under or a recommendation to infringe any patents. Any use of these data and information must be determined by the user to be in accordance with Federal, State and Local laws and regulations.