| Flammability 4-Extreme<br>3-High<br>Health Reactivity 2-Moderate * 0  |                       |   |     |  |  |  |
|---|-----------------------|---|-----|--|--|--|
| Health Reactivity 2-Moderate * 0<br>Special 1-Slight  | No.: 2914             | Rev. No.: 1   |     |  |  |  |
| Hazarda 0-Insignificant   | Date Revised: 2/20/03 |   |     |  |  |  |
| NFPA FIRE HAZARD SYMBOL <sup>~</sup><br>See NFPA 704 for detailed explanation.  | Date Reviseu. 2/20/05 |   |     |  |  |  |
| * See Section 3 HAZARD IDENTIFICATION   |                       |   |     | H <b>arborlite</b> ®   |  |  |
| 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION  |                       |   |     |  |  |  |
| <b>Trade Name(s):</b> (HARBORLITE <sup>®</sup> = H) H MP <sup>2</sup> 900, H MP <sup>2</sup> 1800, H MP <sup>2</sup> 1900S  |                       |   |     |  |  |  |
| Generic Name: PERLITE (EXPANDED)<br>Chemical Name: AMORPHOUS ALUMINA SILI<br>Manufacturer: HARBORLITE CORPORATION<br>Address: P.O. BOX 519<br>City: LOMPOC State: CA  |                       | CAS: 93763-70-3<br>EINECS: UNKNOWN<br>Formula: MIXTURE<br>Telephone: (805) 73<br>Emergency: CHEMT |     | ISA- (800) 424 0200  |  |  |
|   | <b>2ip.</b> 33430     |   |     | al: (703) 527-3887 (collect)   |  |  |
| 2. COMPOSITION/INFORMATION ON INGREDIENTS   |                       |   |     |  |  |  |
| INGREDIENT NAME:  |                       | CAS NUMBER:   | %   | PEL AND TLV<br>(except as noted)   |  |  |
|   |                       |   |     |  |  |  |
| PERLITE<br>(AMORPHOUS ALUMINA SILICATE)   |                       | 130885-09-5   | 100 | 5 mg/M <sup>3</sup> RESPIRABLE<br>NUISANCE DUST, OSHA<br>10mg/M <sup>3</sup> TOTAL NUISANCE<br>DUST, ACGIH |  |  |
|   | 3. HAZARD IDENTIF     | CATION  |     |  |  |  |
| Summary: PROLONGED AND REPEATED EXPOSURE TO EXCESSIVE CONCENTRATIONS OF THIS PRODUCT'S DUST, OR ANY NUI-<br>SANCE DUST, CAN CAUSE CHRONIC PULMONARY DISEASE. DUST CONTACT WITH EYES MAY CAUSE TEMPORARY SCRATCHINESS<br>OR REDNESS. THIS PRODUCT HAS NOT BEEN CLASSIFIED AS A CARCINOGEN BY NTP OR IARC.<br>Medical conditions which may be aggravated: PRE-EXISTING UPPER RESPIRATORY AND LUNG DISEASE SUCH AS, BUT NOT LIMITED TO<br>BRONCHITIS, EMPHYSEMA AND ASTHMA.<br>Target Organ(s) : LUNGS, EYES<br>Acute Health Effects: TRANSITORY UPPER RESPIRATORY OR EYE IRRITATION.<br>Chronic Health Effects: PROLONGED AND REPEATED EXPOSURES TO EXCESSIVE CONCENTRATIONS OF PRODUCT DUST, IN EXCESS<br>OF THE PEL/TLV, CAN CAUSE CHRONIC PULMONARY DISEASE.<br>Primary Entry Route(s) : INHALATION, DUST CONTACT WITH EYES.<br>Inhalation: IRRITATION AND SORENESS IN THROAT & NOSE. IN EXTREME EXPOSURES SOME CONGESTION MAY OCCUR.<br>Eyes: TEMPORARY IRRITATION OR INFLAMMATION.<br>Skin Contact: NA Skin Absorption: NA Ingestion: NOT HAZARDOUS WHEN INGESTED.<br>Inhalation: REMOVE TO FRESH AIR. DRINK WATER TO CLEAR THROAT AND BLOW NOSE TO EVACUATE DUST.<br>Eyes: FLUSH EYES WITH LARGE QUANTITIES OF WATER. IF IRRITATION PERSISTS CONSULT A PHYSICIAN. |                       |   |     |  |  |  |
| Skin Contact: NA Skin Absorption: NA Ingestion: NA  |                       |   |     |  |  |  |
| 5. FIRE FIGHTING MEASURES   |                       |   |     |  |  |  |
| Flash Point (Method) : NONFLAMMABLE       NFPA Flammable/Combustible Liquid Classification: NA         Flammable Limits:       LEL: NA       UEL: NA         Auto-Ignition Temperature:       NA         Extinguishing Media:       NA       Unusual Fire or Explosion Hazards:         NONE       Special Fire-Fighting Procedures:       NONE   |                       |   |     |  |  |  |
| 6. ACCIDENTAL RELEASE MEASURES  |                       |   |     |  |  |  |
| Procedures for Spill/Leak: VACUUM CLEAN DUST WITH EQUIPMENT FITTED WITH HEPA FILTER. USE A DUST SUPPRESSANT SUCH<br>AS WATER IF SWEEPING IS NECESSARY-  |                       |   |     |  |  |  |
| "Convright®1080 National Fire Protection Assoc Quincy MA 02   |                       | whether and a fill all a section of the   |     |  |  |  |

|   | 7. HANDLING AND STORAGE                  |                          |   |  |  |  |
|---|--|--------------------------|---|--|--|--|
| MINIMIZE DUST GENERATION AND ACCUMULATION. AVOID BREATHING DUST, AVOID CONTACT WITH EYES. SEAL BROKEN BAGS  |  |                          |   |  |  |  |
| IMMEDIATELY. CONTINUE TO FOLLOW ALL MSDS/LABEL WARNINGS WHEN HANDLING EMPTY CONTAINERS.   |  |                          |   |  |  |  |
|   |  |                          |   |  |  |  |
|   |  |                          |   |  |  |  |
|   |  |                          |   |  |  |  |
|   |  |                          |   |  |  |  |
|   | 8. EXPOSURE CONTROLS/PERSONAL PROTECTION |                          |   |  |  |  |
| Goggles: GOGGLES OR SAFETY GLASSES WITH SIDESHIELDS ARE RECOMMENDED.  |  |                          |   |  |  |  |
| Gloves: NOT NORMALLY REQUIRED.  |  |                          |   |  |  |  |
| <b>Respirator:</b> <10X PEL, USE AN N95 QUARTER OR HALF MASK RESPIRATOR; <50X PEL, USE A FULL FACE RESPIRATOR EQUIPPED WITH N95 FILTERS; <200X PEL, USE A POWERED AIR PURIFYING RESPIRATOR (POSITIVE PRESSURE) WITH N95 FILTERS; >200X PEL, USE A |  |                          |   |  |  |  |
| FULL FACE, TYPE C SUPPLIED AIR RESPIRATOR (CONTINUOUS FLOW MODE).   |  |                          |   |  |  |  |
|   |  |                          | N TO KEEP DUST LEVEL BELOW PEL.   |  |  |  |
| Other: Special Considerations for repair/maintenance of contaminated equipment: INSURE PROPER RESPIRATORY PROTECTION.   |  |                          |   |  |  |  |
|   |  |                          |   |  |  |  |
|   |  |                          |   |  |  |  |
| 9. PHYSICAL AND CHEMICAL PROPERTIES Appearance and Odor: WHITE POWDERY SOLID, NO ODOR.  |  |                          |   |  |  |  |
| Appearance and Odor:<br>Boiling Point:  | NA                                       | Evaporation Rate (       | = 1): NA Specific Gravity (water = 1): 2.2 - 2.4  |  |  |  |
| Vapor Pressure:   | NA                                       | Melting Point:           | 2000 F Specific Gravity (bulk): 0.08 - 0.20   |  |  |  |
| Water Solubility (%):   | NEGLIGIBLE                               | Vapor Density (Air=1) :  | NA <b>pH:</b> 6.5 - 7.5   |  |  |  |
|   |  |                          | % Volatile by Volume: NIL   |  |  |  |
|   |  | 10. STABILITY AN         | HAZARDOUS POLYMERIZATION CANNOT OCCUR.  |  |  |  |
| MATERIAL IS STABLE.<br>Chemical Incompatibilit  | ties:HYDROFLUORICA                       | CID.                     | Conditions to Avoid: NONE IN DESIGNED USE.  |  |  |  |
|   |  |                          |   |  |  |  |
|   |  | 11. TOXICOLOGICAL        |   |  |  |  |
|   |  |                          | CONCENTRATIONS OF THIS PRODUCT'S DUST, OR ANY NUI-<br>DNTACT WITH EYES MAY CAUSE TEMPORARY SCRATCHINESS                 |  |  |  |
|   |  |                          | CINOGEN BY NTP OR IARC.   |  |  |  |
|   |  |                          |   |  |  |  |
|   |  |                          |   |  |  |  |
|   |  |                          |   |  |  |  |
|   |  | 12. ECOLOGICALI          |   |  |  |  |
|   |  | _                        | I. USED MATERIAL WHICH HAS BECOME CONTAMINATED MAY<br>CONTAMINANT AND SHOULD BE EVALUATED ACCORDINGLY.                  |  |  |  |
|   |  |                          |   |  |  |  |
|   |  | 13. DISPOSAL CON         | SIDERATIONS   |  |  |  |
| WASTE IS NOT HAZARDOUS AS DEFINED BY RCRA (40 CFR 261). OTHER STATE AND LOCAL REGULATIONS MAY VARY, CONSULT   |  |                          |   |  |  |  |
| LOCAL AGENCIES AS NEEDED. USED MATERIAL WHICH HAS BECOME CONTAMINATED MAY HAVE SIGNIFICANTLY DIFFERENT  |  |                          |   |  |  |  |
| CHARACTERISTICS BASED ON THE CONTAMINANTS AND SHOULD BE EVALUATED ACCORDINGLY.  |  |                          |   |  |  |  |
|   |  | 14. TRANSPORTATIO        | NINFORMATION  |  |  |  |
| D.O.T. Proper Shipping  |  |                          | on: NOT CLASSIFIED  |  |  |  |
| Reportable Quantities:  | NOT APPLICABLE                           | UN (United Nations), NA( | North America) Number: NOT APPLICABLE   |  |  |  |
|   |  | 15. REGULATOR            |   |  |  |  |
|   |  |                          | LIS CONSIDERED HAZARDOUS, SEE SECTION 3 OF THIS MSDS.   |  |  |  |
| RCRA: THIS MATERIAL IS NOT DEFINED AS HAZARDOUS WASTE PER 40 CFR 261.<br>TSCA: THIS MATERIAL IS LISTED IN THE TSCA INVENTORY, AND IS NOT OTHERWISE REGULATED BY TSCA SEC. 4, 5, 6, 7 OR 12.   |  |                          |   |  |  |  |
| CERCLA: MATERIAL IS NOT REPORTABLE UNDER CERCLA, LOCAL REQUIREMENTS MAY VARY.   |  |                          |   |  |  |  |
| SARA: 311/312 HAZARD CATAGORIES - IMMEDIATE AND DELAYED HEALTH, 313 REPORTABLE INGREDIENTS - NONE.  |  |                          |   |  |  |  |
| California Proposition 65: NOT APPLICABLE   |  |                          |   |  |  |  |
| 16. OTHER INFORMATION   |  |                          |   |  |  |  |
| Storage Segregation Hazard Classes: NA<br>Special Handling/Storage: REPAIR ALL BROKEN BAGS IMMEDIATELY.   |  |                          |   |  |  |  |
|   |  |                          | KEEP DUST LEVEL BELOW PEL.  |  |  |  |
| Prepared/Revised by:  |  |                          | Title: DIRECTOR, HEALTH & SAFETY SERVICES   |  |  |  |
| riepareu/neviseu by:  | UNING PROLET                             |                          | THE DIRECTOR, TEALTT & SAFETT SERVICES  |  |  |  |
|   |  |                          | eved to be accurate and is provided in good faith to comply with applicable<br>o such information is intended or given. |  |  |  |