

Advantus Corporation 12276 San Jose Blvd., Suite 618 Jacksonville, FL, USA, 32223 Telephone: (904) 482 0091

## SAFETY DATA SHEET

Page 1 of 10

#### SECTION 1. IDENTIFICATION

#### Product identifier used on the label

: SurfaceKleen

Other means of identification: RR15109, RR15110, RR15111

#### Recommended use of the chemical and restrictions on use

: Surface cleaner

Recommended restrictions: Not intended to be used on hands/face or body.

Chemical family : Alcohol solution.

Name, address, and telephone number of the supplier:

#### Advantus Corporation

 12276 San Jose Blvd., Suite 618

 Jacksonville, FL, USA

 32223

 Supplier's Telephone #
 : (904) 482 0091

 24 Hr. Emergency Tel #
 : (800) 424-9300 (CHEMTREC)

#### SECTION 2. HAZARDS IDENTIFICATION

#### **Classification of the chemical**

Towellete / pad saturated with clear, colorless liquid. Solvent/alcohol odor.

This product is packaged and sold as a consumer product. For informational purposes, this product would have the following OSHA classification;

Hazard classification:

Flammable solid -Category 1 Eye irritation - Category 2B

#### Label elements

Hazard pictogram(s)



DANGER!

Hazard statement(s)

Flammable solid. Causes eye irritation. Name, address, and telephone number of the manufacturer:

Refer to supplier



Advantus Corporation 12276 San Jose Blvd., Suite 618 Jacksonville, FL, USA, 32223 Telephone: (904) 482 0091

## SAFETY DATA SHEET

Page 2 of 10

Precautionary statement(s)

Keep away from heat, open flames and hot surfaces. - No smoking. Ground and bond container and receiving equipment. Wash thoroughly after handling. Wear protective gloves and eye/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention. In case of fire: Use water fog, dry chemical, CO2 or 'alcohol' foam to extinguish.

Store in a well-ventilated place. Keep cool. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Other hazards

Other hazards that do not result in classification: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause an allergic skin reaction (e.g. hives, rash) in some hypersensitive individuals.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	Common name and synonyms	<u>CAS #</u>	Concentration (% by weight)
2-Propanol	Isopropyl alcohol	67-63-0	70.0 – 90.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

#### SECTION 4. FIRST-AID MEASURES

Description	of first aid	measures
-------------	--------------	----------

Ingestion	: Not an expected route of entry. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
Inhalation	<ul> <li>Not an expected route of entry. Call a POISON CENTER or doctor/physician if you feel unwell.</li> </ul>
Skin contact	: Get medical attention if irritation develops and persists. Wash off with soap and plenty of water.
Eye contact	<ul> <li>For eye contact, flush with running water for at least 15 minutes. Obtain medical attention if irritation persists.</li> </ul>
Most important sympto	ms and effects, both acute and delayed
	: Causes serious eye irritation. Symptoms may include redness, pain, tearing and conjunctivitis. Direct skin contact may cause temporary redness. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Indication of any immediate medical attention and special treatment needed

: Treat symptomatically.

#### SECTION 5. FIRE-FIGHTING MEASURES

#### Extinguishing media

Suitable extinguishing media

: Use water fog or fine spray, foams, carbon dioxide or dry chemical.



SAFETY DATA SHEET					
Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.					
Special hazards arising from the substance or mixture / Conditions of flammability					
: Flammable solid May be ignited by open flames and sparks.					
Flammability classification (OSHA 29 CFR 1910.106)					
: Flammable solid.					
Hazardous combustion products					
: Carbon oxides					
Special protective equipment and precautions for firefighters Protective equipment for fire-fighters					
: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.					
Special fire-fighting procedures					
: Fight fires from a safe distance. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.					
SECTION 6. ACCIDENTAL RELEASE MEASURES					
Personal precautions, protective equipment and emergency procedures					
<ul> <li>Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. Individuals involved in the cleanup must wear appropriate personal protective equipment. For personal protection see section 8.</li> <li>Do not allow material to contaminate ground water system. For large spills, dike the area to prevent spreading.</li> </ul>					
Methods and material for containment and cleaning up					
: Wipe up with absorbent material (e.g. cloth, fleece).					
Special spill response procedures : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802). US CERCLA Reportable quantity (RQ): None.					
SECTION 7. HANDLING AND STORAGE					
Precautions for safe handling					
<ul> <li>Use only in well-ventilated areas. Do not ingest or swallow. Avoid breathing vapours. Wash thoroughly after handling. Keep away from heat, sparks and open flames.</li> <li>Store in a cool, dry, well-ventilated area. Store away from incompatible materials. No smoking in the area.</li> </ul>					

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Incompatible materials

Exposure Limits:				
Chemical Name	ACGIH TLV		OSHA PEL	
	<u>TWA</u>	<u>STEL</u>	PEL	<u>STEL</u>
2-Propanol	200 ppm	400 ppm	400 ppm (980 mg/m³)	N/Av

: Strong oxidizing agents; Strong acids.; Alkali metals; Aluminium.



Page 4 of 10

	Page 4 of 10
Exposure controls	
Ventilation and engineering	neasures
Respiratory protection	<ul> <li>Ensure adequate ventilation, especially in confined areas. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.</li> <li>Not required in adequately ventilated areas.</li> </ul>
Skin protection	: Not required under normal conditions of handling.
Eye / face protection	: Not required under normal conditions of handling.
Other protective equipment General hygiene consideration	: Other equipment may be required depending on workplace standards. ons : Avoid breathing vapour or mist.Do not ingest. Do not eat, drink or smoke when using
	this product. Upon completion of work, wash hands before eating, drinking, smoking or
	use of toilet facilities.
SECTION 9. PHYSICAL A	ND CHEMICAL PROPERTIES
•	
Appearance	: Towellete / pad saturated with clear, colorless liquid.
Odour	: Solvent/alcohol odor.
	00
Odour threshold	: 22 ppm
рН	: 7-9
Melting Point/Freezing point	: Not available.
Initial boiling point and boilir	ig range
	• Not available.
Flash point	: 18°C
Flashpoint (Method)	: closed cup
Evaporation rate (BuAe = 1)	
• • • •	
Flammability (solid, gas)	: Not applicable.
Lower flammable limit (% by	
	: 2%
Upper flammable limit (% by	
	: 12.7%
Oxidizing properties	: None.
Explosive properties	: Not explosive
Vapour pressure	: Not available.
Vapour density	: Not available.
Relative density / Specific gr	avity
	: 0.80
Solubility in water	: Complete
Other solubility(ies)	: Not available.
Partition coefficient: n-octan	ol/water or Coefficient of water/oil distribution
	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not applicable.
Viscosity	: Not available.
Volatiles (% by weight)	: Not available.
Volatile organic Compounds	(VOC's)
	: N/Av
Absolute pressure of contair	



Advantus Corporation 12276 San Jose Blvd., Suite 618 Jacksonville, FL, USA, 32223 Telephone: (904) 482 0091

: N/Ap

Flame projection length : N/Ap

Other physical/chemical comments

: None reported by the manufacturer.



Page 5 of 10

) a a ath site s	AND REACTIVITY				
Reactivity	: Not normally reactive.				
Chemical stability	: Stable under the recommended storage and handling conditions prescribed. May form explosive peroxides. Rate of peroxide formation is not known.				
ossibility of hazardous rea					
Conditions to avoid	<ul> <li>Hazardous polymerization will not occur.</li> <li>Keep away from excessive heat, open flames, sparks and other possible sources of ignition. Avoid contact with incompatible materials. Do not use in areas without adequate ventilation.</li> </ul>				
compatible materials	: Strong oxidizing agents; Strong acids; Alkali metals; Aluminum.				
azardous decomposition	products				
	: None known, refer to hazardous combustion products in Section 5.				
ECTION 11. TOXICOLO	GICAL INFORMATION				
nformation on likely rou	tes of exposure:				
outes of entry inhalation	: NO				
outes of entry skin & eye	: YES				
outes of entry Ingestion	: NO				
outes of exposure skin ab	osorption				
	: NO				
otential Health Effects:					
igns and symptoms of sho	ort-term (acute) exposure				
Sign and symptoms Inhala	tion				
	<ul> <li>Harmful effects are not expected under normal usage. Inhalation of high concentrations may cause dizziness, disorientation, incoordination, narcosis, nausea or narcotic effects.</li> </ul>				
Sign and symptoms ingesti	ion				
	: Harmful effects are not expected under normal usage. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.				
Sign and symptoms skin	Harmful effects are not expected under normal usage. May cause skin irritation in susceptible persons. Symptoms may include mild redness and swelling.				
Sign and symptoms eyes	: Causes eye irritation. Symptoms may include redness, pain, tearing and conjunctivitis.				
otential Chronic Health Ef	fects				
	<ul> <li>Prolonged or repeated skin contact may cause drying and irritation. Prolonged overexposure may cause liver and kidney effects.</li> </ul>				
lutagenicity	: Prolonged or repeated skin contact may cause drying and irritation. Prolonged				
lutagenicity carcinogenicity	<ul> <li>Prolonged or repeated skin contact may cause drying and irritation. Prolonged overexposure may cause liver and kidney effects.</li> <li>Not expected to be mutagenic in humans.</li> <li>No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.</li> </ul>				
lutagenicity Carcinogenicity	<ul> <li>Prolonged or repeated skin contact may cause drying and irritation. Prolonged overexposure may cause liver and kidney effects.</li> <li>Not expected to be mutagenic in humans.</li> <li>No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.</li> </ul>				
Potential Chronic Health Ef Autagenicity Carcinogenicity Reproductive effects & Tera	<ul> <li>Prolonged or repeated skin contact may cause drying and irritation. Prolonged overexposure may cause liver and kidney effects.</li> <li>Not expected to be mutagenic in humans.</li> <li>No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.</li> </ul>				



Page 6 of 10

Specific target organ effects	: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:Specific target organ toxicity, single exposure - Category 3 (narcotic effects) May cause drowsiness or dizziness.
Medical conditions aggravat	Not classified as specific target organ toxicity-repeated exposure. ed by overexposure
Synergistic materials	<ul><li>Pre-existing skin, eye and respiratory disorders.</li><li>None known or reported by the manufacturer.</li></ul>
Toxicological data	: There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

	LC50(4hr)	LD50		
Chemical name	inh, rat	(Oral, rat)	(Rabbit, dermal)	
2-Propanol	17 000 ppm (41.8 mg/L) (vapour)	4720 mg/kg	12 890 mg/kg	

#### Other important toxicological hazards

: None known or reported by the manufacturer.

#### SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** : Not expected to be harmful to aquatic organisms. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. See the following tables for individual ingredient ecotoxicity data.

#### Ecotoxicity data:

Ingradianta		Toxicity to Fish		
Ingredients	CAS No	LC50 / 96h	NOEC / 21 day	M Factor
2-Propanol	67-63-0	9640 mg/L (Fathead minnow)	N/Av	None.

Ingredients	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
2-Propanol	67-63-0	> 10 000 mg/L/24hr (Daphnia magna)	30 mg/L	None.

Ingredients	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
2-Propanol	67-63-0	N/Av	N/Av	None.

#### Persistence and degradability

: Isopropanol is considered to be readily biodegradable.

Bioaccumulation potential : No data is available on the product itself.



Page 7 of 10

<u>Components</u>	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)			
2-Propanol (CAS 67-63-0)	0.05	1.0			
Mobility in soil	: No data is available on the product itself.				
<b>Other Adverse Environment</b>	al effects				
	: No data is available on the product itself.				
SECTION 13. DISPOSAL O	CONSIDERATIONS  : See Section 7 (Handling and Storage) for further d	etails.			
Methods of Disposal	: Dispose in accordance with all applicable federal, state, provincial and local regulations.				
RCRA	: If this product, as supplied, becomes a waste in the criteria of a hazardous waste as defined under RC responsibility of the waste generator to determine disposal method.	RA, Title 40 CFR 261. It is the			

#### SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label	
49CFR/DOT	UN3175	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.	4.1	II		
49CFR/DOT Additional information		on 47 allows for UN3175, Solids, Containing flammable liqu to be exempted from the regulations, provided there is no			ges, containing	
ICAO/IATA	UN3175	Solids containing flammable liquid, n.o.s. (Isopropanol)	4.1	II		
ICAO/IATA Additional information	Refer to ICAO/	ATA Packing Instruction	1			
TDG	UN3175	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.	4.1	II		
TDG Additional information		on 56 allows for UN3175, Solids, Containing flammable liqu to be exempted from the regulations, provided there is no			iges, containing	

Special precautions for user : Keep away from heat, sparks and open flame - No smoking.

Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

\land A D VA N T U S

Advantus Corporation 12276 San Jose Blvd., Suite 618 Jacksonville, FL, USA, 32223 Telephone: (904) 482 0091

## SAFETY DATA SHEET

Page 8 of 10

#### SECTION 15 - REGULATORY INFORMATION

#### **US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:

		TSCA CERCLA Sec. 302, Extremely		,	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical		
<u>Ingredients</u>	CAS # Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration		
2-Propanol	67-63-0	Yes	None.	None.	Yes	1%	

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Flammable; Eye irritation, Specific target organ toxicity, single exposure. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

#### US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

Ingredients	CAS #	California	State "Right to Know" Lists						
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
2-Propanol	67-63-0	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes

#### **Canadian Information:**

WHMIS Classification: Refer to Section 2 for a WHMIS Classification for this product. All ingredients are present on the DSL.

#### International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
2-Propanol	67-63-0	200-661-7	Present	Present	(2)-207	KE-29363	Present	HSR001180

#### SECTION 16. OTHER INFORMATION

#### Legend

: ACGIH: American Conference of Governmental Industrial Hygienists CA: California CAS: Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980 CFR: Code of Federal Regulations

CNS: Central Nervous System

CSA: Canadian Standards Association

DOT: Department of Transportation

EPA: Environmental Protection Agency



Page 9 of 10

	HSDB: Hazardous Substances Data Bank IARC: International Agency for Research on Cancer Inh: Inhalation IUCLID: International Uniform Chemical Information Database LC: Lethal Concentration LD: Lethal Dose MA: Massachusetts MN: Minnesota N/Ap: Not Applicable N/Av: Not Available NIOSH: National Institute of Occupational Safety and Health NJ: New Jersey NTP: National Institute of Occupational Safety and Health NJ: New Jersey NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PA: Pennsylvania PEL: Permissible exposure limit RCRA: Resource Conservation and Recovery Act RI: Rhode Island RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act STEL: Short Term Exposure Limit TDG: Canadian Transportation of Dangerous Goods Act & Regulations TLV: Threshold Limit Values TWA: Time Weighted Average WHMIS: Workplace Hazardous Materials Identification System
References	<ul> <li>.</li> <li>1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents &amp; Biological Exposure Indices for 2018.</li> <li>2. International Agency for Research on Cancer Monographs, searched 2019.</li> <li>3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases, 2019 (Chempendium, HSDB and RTECs).</li> <li>4. Safety Data Sheets from manufacturer.</li> <li>5. US EPA Title III List of Lists - June 2019 version.</li> <li>6. California Proposition 65 List - September 2019 version.</li> <li>7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2019.</li> </ul>
Preparation Date (mm/dd/yyy	

: 04/30/2020

#### Other special considerations for handling

: Provide adequate information, instruction and training for operators.

# Prepared by: Advantus Corporation 12276 San Jose Blvd., Suite 618 Jacksonville, FL 32223 Telephone: (904) 482 0091

## DISCLAIMER

Advantus Corp prepared this Safety Data Sheet. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. Advantus Corporation expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

#### END OF DOCUMENT