



KLONDIKE®



Independent Canadian Corporation

659 Oils and Lubricants
15 Million Litres in Stock throughout All 13 Provinces and Territories

Heavy Duty Engine Oils	9
Automotive Engine Oils	15
Gear Lubricants	21
Transmission Fluids	27
Hydraulic Fluids	35
Industrial & Functional Fluids	43
Greases	49
Biodegradable Lubricants	55
FOOD-GRADE Lubricants	59
Antifreeze/Chemicals	63





The KLONDIKE Story

The company started in 1987 as a chemical and lubricants supplier to the OEM Dealer Networks and professional service and repair facilities throughout Canada. Known by a demanding customer base for our dedication to quality and outstanding service, we earned a great amount of trust and confidence by providing solutions to a broad range of industries. This led to a rapid level of growth that would be exemplary in today's marketplace.

Throughout the late 80's and early 90's we maintained a high level of service while meeting the ever-expanding technical requirements in the chemical and lubrication industry. As distribution requirements increased throughout the late 90's and early 2000's, we expanded our warehousing and delivery capacity to answer the wide-ranging and specialized needs of the marketplace throughout Canada.

In 2009 we used this knowledge and expertise to capitalize on a once in a lifetime challenge known as the 'Mountain Pine Beetle Epidemic'. This catastrophe was wide ranging in its destruction and infected many forests along the west coast of Canada. Millions of hectares of infected trees had to be removed quickly throughout the mountainous terrain, one of the most extreme climates in this region of the world. Contractors tasked with the harvest were faced with a host of unexpected problems. In addition to extreme weather conditions this softwood species was dead and extremely dry. Continuously warping bars and chains due to lack of moisture and extraordinarily high frictional temperatures made for a difficult and costly cutting operation. Traditional chain oil blends were not up to the rigorous needs of the immense operation at hand. The advanced viscosity requirements formulated by our technical team and other global technical experts gave birth to KLONDIKE – BRAVING THE FORCE OF MOVEMENT.

KLONDIKE HD SYN DRIVE meets Allison TES-668 Standard for Automatic Transmission Fluids



Our HD SYN DRIVE Full Synthetic Transmission Fluid has been licensed and approved by Allison Transmission for TES-668. This is great news as Allison Transmissions are used by virtually all major OEM brands.

This next generation transmission fluid supersedes previous generation specifications and is recommended for use in Allison 1000 Series™, 2000 Series™, 3000 Series™, 4000 Series™ H 40/50 EP™ and eGen Flex™ Series transmission products.



FOOD-GRADE Lubricants

Lubricants designed specifically for use in food processing equipment.

KLONDIKE's FOOD-GRADE products are registered with NSF for use in the food and beverage industry and carry the H1 credentials for incidental food contact.

The NSF mark confirms that products meet all requirements and demonstrates KLONDIKE's commitment to quality, compliance, and safety.

A high-quality H1 lubricant minimizes the risk of contamination and ensures the longevity and performance of equipment.



Antifreeze/Coolant Range of Products!

Concentrate and 50/50 Ready to Use

Find your match with KLONDIKE's comprehensive line up:

- Green Universal - designed for automotive and heavy-duty diesel engines.
- Yellow Automotive OAT ELC - extended life coolant designed for automotive and light duty trucks.
- Red Heavy Duty NOAT ELC - extended life coolant designed for heavy duty diesel engines demanding extended performance.
- Gold All Engines NF OAT ELC - highly advanced extended life coolant designed for All heavy and light duty engines regardless of year, make, model, or original antifreeze color.



EZE-KEG



EASY ON YOUR WALLET. EASY ON YOUR BACK.

Save EHC fees with KLONDIKE EZE-KEG.

A range of Euro Automotive products are available in our metal 52 L EZE-KEG. The metal kegs work on our EZE-KEG racks and can be interchanged with our existing plastic EZE-KEGS.

KLONDIKE EZE-KEG PRODUCTS

- 0W-20 C5 Euro Full Synthetic Engine Oil
- 0W-20 Euro Full Synthetic Engine Oil
- 5W-30 Euro Full Synthetic Low SAPS Engine Oil
- 5W-30 Euro Full Synthetic Mid SAPS Engine Oil
- 5W-40 Euro Full Synthetic Mid SAPS Engine Oil
- ULV Full Synthetic ATF

PART

- KL-LD4084
- KL-LD4284
- KL-LD4684
- KL-LD4884
- KL-LD5284
- KL-TF2684



KLONDIKE **heavy duty** engine oils are formulated to assist in maximizing engine life and minimizing wear. Our advanced processes and technologies enable KLONDIKE heavy duty motor oils to strike a balance between durability, emission control, optimized drain intervals, and improved efficiencies for your equipment.

KLONDIKE **API CK-4** heavy duty engine oils are a direct successor and replacement for API CJ-4 fluid technology. API CK-4 fluids are fully backwards compatible and supersede CJ-4 and previous service categories. KLONDIKE API CK-4 fluids offer improvements in fuel efficiency, oxidation resistance, viscosity shear stability, and aeration control over the previous fluid technologies. KLONDIKE heavy duty oils have been approved by world's leading manufacturers*, including:



Heavy Duty Engine Oils

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS


INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



10W-30

COMMERCIAL

SAE 10W-30 CK-4 Commercial is a high performance mixed fleet engine oil; designed for use in modern diesel engines in on-road and off-road heavy-duty equipment.



EZE-KEG
KL-HD0284



DRUM
KL-HD0290



TOTE
KL-HD0295



BULK
KL-HD0299

Price:



10W-30

SAE 10W-30 CK-4 Synthetic Blend is OEM certified by Cummins, Detroit Diesel, Volvo, Mack, Ford, and Renault; and recommended for use in all engines specifying API CK-4 Service Category and SAE 10W-30.



5 QUART
KL-HD0360



PAIL
KL-HD0380



DRUM
KL-HD0390



TOTE
KL-HD0395



BULK
KL-HD0399

Price:



10W-40

SAE 10W-40 CK-4 Synthetic Blend is recommended for use in naturally aspirated and turbocharged diesel engines specifying API CK-4 Service Category and SAE 10W-40.



3.78 L JUG
KL-HD0450



PAIL
KL-HD0480



DRUM
KL-HD0490



TOTE
KL-HD0495



BULK
KL-HD0499

Price:



15W-40

SAE 15W-40 CK-4 Advanced Formula is OEM certified by Cummins, Detroit Diesel, Volvo, Mack, Ford, and Renault; and recommended for use in all engines specifying API CK-4 Service Category and SAE 15W-40.



QUART
KL-HD0540



5 QUART
KL-HD0560



9.46 L JUG
KL-HD0575



PAIL
KL-HD0580



EZE-BOX
KL-HD0582



EZE-KEG
KL-HD0584



DRUM
KL-HD0590



TOTE
KL-HD0595



BULK
KL-HD0599

Price:

Heavy Duty Engine Oils



15W-40

COMMERCIAL



PAIL
KL-HD0780



DRUM
KL-HD0790



TOTE
KL-HD0795



BULK
KL-HD0799

SAE 15W-40 CK-4 Commercial is a mixed fleet engine oil recommended for naturally aspirated and turbocharged diesel and gasoline engines in which SAE 15W-40 viscosity grade and API CK-4 or previous service categories are specified.

Price: _____



0W-30



5 QUART
KL-HD2060



PAIL
KL-HD2080



DRUM
KL-HD2090



TOTE
KL-HD2095



BULK
KL-HD2099

SAE 0W-30 CK-4 Full Synthetic is recommended for use in heavy duty engines specifying API Service Categories CK-4, CJ-4, CI-4 PLUS, CI-4, and SAE grade 0W-30.

Price: _____



0W-40



5 QUART
KL-HD2560



PAIL
KL-HD2580



DRUM
KL-HD2590



TOTE
KL-HD2595



BULK
KL-HD2599

SAE 0W-40 CK-4 Full Synthetic is recommended for use in heavy duty engines specifying API Service Categories CK-4, CI-4 PLUS, CI-4, and SAE grade 0W-40.

Price: _____



5W-40



5 QUART
KL-HD3060



PAIL
KL-HD3080



EZE-BOX
KL-HD3082



EZE-KEG
KL-HD3084



DRUM
KL-HD3090



TOTE
KL-HD3095



BULK
KL-HD3099

SAE 5W-40 CK-4 Full Synthetic is OEM certified by Detroit Diesel, Volvo, Mack, Ford, and Renault; and recommended for use in all engines specifying API CK-4 Service Category and SAE 5W-40.

Price: _____



15W-40



PAIL
KL-HD3580



DRUM
KL-HD3590



TOTE
KL-HD3595



BULK
KL-HD3599

SAE 15W-40 CK-4 Full Synthetic is recommended for use in heavy duty engines specifying API CK-4 Service Category and SAE 15W-40.

Price: _____

Heavy Duty Engine Oils

AUTOMOTIVE
ENGINE OILSGEAR
LUBRICANTSTRANSMISSION
FLUIDSHYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTSFOOD-GRADE
LUBRICANTSANTIFREEZE
CHEMICALS

10W-30 FA-4

SAE 10W-30 FA-4 Synthetic Blend is recommended for use in GHG-17 compliant engines where the use of FA-4 engine oils is specified.



5 QUART
KL-HD4260



PAIL
KL-HD4280



DRUM
KL-HD4290



TOTE
KL-HD4295



BULK
KL-HD4299

Price: _____



10W CF

SAE 10W CF Heavy Duty Engine Oil is recommended for use in four-stroke gasoline and diesel engines where SAE 10W monograde meeting API CF is specified.



PAIL
KL-HD6080



DRUM
KL-HD6090



TOTE
KL-HD6095



BULK
KL-HD6099

Price: _____



30 CF-2

SAE 30 CF-2 Heavy Duty Engine Oil is recommended for use in four-stroke gasoline and diesel engines where SAE 30 monograde meeting API CF-2 is specified.



QUART
KL-HD6340



5 QUART
KL-HD6360



PAIL
KL-HD6380



DRUM
KL-HD6390



TOTE
KL-HD6395



BULK
KL-HD6399

Price: _____



40 CF-2

SAE 40 CF-2 Heavy Duty Engine Oil is recommended for use in four-stroke gasoline and diesel engines where SAE 40 monograde meeting API CF-2 is specified.



5 QUART
KL-HD6660



PAIL
KL-HD6680



DRUM
KL-HD6690



TOTE
KL-HD6695



BULK
KL-HD6699

Price: _____



50 CF-2

SAE 50 CF-2 Heavy Duty Engine Oil is recommended for use in four-stroke gasoline and diesel engines where SAE 50 monograde meeting API CF-2 is specified.



PAIL
KL-HD6880



DRUM
KL-HD6890



TOTE
KL-HD6895



BULK
KL-HD6899

Price: _____

Heavy Duty Engine Oils



15W-40 LOW ASH

SAE 15W-40 Low Ash Natural Gas is recommended for use in heavy duty on-road turbo-charged or naturally aspirated engines running on natural gas and requiring low ash engine oil.



PAIL

KL-HD7080



DRUM

KL-HD7090



TOTE

KL-HD7095



BULK

KL-HD7099

Price:



10W-40 LOW ASH

SAE 10W-40 Low Ash Natural Gas Synthetic Blend is recommended for modern naturally aspirated and turbocharged four-stroke engines running on natural gas.



3.78 L JUG

KL-HD7250



DRUM

KL-HD7290



TOTE

KL-HD7295



BULK

KL-HD7299

Price:



SAE 40 LOW ASH NG

SAE 40 Low Ash Natural Gas is specifically designed for use in medium and high speed (rpm) engines fueled by pipeline natural gas.



DRUM

KL-HD7490



TOTE

KL-HD7495



BULK

KL-HD7499

Price:



SAE 40 LOW ASH SNG

SAE 40 Low Ash Sour Natural Gas is recommended for heavy duty stationary turbo-charged or naturally aspirated, stoichiometric or lean burn engines running on landfill or organic/bio gas and requiring low ash engine oil.



PAIL

KL-HD7680



DRUM

KL-HD7690



TOTE

KL-HD7695



BULK

KL-HD7699

Price:



SAE 40 MID ASH SNG

SAE 40 Mid Ash Sour Natural Gas is recommended for use in medium and high speed (rpm) gas engines fueled by processed or pipeline natural gas or other gas sources that may contain corrosive materials.



DRUM

KL-HD7890



TOTE

KL-HD7895



BULK

KL-HD7899

Price:

Heavy Duty Engine Oils

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



20W-40

SAE 20W-40 Railroad Engine Oil is an advanced ashless formulation for large diesel engines in railroad, marine, and power generation applications. Designed for use in heavy duty diesel engines specifying SAE 20W-40 multigrade zinc-free engine oil.

 **DRUM**
KL-HD8290
  **TOTE**
KL-HD8295
  **BULK**
KL-HD8299

Price:




SAE 40

SAE 40 Railroad Engine Oil is an advanced ashless formulation for large diesel engines in railroad, marine, and power generation applications. Designed for use in heavy duty diesel engines specifying SAE 40 monograde zinc-free engine oil.

 **DRUM**
KL-HD8490
  **TOTE**
KL-HD8495
  **XL TOTE**
KL-HD8496
  **BULK**
KL-HD8499

Price:



KLONDIKE advanced technology **automotive** engine oils are formulated for optimum efficiency and are designed for use in modern, highly fuel efficient engines that are subject to increasing levels of stress such as stop-and-go city driving, frequent short trips, extreme high and low operating temperatures, extended idling and towing. KLONDIKE synthetic blend and full synthetic motor oils for passenger cars offer superior oxidation stability, extra protection against heavy load conditions, additional high temperature protection, and better cold weather properties than conventional motor oils. Additionally, KLONDIKE premium quality automotive engine oils are formulated under the newest technology and are certified under the latest ILSAC API SN PLUS and API SP GF-6 specifications. This technology is also good for use in the prior ILSAC GF-5 or API SM specifications.



Volkswagen



Audi



Mercedes-Benz

Automotive Engine Oils

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS


INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



5W-20
COMMERCIAL

SAE 5W-20 API SP/GF-6A Commercial is recommended for passenger cars and light trucks requiring API SP/ ILSAC GF-6 certified oils, or engine oils from previous service categories.



DRUM
KL-LD0090



TOTE
KL-LD0095



BULK
KL-LD0099

Price:



5W-30
COMMERCIAL

SAE 5W-30 API SP/GF-6A Commercial is recommended for passenger cars and light trucks requiring API SP/ ILSAC GF-6 certified oils, or engine oils from previous service categories.



DRUM
KL-LD0290



TOTE
KL-LD0295



BULK
KL-LD0299

Price:



10W-30
COMMERCIAL

SAE 10W-30 API SP/GF-6A Commercial is recommended for passenger cars and light trucks requiring API SP/ ILSAC GF-6 certified oils, or engine oils from previous service categories.



DRUM
KL-LD0490



TOTE
KL-LD0495



BULK
KL-LD0499

Price:



10W-40

SAE 10W-40 API SP uses a specialized formula for older, high mileage engines. Recommended for use in passenger cars, light trucks, sport utility vehicles, and other stationary or mobile engines.



QUART
KL-LD0540



DRUM
KL-LD0590



BULK
KL-LD0599

Price:

Automotive Engine Oils



20W-50

SAE 20W-50 API SP uses a specialized formula for older, high mileage engines. Recommended for use in passenger cars, light trucks, sport utility vehicles, and other stationary or mobile engines.



DRUM
KL-LD0690



BULK
KL-LD0699

Price:



5W-20

SAE 5W-20 API SP/GF-6A Synthetic Blend is recommended for use in automobiles and other stationary or mobile engines specifying SAE 5W-20 grade and API SP/GF-6A Service Category.



QUART
KL-LD1040



5 QUART
KL-LD1060



PAIL
KL-LD1080



EZE-BOX
KL-LD1082



EZE-KEG
KL-LD1084



DRUM
KL-LD1090



TOTE
KL-LD1095



BULK
KL-LD1099

Price:



HIGH MILEAGE 5W-20

SAE 5W-20 API SP/GF-6A High Mileage Synthetic Blend is designed to help extend engine life and provide enhanced protection and performance in engines with 120,000 kms or greater.



5 QUART
KL-LD1160



DRUM
KL-LD1190



BULK
KL-LD1199

Price:



5W-30

SAE 5W-30 API SP/GF-6A Synthetic Blend is recommended for use in automobiles and other stationary or mobile engines specifying SAE 5W-30 grade and API SP/GF-6A Service Category.



QUART
KL-LD1240



5 QUART
KL-LD1260



PAIL
KL-LD1280



EZE-BOX
KL-LD1282



EZE-KEG
KL-LD1284



DRUM
KL-LD1290



TOTE
KL-LD1295



BULK
KL-LD1299

Price:



HIGH MILEAGE 5W-30

SAE 5W-30 API SP/GF-6A High Mileage Synthetic Blend is designed to help extend engine life and provide enhanced protection and performance in engines with 120,000 kms or greater.



5 QUART
KL-LD1360



DRUM
KL-LD1390



BULK
KL-LD1399

Price:

Automotive Engine Oils

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



10W-30

SAE 10W-30 API SP/GF-6A Synthetic Blend Synthetic Blend is recommended for use in automobiles and other stationary or mobile engines specifying SAE 10W-30 grade and API SP /GF-6A Service Category.




Price: _____



0W-16

SAE 0W-16 API SP/GF-6B Full Synthetic is a highly advanced, 100% synthetic engine oil formulation engineered to provide exceptional resistance and recommended for use in stationary or mobile engine specifying SAE 0W-16 grade and API SP /GF-6B.



Price: _____



0W-20

SAE 0W-20 API SP/GF-6A dexos1® Full Synthetic is GM dexos1® certified and recommended for use in stationary or mobile engine specifying SAE 0W-20 grade and API SP /GF-6A.



Price: _____



5W-20

SAE 5W-20 API SP/GF-6A Full Synthetic is recommended for use in stationary or mobile engine specifying SAE 5W-20 grade and API SP /GF-6A.



Price: _____



5W-30

SAE 5W-30 API SP/GF-6A dexos1® Full Synthetic is GM dexos1® certified and recommended for use in stationary or mobile engine specifying SAE 5W-30 grade and API SP /GF-6A.



Price: _____



Automotive Engine Oils



0W-20
EURO
55
Price:

SAE 0W-20 C5 Full Synthetic is specially formulated to meet the requirements of ACEA C5. Robust technology meets the demanding specifications of European OEM's including the resistance of oxidation oil thickening and sludge formation inside the engine.



1 L BOTTLE
KL-LD4040



EZE-KEG
KL-LD4084



DRUM
KL-LD4090



0W-20
EURO
Price:

SAE 0W-20 Euro Full Synthetic is recommended for use in European gasoline and diesel fueled engines. Specially formulated to exceed demanding OEM requirements for fuel economy, while offering high stability and very long service interval.



1 L BOTTLE
KL-LD4240



EZE-KEG
KL-LD4284



TOTE
KL-LD4295



5W-30
EURO
LOW SAPS
Price:

SAE 5W-30 Euro Low SAPS Full Synthetic is recommended for use in European gasoline and diesel fueled engines. Specially formulated to exceed demanding OEM requirements for fuel economy, while offering high stability and very long service interval.



1 L BOTTLE
KL-LD4640



5 L BOTTLE
KL-LD4660



EZE-KEG
KL-LD4684



DRUM
KL-LD4690



TOTE
KL-LD4695



BULK
KL-LD4699



0W-30
EURO
LOW SAPS
Price:

SAE 0W-30 Euro Low SAPS Full Synthetic is recommended for use in European gasoline and diesel fueled engines. Specially formulated to exceed demanding OEM requirements for fuel economy, while offering high stability and very long service interval.



TOTE
KL-LD4595



5W-30
EURO
MID SAPS
Price:

SAE 5W-30 Euro Mid SAPS Full Synthetic is an extended service life, premium engine oil with specialty base oils and additives. Designed for use in European gasoline and diesel fueled engines.



1 L BOTTLE
KL-LD4840



5 L BOTTLE
KL-LD4860



EZE-KEG
KL-LD4884



DRUM
KL-LD4890



TOTE
KL-LD4895



BULK
KL-LD4899



Automotive Engine Oils

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



5W-40
SN/CF
EURO



EZE-BOX
KL-LD5082

SAE 5W-40 SN/CF Euro Full Synthetic is recommended for use in modern European 4, 6 and 8+ cylinder multi-cam, multi-valve, naturally aspirated, super- and turbo-charged engines.

Price:



5W-40
EURO
MID SAPS



1 L BOTTLE
KL-LD5240



5 L BOTTLE
KL-LD5260



EZE-KEG
KL-LD5284



DRUM
KL-LD5290



TOTE
KL-LD5295




BULK
KL-LD5299

SAE 5W-40 Euro Mid SAPS Full Synthetic is a very high-performance engine oil that resists oxidation, sludge deposits, and viscosity loss. Designed for use in European gasoline and diesel fueled engines.

Price:





Tough operating conditions are no match for KLONDIKE **gear** oils. They are specially formulated for maximum protection, durability, and efficiency no matter what climate or conditions are prevalent. Only the finest technology available is used in manufacturing our premium synthetic gear lubricants. KLONDIKE robust formulations are designed for gears and differentials that place rigorous demands on fluid technology and require extreme temperature and pressure protection. Driveline components in today's automotive and heavy duty vehicles have become increasingly stressed by increased engine output, higher operating temperatures, and extended service intervals. KLONDIKE's advanced gear oil technology protects against severe wear while balancing fluid durability in heavy load conditions, including extended drain intervals when applicable.

Gear Lubricants

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS


INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



80W-90
COMMERCIAL

SAE 80W-90 GL-5 Commercial is designed for use in hypoid differentials, gear boxes, and axle lubrication where API GL-5 performance is required.



Price:



80W-90

SAE 80W-90 GL-5 is designed for differentials, manual transmissions, power take off units, and final drives specifying SAE 80W-90 and API GL-5/MT-1.



Price:



85W-140

SAE 85W-140 GL-5 is designed for differentials, manual transmissions, power take off units, and final drives specifying SAE 85W-140 and API GL-5/MT-1.



Price:



75W-90

SAE 75W-90 GL-5 Full Synthetic is recommended for use in heavy duty gear applications specifying SAE 75W-90 and API GL-5/MT-1 including limited slip.



Price:

Gear Lubricants



75W-140

SAE 75W-140 GL-5 Full Synthetic is recommended for use in heavy duty gear applications specifying SAE 75W-140 and API GL-5/MT-1 including limited slip.



QUART
KL-GL2440



PAIL
KL-GL2480



KEG
KL-GL2485



DRUM
KL-GL2490



TOTE
KL-GL2495



BULK
KL-GL2499

Price:



ISO 68

ISO 68 EP is designed for heavily loaded plain bearings, enclosed gear drives, and reducers on drives of all sizes where ISO 68 is specified.



PAIL
KL-GL3680



DRUM
KL-GL3690



TOTE
KL-GL3695



BULK
KL-GL3699

Price:



ISO 100

ISO 100 EP is designed for heavily loaded plain bearings, enclosed gear drives, and reducers on drives of all sizes where ISO 100 is specified.



PAIL
KL-GL3880



DRUM
KL-GL3890



TOTE
KL-GL3895



BULK
KL-GL3899

Price:



ISO 150

ISO 150 EP is designed for heavily loaded plain bearings, enclosed gear drives, and reducers on drives of all sizes where ISO 150 is specified.



PAIL
KL-GL4080



DRUM
KL-GL4090



TOTE
KL-GL4095



BULK
KL-GL4099

Price:



ISO 220

ISO 220 EP is designed for heavily loaded plain bearings, enclosed gear drives, and reducers on drives of all sizes where ISO 220 is specified.



PAIL
KL-GL4280



DRUM
KL-GL4290



TOTE
KL-GL4295



XL TOTE
KL-GL4296



BULK
KL-GL4299

Price:

Gear Lubricants

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



ISO 320

ISO 320 EP is designed for heavily loaded plain bearings, enclosed gear drives, and reducers on drives of all sizes where ISO 320 is specified.



PAIL
KL-GL4480



DRUM
KL-GL4490



TOTE
KL-GL4495



XL TOTE
KL-GL4496



BULK
KL-GL4499

Price:



ISO 460

ISO 460 EP is designed for heavily loaded plain bearings, enclosed gear drives, and reducers on drives of all sizes where ISO 460 is specified.



PAIL
KL-GL4680



DRUM
KL-GL4690



TOTE
KL-GL4695



XL TOTE
KL-GL4696



BULK
KL-GL4699

Price:



ISO 150

ISO 150 EP Full Synthetic is formulated for industrial bearings and gear applications operating in very heavy duty and shock-loaded conditions where ISO 150 is specified.



PAIL
KL-GL6080



DRUM
KL-GL6090



TOTE
KL-GL6095



BULK
KL-GL6099

Price:



ISO 220

ISO 220 EP Full Synthetic is formulated for industrial bearings and gear applications operating in very heavy duty and shock-loaded conditions where ISO 220 is specified.



PAIL
KL-GL6280



DRUM
KL-GL6290



TOTE
KL-GL6295



BULK
KL-GL6299

Price:



ISO 320

ISO 320 EP Full Synthetic is formulated for industrial bearings and gear applications operating in very heavy duty and shock-loaded conditions where ISO 320 is specified.



PAIL
KL-GL6480



DRUM
KL-GL6490




TOTE
KL-GL6495



BULK
KL-GL6499

Price:



KLONDIKE **transmission** fluids are formulated for use in a full range of automatic transmissions and provide premium shifting characteristics. This extensive line of automatic transmission fluids offers smooth yet responsive shifting, long service life, and outstanding fuel efficiency. KLONDIKE transmission oils are engineered to provide improved performance, extended transmission life, as well as premium flow characteristics at very low temperatures and protection against oxidation, varnish and sludge at high temperatures.

Transmission Fluids

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS


INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



TYPE F

TYPE-F Automatic Transmission Fluid is a non-friction modified fluid designed for use in older Ford vehicles, and other import brands, where such a fluid is specified.



Price:



ATF MD3

ATF MD3 is designed and recommended for use in most pre-2006 automatic transmissions that reference specifications GM DEXRON III, Ford MERCON and similar.



Price:



SYNCHROMESH

Synchronmesh SAE 75W-80 GL-4 Full Synthetic Manual Transmission Fluid is specifically developed for manual transmissions and transfer cases in passenger cars and trucks, engineered to exceed OEM standards for smooth, precise shifting and advanced antiwear protection.



1 L BOTTLE
KL-TF1640

Price:



SYNTHETIC ATF

ULV Full Synthetic Automatic Transmission Fluid is designed for use in automatic transmissions manufactured by North American, European, Asian, and other manufacturers around the world using 9 and 10 speed high performance transmission designs.



Price:



Transmission Fluids



ATF

ATF Universal Full Synthetic is one highly advanced and truly universal automatic transmission fluid ideal for global application. Meets the performance requirements of (but not limited to):

- **ATF** – Type A-Suffix A
- **Aisin Warner** – AW-1, JWS 3309, 3314, 3317, 3324, SCS, M315 A-1, T-IV
- **Acura** – ATF-Z1 (VTM-4)
- **Allison** – C-3, C-4, TES-389
- **American Motors** – ATF+3(MS7176-E), ATF+4(MS9602)
- **Audi** – ZF 5HP (18FL, 19FL, 24A, 30), 6HP (1375.4), TL52162 (LT71141), G-052-025-A2, G-052-162-A1/A2, G-052-182-A2, G-052-990-A2
- **BMW** – ZF 5HP (18FL, 19FL, 24A, 30), 6HP (1375.4), LA2634, ETL-7045E, ETL-8072B, N402, LT71141 83.22.9.400 (272, 275), 83.22.9.407 (738, 765, 807, 858, 859), 83.22.0.397 (114), 83.22.0.403 (248, 249)
- **Caterpillar** – Power Shift TO-2
- **Chrysler** – AS68RC “T-IV”, AS69RC, ATF+3 (MS7176-E), ATF+4 (MS9602), ZF 8HP, ZF 9HP
- **Daewoo** – LT 71141
- **Fiat** – “all vehicles”, Type T-IV
- **Ford Mercon**[®]
 - > Mercon (XT-2-QDR, XT-2-QSM syn)
 - > Mercon V (XT-5-QM, XT-5-DM, WSS-M2C-202B)
 - > Mercon SP (XT-6-QSP, XT-6-DSP, WSS-M2C-919D)

except 6HP26 / 6R60/ 6R75 transmissions

 - > Mercon LV (XT-10-QLV, WSS-M2C-938A)
 - > WSS-M2C33-A/B/C/D/F/G, WSS-M2C138-CJ, WSSM2C166-H, 185-A, 195-A, 202-B, WSS-M2C 922-A1, 924-A (XT-8-QAW)
- **GM Dexron**[®]
 - > Dexron VI, III-H, III-G, II-E, II
 - > T-IV
 - > GM Transfer Fluid 12378515 (Transynd[®] applications)
 - > GM Transfer Case 12378396, 12378508 (Auto Trak II)
- **Honda** – ATF-Z1, VTM-4, DW-1, DPF
- **Hyundai** – SP-II, SP-III, SP-IV, SP-4M, WS-9638
- **Infiniti** – Matic-D, Matic-J, Matic-K, Matic-S
- **IDEMITSU** – K17, JATCO 3100 PL085
- **Isuzu Besco** – ATF-II, ATF-III
- **Jaguar** – ZF 5HP24, ZF 6HP26, LT71141, JLM20238, JLM21044, ATF 3403 M115, M1375.4
- **JASO** – M315-2004 1A, 2A
- **Jeep** – ATF+3, ATF+4, AS68RC (T-IV)
- **Kia** – SP-II, SP-III, SP-IV, SP-4M, ATF Red 1
- **Lexus** – Type T, T-II, T-III, T-IV, WS (JWS 3324)
- **MAN** – 339 A,F, V1, V2, Z1, Z2, Z3
- **Mazda** – ATF-M III, ATF M-3, ATF-MV, V (XT-9-QMM5, FNR 5), FZ
- **MERCEDES** – ZF 4HP20, 223.2, 236.1, 236.10, 236.11, 236.12(NAG 1/2), 236.14, 236.41, 236.5(C-4), 236.6, 236.7, 236.8, 236.9, 722.3, 722.4, 722.5, 722.6, 722.9
- **Mini Cooper** – T-IV, 83 22 0 402 413, 83 22 7 542 290
- **Mitsubishi** – Diamond SP-II, SP III, SP IV, Dia Queen J2, J3
- **Nissan** – Matic-D, Matic-J, Matic-K, Matic-S, 402
- **Porsche** – ZF 5HP19FL, ZF 5HP20, LT71141, ATF 3403-M115, T-VI, JWS 3309
- **Renault** – “all vehicles”
- **RENK** – DOROMAT
- **SAAB** – JWS 3309, 93 165 146/147
- **SATURN** – T-IV, GM TASA, T-IV ATF, GM WS ATF
- **Shell** – 3403, 3353, LA2634, ATF-134, M-1375.4, M-1375.5, M-1375.6, M-12108
- **Subaru** – ATF, AT-HP
- **Suzuki** – ATF 2326, 2384K, JWS 3309, 3314
- **Texaco** – ETL-7045E, ETL-8072B, N402
- **Toyota** – Type T, T-II, T-III, T-IV, Type D-2, WS (JWS 3324), Toyota Prius (WS)
- **VICKERS** – M-2950-S, I-286-S
- **VOITH** – G607 (55.6335.XX), G1363 (55.66336.XX), TURBO, ZF, ECOMAT, ZF TE-ML 02F, 03D, 04D, 05L, 09, 11B, 14A/B/C, 16L, 17C
- **Volvo** – 97340, 97341, 97342 (AT-102), 1161640, 1161540, 1161521, T-IV
- **Volkswagen** – ZF 5HP (18FL, 19FL, 24A, 30), 6HP (1375.4), TL 52162 (LT71141), TL 52533, G-055-025-A2, G-052 162-A1/A2, G-052-182-A2, G-052-990-A2, G-052-025-A2, G-055-540-A2
- **ZF** – 8HP, 9HP



QUART
KL-TF3040



5 QUART
KL-TF3060



PAIL
KL-TF3080



EZE-BOX
KL-TF3082



EZE-KEG
KL-TF3084



DRUM
KL-TF3090



TOTE
KL-TF3095



BULK
KL-TF3099

Price: _____

Transmission Fluids

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



DEX/MERC
Price:

DEXRON®-VI / MERCON® LV ATF Full Synthetic is OEM certified by General Motors and Ford.



QUART
KL-TF2840



DRUM
KL-TF2890



BULK
KL-TF2899

Approvals:



MERCON® LV



CVT
Price:

CVT Fluid Full Synthetic is formulated for belt and chain driven continuously variable transmissions. Do not use as a replacement for ATF.

- Audi/VW (TL 52180; G 052 180; G 052 516)
- BMW 8322 0 136 376/8322 0 429 154 (EZL799/799A)
- Daihatsu Amix CVTF-DC, CVTF-DFE
- Dodge / Jeep (NS-2 / CVTF+4/Mopar CVT 4)
- Ford CFT30/WSS-M2C933-A /Motorcraft XT-7-QCFT
- GM/Saturn (DEX-CVT, CVTF I-Green2)
- Honda (HMMF, HCF-2)
- Hyundai/Kia CVTF (SP-CVT-J1)
- Mazda CVTF 3320
- Mercedes Benz CVT28, 236.20
- Mini Cooper (EZL 799/ EZL 799A/ZF CVT V1)
- Mitsubishi DiaQueen (CVTF-J1, CVTF-J4)
- Nissan (NS-1, NS-2, NS-3)
- Punch EZL 799/EZL 799A
- Renault ELFMATIC
- Shell Green 1V
- Subaru (NS-2 / Lineartronic CVTF, i-CVTF, K0425Y0710) e-CVTF, High Torque
- Suzuki (TC / NS-2 / CVTF Green 1, Green 2, CVTF 3320)
- Toyota (CVTF TC, CVTF FE)



QUART
KL-TF3340



DRUM
KL-TF3390



BULK
KL-TF3399

Price:

HEAVY DUTY
ENGINE OILSAUTOMOTIVE
ENGINE OILSGEAR
LUBRICANTSTRANSMISSION
FLUIDSHYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTSFOOD-GRADE
LUBRICANTSANTIFREEZE
CHEMICALS

Transmission Fluids



HD ATF

Heavy Duty ATF Full Synthetic is formulated for high performance and long service life in heavy duty automatic transmissions in urban and rural commercial vehicles.



5 QUART
KL-TF3160



PAIL
KL-TF3180



DRUM
KL-TF3190



TOTE
KL-TF3195



BULK
KL-TF3199

Price:



HD SYN DRIVE

HD SYN DRIVE Full Synthetic Transmission Fluid is next generation, full synthetic on-highway automatic transmission fluid, licensed and approved by Allison Transmission.



PAIL
KL-TF3280



DRUM
KL-TF3290



TOTE
KL-TF3295

Price:



DGT

Dual Clutch Full Synthetic Transmission Fluid is designed for dual clutch transmissions in passenger cars, specially engineered to deliver outstanding anti-shudder durability, shear stability, and oxidation control even when exposed to severe conditions.



1 L BOTTLE
KL-TF3540

Price:



SAE 40

SAE 40 Full Synthetic ES Transmission Lubricant is recommended for use in on-highway heavy duty trucks and buses as well as off-highway heavy equipment in the forestry, construction and mining industries.



PAIL
KL-TF3980



DRUM
KL-TF3990



TOTE
KL-TF3995



BULK
KL-TF3999

Price:



SAE 50

SAE 50 Manual Transmission Full Synthetic is recommended for use in all applications specifying SAE grade 50 and API Service Category MT-1.



PAIL
KL-TF4080



KEG
KL-TF4085



DRUM
KL-TF4090



TOTE
KL-TF4095



BULK
KL-TF4099

Price:

Transmission Fluids

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



10W TDTO-4

SAE 10W TDTO-4 Transmission and Drivetrain Fluid is designed for heavy duty mobile and stationary equipment where Caterpillar TO-4 or Allison C-4 fluids for SAE 10W grade are specified.



PAIL
KL-TF6080



DRUM
KL-TF6090



TOTE
KL-TF6095



BULK
KL-TF6099

Price:



30 TDTO-4

SAE 30 TDTO-4 Transmission and Drivetrain Fluid is designed for heavy duty mobile and stationary equipment where Caterpillar TO-4 or Allison C-4 fluids for SAE 30 grade are specified.



PAIL
KL-TF6280



DRUM
KL-TF6290



TOTE
KL-TF6295



BULK
KL-TF6299

Price:



50 TDTO-4

SAE 50 TDTO-4 Transmission and Drivetrain Fluid is designed for heavy duty mobile and stationary equipment where Caterpillar TO-4 or Allison C-4 fluids for SAE 50 grade are specified.



PAIL
KL-TF6480



DRUM
KL-TF6490



TOTE
KL-TF6495



BULK
KL-TF6499

Price:



ALL SEASON

All Season Synthetic Blend TDTO-4 is for all season use across a wide T° range in heavy duty mobile and stationary equipment where Caterpillar TO-4, TO-4M, or Allison C-4 fluids are specified.



PAIL
KL-TF7080



DRUM
KL-TF7090



TOTE
KL-TF7095



BULK
KL-TF7099

Price:



ALL SEASON SYN

All Season Synthetic TDTO-4 Transmission and Drivetrain Fluid is formulated using advanced 'Arctic Performance Technology' to deliver outstanding protection and performance. SAE 5W-30 multi-grade viscosity profile offers true all-season performance.



PAIL
KL-TF7280



DRUM
KL-TF7290




TOTE
KL-TF7295



BULK
KL-TF7299

Price:



KLONDIKE anti-wear **hydraulic** fluids are designed to operate in the most extreme conditions. Today, operating conditions require greater precision and pressure than ever before. While advanced systems do more work and are more responsive, they are also more vulnerable to wear and deposit formation when operated at higher temperatures and pressures. Highly tested KLONDIKE hydraulic lubricants are specially formulated with the finest base oils and additive systems that deliver unrivaled performance and protection.



= Conventional



= Synthetic Blend



= Full Synthetic



AW 22

COMMERCIAL

AW 22 Commercial Hydraulic Fluid is recommended for in use heavy duty mobile and stationary equipment in exploration, construction, logging and mining industries.



PAIL

KL-HF0080



DRUM

KL-HF0090



TOTE

KL-HF0095



BULK

KL-HF0099

Price:



AW 32

COMMERCIAL

AW 32 Commercial Hydraulic Fluid is recommended for in use heavy duty mobile and stationary equipment in exploration, construction, logging and mining industries.



PAIL

KL-HF0280



EZE-KEG

KL-HF0284



DRUM

KL-HF0290



TOTE

KL-HD0295



BULK

KL-HF0299

Price:



AW 46

COMMERCIAL

AW 46 Commercial Hydraulic Fluid is recommended for in use heavy duty mobile and stationary equipment in exploration, construction, logging and mining industries.



PAIL

KL-HF0480



EZE-KEG

KL-HF0484



DRUM

KL-HF0490



TOTE

KL-HF0495



BULK

KL-HF0499

Price:



AW 68

COMMERCIAL

AW 68 Commercial Hydraulic Fluid is recommended for in use heavy duty mobile and stationary equipment in exploration, construction, logging and mining industries.



PAIL

KL-HF0680



DRUM

KL-HF0690



TOTE

KL-HF0695



BULK

KL-HF0699

Price:

HEAVY DUTY
ENGINE OILSAUTOMOTIVE
ENGINE OILSGEAR
LUBRICANTSTRANSMISSION
FLUIDSHYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTSFOOD-GRADE
LUBRICANTSANTIFREEZE
CHEMICALS

Hydraulic Fluids



AW 22

AW 22 Advanced Formula Hydraulic Fluid is recommended for use in high pressure hydraulic systems in all types of heavy duty and industrial service applications ensuring outstanding system efficiency and extended service life.



PAIL
KL-HF1080



DRUM
KL-HF1090



TOTE
KL-HF1095



BULK
KL-HF1099

Price:



RED AW 22

Red AW 22 Hydraulic Fluid is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service specifying ISO 22 viscosity. Dyed in red for better visibility.



PAIL
KL-HF1180



DRUM
KL-HF1190



TOTE
KL-HF1195



BULK
KL-HF1199

Price:



AW 32

AW 32 Advanced Formula Hydraulic Fluid is recommended for use in high pressure hydraulic systems in all types of heavy duty and industrial service applications ensuring outstanding system efficiency and extended service life.



5 QUART
KL-HF1260



9.46 L JUG
KL-HF1275



PAIL
KL-HF1280



DRUM
KL-HF1290



TOTE
KL-HF1295



BULK
KL-HF1299

Price:



RED AW 32

Red AW 32 Hydraulic Fluid is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service specifying ISO 32 viscosity. Dyed in red for better visibility.



PAIL
KL-HF1380



DRUM
KL-HF1390



TOTE
KL-HF1395



BULK
KL-HF1399

Price:



AW 46

AW 46 Advanced Formula Hydraulic Fluid is recommended for use in high pressure hydraulic systems in all types of heavy duty and industrial service applications ensuring outstanding system efficiency and extended service life.



5 QUART
KL-HF1460



PAIL
KL-HF1480



DRUM
KL-HF1490



TOTE
KL-HF1495



BULK
KL-HF1499

Price:



AW 68

AW 68 Advanced Formula Hydraulic Fluid is recommended for use in high pressure hydraulic systems in all types of heavy duty and industrial service applications ensuring outstanding system efficiency and extended service life.



Price:



AW 100

AW 100 Advanced Formula Hydraulic Fluid is recommended for use in high pressure hydraulic systems in all types of heavy duty and industrial service applications ensuring outstanding system efficiency and extended service life.




Price:



SAE 10W

SAE 10W Heavy Duty AW Hydraulic Fluid is engineered for use in heavy duty vehicles and equipment subject to a wide range of climatic conditions and ambient temperatures. Typically recommended for use in machinery manufactured by Caterpillar.



Price:



MV AW 15

Multi-Viscosity AW 15 with Arctic Performance Technology is formulated for high performance hydraulic systems in mobile and stationary equipment operating in ultra-low temperatures.



Price:



MV AW 22

Multi-Viscosity AW 22 with Arctic Performance Technology is formulated for high performance hydraulic systems in mobile and stationary equipment across a broad temperature range.



Price:

Hydraulic Fluids



MV AW 36

Multi-Viscosity AW 36 with Arctic Performance Technology is formulated for high performance hydraulic systems in mobile and stationary equipment across a broad temperature range.



PAIL

KL-HF5280



DRUM

KL-HF5290



TOTE

KL-HF5295



BULK

KL-HF5299

Price:



MV AW 46

Multi-Viscosity AW 46 with Arctic Performance Technology is formulated for high performance hydraulic systems in mobile and stationary equipment across a broad temperature range.



PAIL

KL-HF5480



DRUM

KL-HF5490



TOTE

KL-HF5495



BULK

KL-HF5499

Price:



MV AW 68

Multi-Viscosity AW 68 with Arctic Performance Technology is formulated for high performance hydraulic systems in mobile and stationary equipment across a broad temperature range.



PAIL

KL-HF5680



DRUM

KL-HF5690



TOTE

KL-HF5695



BULK

KL-HF5699

Price:



TURBINE 32

Long Life Turbine Oil ISO 32 is designed for use in non-g geared steam, hydro-electric and gas turbines as well as a high temperature bearing lubricant and coolant.



PAIL

KL-HF6680



DRUM

KL-HF6690



TOTE

KL-HF6695



BULK

KL-HF6699

Price:



TURBINE 46

Long Life Turbine Oil ISO 46 is designed for use in non-g geared steam, hydro-electric and gas turbines as well as a high temperature bearing lubricant and coolant.



PAIL

KL-HF6880



DRUM

KL-HF6890



TOTE

KL-HF6895



BULK

KL-HF6899

Price:

Hydraulic Fluids

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



TURBINE 68

Long Life Turbine Oil ISO 68 is designed for use in non-g geared steam, hydro-electric and gas turbines as well as a high temperature bearing lubricant and coolant.



PAIL
KL-HF7080



DRUM
KL-HF7090



TOTE
KL-HF7095



BULK
KL-HF7099

Price: _____



TURBINE 150

Long Life Turbine Oil ISO 150 is designed for use in non-g geared steam, hydro-electric and gas turbines as well as a high temperature bearing lubricant and coolant.



PAIL
KL-HF7480



DRUM
KL-HF7490



TOTE
KL-HF7495



BULK
KL-HF7499

Price: _____



UTF

Universal Tractor Fluid is the one single fluid that may be used to lubricate all conventional points on an agricultural or industrial tractor or piece of mobile equipment with a common sump.



5 QUART
KL-HF8060



9.46 L JUG
KL-HF8075



PAIL
KL-HF8080



EZE-KEG
KL-HF8084



DRUM
KL-HF8090



TOTE
KL-HF8095



BULK
KL-HF8099

Price: _____



ARCTIC UTF

Arctic Tractor Fluid Synthetic Blend is designed to fulfill the torque transfer, hydraulic, and power transmission requirements of farm tractors and other mobile off-road equipment.



PAIL
KL-HF8180



DRUM
KL-HF8190



TOTE
KL-HF8195



BULK
KL-HF8199

Price: _____



UTF

Universal Tractor Fluid Full Synthetic is formulated with Arctic Performance Technology for use in all kinds of farm equipment, off-highway machinery, and industrial tractors.



PAIL
KL-HF8280



DRUM
KL-HF8290



BULK
KL-HF8299

Price: _____

HEAVY DUTY
ENGINE OILSAUTOMOTIVE
ENGINE OILSGEAR
LUBRICANTSTRANSMISSION
FLUIDSHYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTSFOOD-GRADE
LUBRICANTSANTIFREEZE
CHEMICALS

Hydraulic Fluids



UTF RED

Universal Red Tractor Fluid is a specialized, advanced formulation designed to fulfill the torque transfer, hydraulic, and power transmission requirements of modern agricultural and other mobile off-road equipment.



PAIL
KL-HF8480



DRUM
KL-HF8490



TOTE
KL-HF8495



BULK
KL-HF8499

Price: _____



WET BRAKE

Wet Brake Lubricant Full Synthetic is a specialized heavy duty fluid designed to fulfil VOLVO wet brake WB101 and WB102.



PAIL
KL-HF8680



DRUM
KL-HF8690



BULK
KL-HF8699

Price: _____



CIRCULATING 32

ISO 32 Full Synthetic Circulating Oil is a full synthetic multi-functional industrial oil. Excels as a high performance, long life lubricant in circulating, compressor, and turbine applications in the appropriate viscosity grade.



TOTE
KL-HF8795



BULK
KL-HF8799

Price: _____



CIRCULATING 220

ISO 220 Full Synthetic Circulating Oil is a full synthetic multi-functional industrial oil. Excels as a high performance, long life lubricant in circulating, compressor, and turbine applications in the appropriate viscosity grade.



PAIL
KL-HF9280



BULK
KL-HF9299

Price: _____



CIRCULATING 460

ISO 460 Full Synthetic Circulating Oil is a full synthetic multi-functional industrial oil. Excels as a high performance, long life lubricant in circulating, compressor, and turbine applications in the appropriate viscosity grade.




TOTE
KL-HF9495



BULK
KL-HF9499

Price: _____



The KLONDIKE family of **industrial** and **functional** fluids is formulated for exceptional performance and reliability using world-class technologies that have been trusted and proven by industry professionals for many years and is relied on by industry users all year round. Our bar and chain oil is of the highest quality and operates in extreme climatic - high or low temperature - conditions. It offers unsurpassed durability and performance for equipment operating in high heat conditions, and performs flawlessly in the logging and saw mill industries that require the most robust and durable lubricant formulations in order to maximize efficiency and productivity.



= Conventional



= Synthetic Blend



= Full Synthetic



BAR & CHAIN

Bar & Chain Oil is designed for the lubrication of chains, bars, and sprockets of chain saws.



3.5 L JUG KL-100650
PAIL KL-100680
DRUM KL-100690
TOTE KL-100695

Price:



ISO 90

Hi-Tack ISO 90 Bar & Chain Oil is a low viscosity formula for winter use in all types of chain saws with manual or automatic oilers for lubrication of the bar, chain, and sprocket.



5 QUART KL-101060
PAIL KL-101080
DRUM KL-101090
TOTE KL-101095

Price:



ISO 150

Hi-Tack ISO 150 Bar & Chain Oil is a medium viscosity formula for all-season use in all types of chain saws with manual or automatic oilers for lubrication of the bar, chain, and sprocket.



5 QUART KL-101260
PAIL KL-101280
DRUM KL-101290
TOTE KL-101295

Price:



ISO 220

Hi-Tack ISO 220 Bar & Chain Oil is formulated for summer use in chain saws, open bearings, gears, and chains found in industrial applications or anywhere a tacky oil is required.



5 QUART KL-101460
PAIL KL-101480
DRUM KL-101490
TOTE KL-101495

Price:

HEAVY DUTY
ENGINE OILSAUTOMOTIVE
ENGINE OILSGEAR
LUBRICANTSTRANSMISSION
FLUIDSHYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTSFOOD-GRADE
LUBRICANTSANTIFREEZE
CHEMICALS

Industrial Oils



**CLEAR BAR
AND
CHAIN OIL**



PAIL

KL-IO1380



DRUM

KL-IO1390



TOTE

KL-IO1395

Clear Bar and Chain Oil is manufactured with paraffinic base oils and high performance additives. They ensure reliable and consistent cutting performance in high performance hand-held and mechanized saws operating in all climates and cutting all types of wood.

Price:



**ISO 32
ROCKDRILL**



PAIL

KL-IO2280



DRUM

KL-IO2290



TOTE

KL-IO2295



BULK

KL-IO2299

Rock Drill Oil ISO 32 is formulated for the internal mechanisms and moving parts of pneumatic drilling equipment operating in heavy duty service environments where ISO 32 is specified.

Price:



**ISO 68
ROCKDRILL**



PAIL

KL-IO2680



DRUM

KL-IO2690



TOTE

KL-IO2695



BULK

KL-IO2699

Rock Drill Oil ISO 68 is formulated for the internal mechanisms and moving parts of pneumatic drilling equipment operating in heavy duty service environments where ISO 68 is specified.

Price:



**ISO 100
ROCKDRILL**



PAIL

KL-IO2880



DRUM

KL-IO2890



TOTE

KL-IO2895



BULK

KL-IO2899

Rock Drill Oil ISO 100 is formulated for the internal mechanisms and moving parts of pneumatic drilling equipment operating in heavy duty service environments where ISO 100 is specified.

Price:



**ISO 150
ROCKDRILL**



PAIL

KL-IO3080



DRUM

KL-IO3090



TOTE

KL-IO3095



BULK

KL-IO3099

Rock Drill Oil ISO 150 is formulated for the internal mechanisms and moving parts of pneumatic drilling equipment operating in heavy duty service environments where ISO 150 is specified.

Price:



ISO 220 ROCKDRILL

Rock Drill Oil ISO 220 is formulated for the internal mechanisms and moving parts of pneumatic drilling equipment operating in heavy duty service environments where ISO 150 is specified.



PAIL
KL-IO3280



DRUM
KL-IO3290



TOTE
KL-IO3295



BULK
KL-IO3299

Price: _____



ISO 260 COMPRESSOR

ISO 260 Natural Gas Compressor Oil is specifically designed for the lubrication of large, heavy duty pipeline compressors pumping hydrocarbons such as natural gas.



DRUM
KL-IO4490



TOTE
KL-IO4495



BULK
KL-IO4499

Price: _____



ISO 46 COMPRESSOR

ISO 46 Natural Gas Compressor Oil Full Synthetic is designed for use in rotary screw, rotary vane, reciprocating, and centrifugal air compressors and vacuum pumps requiring ISO 46 synthetic lubricant.



PAIL
KL-IO5180



BULK
KL-IO5199

Price: _____



ND-30

Non-Detergent 30 Lubricating Oil is recommended for use in air compressors and other industrial applications where non-detergent oil is specified.



QUART
KL-IO5840



PAIL
KL-IO5880



DRUM
KL-IO5890



TOTE
KL-IO5895

Price: _____



2 CYCLE

Universal 2-Cycle is a premium low ash formula that promotes internal engine cleanliness and prolongs spark plug life in outdoor power equipment such as chain saws, trimmers, blowers and other machinery.



236 mL BOTTLE
KL-IO6029



473 mL BOTTLE
KL-IO6032

Price: _____

HEAVY DUTY
ENGINE OILSAUTOMOTIVE
ENGINE OILSGEAR
LUBRICANTSTRANSMISSION
FLUIDSHYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTSFOOD-GRADE
LUBRICANTSANTIFREEZE
CHEMICALS

Industrial Oils



TC-W3 2 CYCLE

TC-W3 2-Cycle is a NMMA certified, virtually ashless engine oil formulated for use in high performance engines using pre-mix or mix-on-demand VRO oil delivery system applications requiring oil meeting API TC and/or JASO FB.



QUART
KL-106040



5 QUART
KL-106060



DRUM
KL-106090

Price: _____



2 CYCLE

2-Cycle Full Synthetic Snowmobile Engine Oil is a premium lubricant formulated for use in modern snowmobiles (Arctic-Cat, Polaris, Yamaha, Ski-Doo), motorcycles, scooters, ATVs, and other powersport engines.



QUART
KL-106240



5 QUART
KL-106260

Price: _____



ISO 68 WAY OIL

ISO 68 Way Oil is specifically formulated for use in the lubrication of bearings, slides, and ways of machine tools such as lathes, planers, shapers, and tapping machines.



PAIL
KL-107280



DRUM
KL-107290

Price: _____



CUTTING OIL

Soluble Cutting Oil is a water-soluble cutting fluid designed for long service life and low maintenance; and suitable for use on a wide range of materials and machining operations.



PAIL
KL-107880



DRUM
KL-107890



TOTE
KL-107895



BULK
KL-107899

Price: _____



ISO 100 SAW GUIDE

Tacky Saw Guide Oil ISO 100 is recommended for all types of thin kerf saw blades on modern gang saws and edgers.



DRUM
KL-108390



TOTE
KL-108396

Price: _____



ISO 150
SAW GUIDE

Tacky Saw Guide Oil ISO 150 is recommended for all types of thin kerf saw blades on modern gang saws and edgers.



DRUM
KL-108590

Price:



MULTI-USE
INDUSTRIAL

Multi-Use Industrial Cattle Oil is suitable for use in a wide range of applications such as cattle oiling systems, dust control in riding arenas, dust control in fertilizer plants, cedar shake preservative, concrete form release agent, and other similar industrial uses.



PAIL
KL-109580

Price:



FORM OIL

Enhanced Form Oil is a clear, non-staining fluid designed for the easy release of concrete forms. Specially formulated for ease of use with all types of form materials.



PAIL
KL-109780



DRUM
KL-109790



TOTE
KL-109795



BULK
KL-109799

Price:



LIGHT
FORM OIL

Light Form Release and Dust Suppressant Oil is a multi-purpose fluid designed as a wetting and release agent for concrete forms as well as an effective commercial dust suppressant liquid.



TOTE
KL-109895

Price:



DUST OIL

Dust Suppressant/Form Oil is colorless, odorless, neutral oil for dust suppression and concrete form release as well as other similar commercial applications.



DRUM
KL-109990




TOTE
KL-109995




BULK
KL-109999

Price:



KLONDIKE produces a range of unique robust and tacky **greases** that provide premium lubrication in difficult operating conditions and are tailored to industry requirements for improved productivity. They are specially engineered for environments with extreme temperature requirement, moisture and dirt contamination, heavy loads, extended maintenance intervals and other conditions that impact performance. Our greases are created with the finest base oils and additives in order to provide outstanding tackiness, lubrication and protection. These formulations will guard against oxidation and wear in extreme pressure and high temperature applications.



EP-1.5

KLONDIKE nano Full Synthetic EP-1.5 Grease is formulated for use in the most technical and demanding industrial, automotive, and heavy duty equipment applications. Supports a 45% reduction in equipment downtime.



ENGINEERED WITH **NANOTECHNOLOGY**

Price:



EP-1

KLONDIKE nano Calcium Sulfonate EP-1 Grease is formulated with calcium sulfonate and proprietary nanotechnology. Offers outstanding extreme pressure properties, corrosion and oxidation protection, and stable performance in applications exposed to high levels of moisture.



ENGINEERED WITH **NANOTECHNOLOGY**

Price:



EP-2

KLONDIKE nano Calcium Sulfonate EP-2 Grease is formulated with calcium sulfonate and proprietary nanotechnology. Recommended for industrial, automotive, and heavy duty equipment applications.




ENGINEERED WITH **NANOTECHNOLOGY**

Price:



MULTIPURPOSE

Multipurpose Red Grease is recommended for greasing applications of plain bearings, rolling elements, antifriction bearings, bushings and pins.



Price:

Greases



EP-00

Ultra Tac EP-00 Synthetic Blend is recommended for pressurized auto grease systems, industrial bearings operating at high speed, and where ultra-low T° limits the mobility of heavier grease.



PAIL

KL-GR0880



KEG

KL-GR0885



DRUM

KL-GR0890

Price:



SYN EP-00

Syn Tac EP-00 Synthetic Grease is an extreme pressure, multi-purpose, semi-fluid lithium complex formulation fortified with PAO synthetic base oil, polymers, anti-wear agents, tackiness additives, and rust and oxidation inhibitors.



KEG

KL-GR0985



DRUM

KL-GR0990

Price:



EP-0

Ultra Tac EP-0 Synthetic Blend is designed for heavy duty use in industrial, on- and off-road vehicle, and heavy equipment applications operating in extreme cold T° where NLGI 0 is specified.



TUBE

KL-GR1030



PAIL

KL-GR1080



KEG

KL-GR1085



DRUM

KL-GR1090

Price:



EP-1

Ultra Tac EP-1 Synthetic Blend is designed for heavy duty use in industrial, on- and off-road vehicle, and heavy equipment applications operating in extreme cold T° where NLGI 1 is specified. NLGI GC-LB certified.



TUBE

KL-GR1430



PAIL

KL-GR1480



KEG

KL-GR1485



DRUM

KL-GR1490

Price:



EP-2

Ultra Tac EP-2 is designed for extreme duty use in a wide variety of industrial, on- and off-road vehicle, and heavy equipment applications where NLGI 2 is specified. NLGI GC-LB certified.



TUBE

KL-GR1830



TUB

KL-GR1848



PAIL

KL-GR1880



KEG

KL-GR1885



DRUM

KL-GR1890

Price:



Greases

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS

MOLY ARCTIC EXTREME

Moly Tac Arctic HD Synthetic Blend Grease is designed for high lubricating performance in extremely cold environments.



Price: _____

MOLY EP-1


Moly Tac EP-1 is formulated with 3% molybdenum disulfide for use in heavy duty, shock loaded bearings and bushings in industrial or off-highway equipment where NLGI 1 is required.



Price: _____

MOLY EP-2

Moly Tac EP-2 is formulated with 3% molybdenum disulfide for use in heavy duty, shock loaded bearings and bushings in industrial or off-highway equipment where NLGI 2 is required. NLGI GC-LB certified.



Price: _____

MOLY BENTONE EP-2


Moly Tac Bentone High Temp EP-2 is recommended for use in kiln car wheel bearings, furnace door bearings, heat exchange motor bearings, oven conveyors and other application where extremely high temperatures are encountered.



Price: _____

OPEN GEAR GREASE

Open Gear Grease is engineered to protect extremely heavy loaded, slow moving, large open gear sets operating in severely challenging environments.



Price: _____

HEAVY DUTY
ENGINE OILSAUTOMOTIVE
ENGINE OILSGEAR
LUBRICANTSTRANSMISSION
FLUIDSHYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTSFOOD-GRADE
LUBRICANTSANTIFREEZE
CHEMICALS

Greases



**OPEN
GEAR
LUBRICANT**

Open Gear Lubricant is specially formulated to protect heavily loaded, slow moving, large open gear sets when used with spray type application system.



PAIL
KL-GR9280



KEG
KL-GR9285

Price: _____



**FIFTH
WHEEL**

Fifth Wheel Grease is designed to handle the severe load conditions of trailers sliding on and off Fifth wheel plates.



PAIL
KL-GR8080

Price: _____



**HD
HAMMER**

HD Hammer Grease is a specially designed extreme pressure grease paste for use in hydraulic hammers and impact tools. Calcium Sulfonate Complex fortified with copper and graphite lubricating solids form a durable protective film on contact and sliding surfaces for reduced galling, seizure, and wear.



TUBE
KL-GR9630

Price: _____



**DRILL
ROD**

Drill Rod Grease is designed to lubricate and protect long sections of drill rod and pipe operating in extreme conditions underground.



PAIL
KL-GR9880

Price: _____



The KLONDIKE family of **biodegradable lubricants** are designed as an environmentally safer alternative to traditional industrial lubricants. With the rise in natural resource based industries being encouraged to monitor the impact and sustainability of the work completed in environmentally sensitive areas, the need for more environmentally safe and efficient products has increased. Our line of biodegradable lubricants are formulated using non-toxic chemistry with no heavy metals to contaminate water or soil, which will greatly reduce the immediate and long-term impact of the fluids on the environment in the event of an oil leak or spill. The KLONDIKE line of biodegradable lubricants are highly stable for smooth operational efficiency, and highly resistant to oxidation and deposit formation for long service life, while providing a high level of environmental conservation and protection.

Biodegradable Lubricants



= Conventional



= Synthetic Blend



= Full Synthetic



ENVIRO 22

ENVIRO AW 22 Inherently Biodegradable Hydraulic Fluid is inherently biodegradable, non-toxic, environmentally friendly, with high dielectric strength. This fluid is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where ISO 22 viscosity is specified.



PAIL
KL-BL0180



DRUM
KL-BL0190



TOTE
KL-BL0195

Price:



ENVIRO 32

ENVIRO AW 32 Inherently Biodegradable Hydraulic Fluid is inherently biodegradable, non-toxic, environmentally friendly, with high dielectric strength. This fluid is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where ISO 32 viscosity is specified.



PAIL
KL-BL0280



DRUM
KL-BL0290



TOTE
KL-BL0295

Price:



ENVIRO 46

ENVIRO AW 46 Inherently Biodegradable Hydraulic Fluid is inherently biodegradable, non-toxic, environmentally friendly, with high dielectric strength. This fluid is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where ISO 46 viscosity is specified.



PAIL
KL-BL0380



DRUM
KL-BL0390



TOTE
KL-BL0395

Price:



ENVIRO 68

ENVIRO AW 68 Inherently Biodegradable Hydraulic Fluid is inherently biodegradable, non-toxic, environmentally friendly, with high dielectric strength. This fluid is recommended for vane, piston, or gear-type hydraulic pumps in heavy duty and industrial service where ISO 68 viscosity is specified.



PAIL
KL-BL0480



DRUM
KL-BL0490



TOTE
KL-BL0495

Price:

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS

HEAVY DUTY
ENGINE OILSAUTOMOTIVE
ENGINE OILSGEAR
LUBRICANTSTRANSMISSION
FLUIDSHYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTSFOOD-GRADE
LUBRICANTSANTIFREEZE
CHEMICALS

Biodegradable Lubricants



ENVIRO MV 32

ENVIRO MV 32 Anti-Wear Hydraulic Fluid is a zinc free, inherently biodegradable, environmentally friendly, long life hydraulic fluid designed for high performance applications in mobile and stationary equipment where ISO 32 viscosity is specified.



PAIL
KL-BL1080



DRUM
KL-BL1090



TOTE
KL-BL1095

Price: _____



ENVIRO MV 46

ENVIRO MV 46 Anti-Wear Hydraulic Fluid is a zinc free, inherently biodegradable, environmentally friendly, long life hydraulic fluid designed for high performance applications in mobile and stationary equipment where ISO 46 viscosity is specified.



PAIL
KL-BL1180



DRUM
KL-BL1190



TOTE
KL-BL1195

Price: _____



BIO AW 32

BIO AW 32 Readily Biodegradable Hydraulic Fluid is a non-toxic, ashless fluid designed for high performance hydraulic systems in mobile and stationary equipment where ISO 32 viscosity is specified.



PAIL
KL-BL1880



DRUM
KL-BL1890



TOTE
KL-BL1895

Price: _____



BIO AW 46

BIO AW 46 Readily Biodegradable Hydraulic Fluid is a non-toxic, ashless fluid designed for high performance hydraulic systems in mobile and stationary equipment where ISO 46 viscosity is specified.



PAIL
KL-BL1980



DRUM
KL-BL1990



TOTE
KL-BL1995

Price: _____



**SYN BLEND
BIO AW 46**

BIO AW 46 Synthetic Blend Hydraulic Fluid is a readily biodegradable, non-toxic, high performance hydraulic oil designed for maximum performance and system protection in industrial and mobile hydraulic equipment.



PAIL
KL-BL2780



DRUM
KL-B2790



TOTE
KL-BL2795

Price: _____

Biodegradable Lubricants

HEAVY DUTY ENGINE OILS
AUTOMOTIVE ENGINE OILS
GEAR LUBRICANTS
TRANSMISSION FLUIDS
HYDRAULIC FLUIDS
INDUSTRIAL OILS
GREASES
BIODEGRADABLE LUBRICANTS
FOOD-GRADE LUBRICANTS
ANTIFREEZE CHEMICALS



BIO EAL 32

BIO-Synthetic EAL 32 Hydraulic Oils are designed for maximum performance and system protection in industrial and mobile hydraulic equipment.



Price: _____



BIO EAL 46

BIO-Synthetic EAL 46 Hydraulic Oils are designed for maximum performance and system protection in industrial and mobile hydraulic equipment.



Price: _____



BIO HEES

BIO HEES AW 46 Fire Resistant Full Synthetic Hydraulic Oil is designed for maximum performance and system protection in industrial and mobile hydraulic equipment.



Price: _____



BIO 100 ROCKDRILL

BIO Rock Drill Oil ISO 100 is a readily biodegradable, extreme pressure lubricant designed for the performance and protection of heavy duty pneumatic tools such as rock drills, breakers, jackhammers, and drifters as well as other surface and down-hole equipment.



Price: _____




BIO 150 ROCKDRILL

BIO Rock Drill Oil ISO 150 is a readily biodegradable, extreme pressure lubricant designed for the performance and protection of heavy duty pneumatic tools such as rock drills, breakers, jackhammers, and drifters as well as other surface and down-hole equipment.



Price: _____



KLONDIKE **FOOD-GRADE Lubricants** are registered with NSF for use in the food industry and carry the H1 credentials for incidental food contact. The NSF mark confirms that these products meet all standard requirements and demonstrates KLONDIKE's commitment to quality, compliance and safety.

KLONDIKE FOOD-GRADE AW Hydraulic Fluids and EP-2 Grease are designed specifically for use in food processing equipment. These high-quality food grade fluids and greases provide maximum food safety and provide excellent protection against wear, ensuring long service life in the most demanding operating conditions.

FOOD-GRADE Lubricants

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS


GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS

 = Conventional

 = Synthetic Blend

 = Full Synthetic



FG 32

FOOD-GRADE AW 32 Hydraulic Fluid is NSF H1 registered for incidental food contact. Recommended for industrial and mobile hydraulic equipment used in food processing equipment.



PAIL
KL-FG2280



DRUM
KL-FG2290

Price: _____



FG 46

FOOD-GRADE AW 46 Hydraulic Fluid is NSF H1 registered for incidental food contact. Recommended for industrial and mobile hydraulic equipment used in food processing equipment.



PAIL
KL-FG2480



DRUM
KL-FG2490

Price: _____



FG 150

FOOD-GRADE ISO 150 Gear Oil is registered NSF H1 for use where incidental food contact may occur and designed for use in equipment operating in the food, beverage, pharmaceutical, personal care products, or related industries.



PAIL
KL-FG8280



DRUM
KL-FG8290

Price: _____



FG 220

FOOD-GRADE ISO 220 Gear Oil is registered NSF H1 for use where incidental food contact may occur and designed for use in equipment operating in the food, beverage, pharmaceutical, personal care products, or related industries.




PAIL
KL-FG8480



DRUM
KL-FG8490

Price: _____



The KLONDIKE product category of **chemicals** is designed to maximize productivity while also offering superior user benefits.

KLONDIKE Rust Blast is a professional strength, fast acting, penetrating lubricant. Powerful penetrating action blasts through rust and corrosion to loosen and lubricate stuck parts.

KLONDIKE Grease Blast is a truly versatile and certified biodegradable all-in-one degreaser. Simply alter the dilutions and it becomes a muscled water based engine degreaser, white wall tire cleaner, vinyl top cleaner, leather, plastic and vinyl cleaner, and a concrete floor degreaser.

KLONDIKE Brake Blast is an advanced formulation of highly technical solvents that once applied will quickly dissolve and remove grease, oil, brake fluid, road grime, and dirt. This non-chlorinated, low odor formula dries fast, leaves no residue, and is safe for use on most materials including plastics.

Antifreeze/Chemicals

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS


INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



DOT 3

DOT 3 Synthetic Brake Fluid is used in disc, drum, ABS brake systems, and hydraulic clutches of motor vehicles requiring DOT 3 fluid.



Price:



DOT 4

DOT 4 High Performance Synthetic Brake Fluid is used in disc, drum, ABS brake systems, and hydraulic clutches of motor vehicles requiring DOT 4 fluid.



Price:



UNIVERSAL
DOT 5.1

Universal DOT 5.1 Synthetic Brake Fluid is used in disc, drum, ABS brake systems, and hydraulic clutches of motor vehicles requiring Universal DOT 5.1 fluid.



Price:



PSF

Power Steering Fluid is used as a top off or complete replacement fluid for most domestic and import vehicles using mineral base oil with rack and pinion design.



Price:

HEAVY DUTY
ENGINE OILSAUTOMOTIVE
ENGINE OILSGEAR
LUBRICANTSTRANSMISSION
FLUIDSHYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTSFOOD-GRADE
LUBRICANTSANTIFREEZE
CHEMICALS

Antifreeze/Chemicals



RUST BLAST

Rust Blast Penetrating Lubricant is a professional strength, fast acting, penetrating lubricant. Powerful penetrating action blasts through rust and corrosion to loosen and lubricate stuck parts.



AEROSOL
KL-CH4030

Price: _____



GREASE BLAST

Grease Blast Cleaner/Degreaser is a versatile, non-flammable, power-packed, highly effective degreaser for professional use. Certified biodegradable.



SPRAY BOTTLE
KL-CH6540



JUG
KL-CH6550



PAIL
KL-CH6580



DRUM
KL-CH6590

Price: _____



BRAKE BLAST

Brake Blast Brake Parts Cleaner is a non-chlorinated solvent designed to remove contaminants from brake parts quickly and easily. Surfaces dry residue free for improved, smooth brake performance.



AEROSOL
KL-CH8630



PAIL
KL-CH8680



DRUM
KL-CH8690

Price: _____



GREEN UNIVERSAL CONCENTRATE

Green Universal Antifreeze – Concentrate is a low silicate, multi-purpose coolant, designed for automotive engines and heavy-duty diesel engines where low silicate formula with the addition of SCA's is preferred.



3.78 L JUG
KL-CH8850



DRUM
KL-CH8890



TOTE
KL-CH8895

Price: _____



GREEN UNIVERSAL 50/50

Green Universal Antifreeze – 50/50 Ready to Use is a low silicate, multi-purpose coolant, designed for automotive engines and heavy-duty diesel engines where low silicate formula with the addition of SCA's is preferred.



3.78 L JUG
KL-CH8950



DRUM
KL-CH8990



TOTE
KL-CH8995

Price: _____

Antifreeze/Chemicals

HEAVY DUTY
ENGINE OILS

AUTOMOTIVE
ENGINE OILS

GEAR
LUBRICANTS

TRANSMISSION
FLUIDS

HYDRAULIC
FLUIDS

INDUSTRIAL OILS

GREASES

BIODEGRADABLE
LUBRICANTS

FOOD-GRADE
LUBRICANTS

ANTIFREEZE
CHEMICALS



YELLOW AUTOMOTIVE OAT ELC

Yellow Automotive OAT ELC Antifreeze – Concentrate is an advanced, multi-purpose, extended life coolant designed for automotive and light duty truck engine applications requiring OAT based extended life coolant.



3.78 L JUG
KL-CH9050



DRUM
KL-CH9090



TOTE
KL-CH9095

CONCENTRATE

Price: _____



YELLOW AUTOMOTIVE OAT ELC

Yellow Automotive OAT ELC Antifreeze – 50/50 Ready to Use is an advanced, multi-purpose, extended life coolant designed for automotive and light duty truck engine applications requiring OAT based extended life coolant.



3.78 L JUG
KL-CH9150



DRUM
KL-CH9190



TOTE
KL-CH9195

50/50

Price: _____



RED HEAVY DUTY NOAT ELC

Red Heavy Duty NOAT ELC Antifreeze – Concentrate is an advanced, multipurpose, extended life coolant primarily designed for use in heavy duty diesel engines demanding extended life performance.



3.78 L JUG
KL-CH9250



DRUM
KL-CH9290



TOTE
KL-CH9295

CONCENTRATE

Price: _____



RED HEAVY DUTY NOAT ELC

Red Heavy Duty NOAT ELC Antifreeze – 50/50 Ready to Use is an advanced, multipurpose, extended life coolant primarily designed for use in heavy duty diesel engines demanding extended life performance.



3.78 L JUG
KL-CH9350



DRUM
KL-CH9390



TOTE
KL-CH9395

50/50

Price: _____



GOLD ALL ENGINES NF OAT ELC

Gold All Engines NF OAT ELC Antifreeze – Concentrate is a highly advanced, multi-purpose, extended life coolant designed for All heavy and light duty engine applications regardless of year, make, model, or original antifreeze color.



3.78 L JUG
KL-CH9450



DRUM
KL-CH9490



TOTE
KL-CH9495

CONCENTRATE

Price: _____

Warranty

KLONDIKE Lubricants Corporation Warranty

KLONDIKE Lubricants Corporation warrants that at the time of sale, all lubricant, grease, and engine coolant products bearing the KLONDIKE brand meet their written product specifications and are free of defective materials, design, and workmanship.

The KLONDIKE warranty is in addition to, and does not invalidate, any warranty supplied by an original equipment manufacturer when used in accordance with the KLONDIKE written product recommendations and the original equipment manufacturers' written specifications**.

KLONDIKE is 100% committed to our customers. To support this commitment, KLONDIKE Lubricants Corporation will repair or replace equipment parts that have been damaged as a direct result of the failure of any of our products.**

***For specific warranty details and procedures, contact KLONDIKE Lubricants Corporation at info@klondikelubricants.com.*

*** TRADEMARKS DISCLAIMER: All OEM product names and trademarks are the property of their respective owners, which are in no way associated or affiliated with KLONDIKE Lubricants Corporation.**

Comparison Chart

KLONDIKE Cross-Reference Table

KLONDIKE®	Shell	Chevron	Petro Canada	Esso/Mobil	Conoco-Phillips	Castrol	Total
AW Hydraulic Fluid	TELLUS S2 M	RANDO HD	HYDREX AW	NU TO H, DTE 20	HYDRAULIC AW, POWERFLOW AW, MEGAFLOW AW	HYSPIIN AWS, PARADENE AW	TOTAL AW, AZOLLA ZS
Multi-Viscosity Hydraulic Fluid	TELLUS S2 V	RANDO HDX	HYDREX MV	UNIVIS HVI	POWERFLOW HE	HYSPIIN HVI, DUAL RANGE HV	HYDRAGRI, EQUIVIS ZS
15W-40 CK-4 Engine Oil	ROTELLA T4	DELO 400 SDE	DURON HP, SHP	DELVAC SUPER, DELVAC ELITE	GUARDOL ECT, FLEET SUPREME EC	VECTON, CRB MULTI	RUBIA OPTIMA
0W-30/0W-40/5W-40 CK-4 Full Synthetic Oil	ROTELLA T6	DELO 400 SYNTHETIC LE	DURON UHP	DELVAC 1 ESP	TRITON ECT, TRITON ARCTIC	N/A	RUBIA OPTIMA 1500
80W-90 GL-5 Gear Oil	SPIRAX S4	DELO GEAR, DELO GEAR ESI	TRAXON	MOBILUBE HD, ESSO GEAR GX	MP GEAR LUBE	AP GEAR OIL	DYNATRANS HD
75W-90/75W-140 Full Synthetic Gear Oils	SPIRAX S6 AXME	DELO GEAR HD, XDM	TRAXON -E SYNTHETIC	DELVAC 1 SYNTHETIC GEAR	SYNGEAR SS, SYNGEAR FE, SYNGEAR LDO	SYNGEAR	XRD FE, SYN NA
Universal Tractor Fluid	SPIRAX S4 TXM	TRACTOR FLUID 1000 THF	DURATRAN	HYDRAUL 56, MOBIL 424	POWERTRAN, POWERTRAN XP	UTF	DYNATRANS MP
TO-4 Drivetrain	SPIRAX S4 CX	DELO TORQFORCE	PRODURO	MOBILTRANS HD	POWERDRIVE FLUID	TRANS-C	DYNATRANS AC
EP-0, EP-1 & EP-2 Grease	GADUS S2 V220, S3 V220	ULTRA DUTY EP, ULTI PLEX EP, DELO GREASE	PRECISION, VULTREX	DELVAC XTREME, MOBILUX, UNIREX	MULTIPLY, DYNALIFE	PYROPLEX BLUE, PYROPLOEX RED	MULTIS EP
Bar & Chain Oil ISO 90/150/220	CHAIN OIL	RED CHAIN BAR OIL	DURATAC	HD CHAIN OIL	SPECIAL BAR AND CHAIN	N/A	BAR & CHAIN
ENVIRO AW	TELLUS S3 M	CLARITY AW	ENVIRON AW	N/A	POWERFLOW NZ	HYSPIIN ZZ	AZOLLA AF
ENVIRO MV	N/A	N/A	ENVIRON MV	DTE 10 EXCEL	POWERFLOW NZ HE	N/A	N/A
BIO AW 32, 46	N/A	N/A	N/A	N/A	N/A	BIO HE AW	N/A
BIO Rock Drill 100, 150	N/A	N/A	N/A	N/A	N/A	ECOTERRA ROCK DRILL	N/A

Industry Applications



AGRICULTURE

KLONDIKE agriculture fluids are formulated to ensure maximum productivity in a critically time sensitive seasonal industry. Proper lubrication goes beyond protection, and our lubricants are created with premium base oils and inhibitors to disperse soot and reduce sludge. The KLONDIKE engine oils provide durability and reliability, and consistent performance during the long, demanding hours of the harvest season.



AUTOMOTIVE

The KLONDIKE product lines of automotive engine oils and automatic transmission fluids employ advanced formulations to meet and exceed the world's leading automakers requirements. Our cutting-edge synthetic blend and full synthetic formulas are engineered to provide maximum protection and optimum performance in all driving conditions. Certified by GM's dexos1[®], GM's DEXRON[®]-VI, Ford's MERCON[®] LV.



CONSTRUCTION & EXPLORATION

Understanding the rigorous challenges and the no-hassle requirements placed on construction and exploration equipment, KLONDIKE has engineered robust lubricants for environments with moisture and dirt contamination, heavy loads, extended maintenance intervals and other harsh conditions. The KLONDIKE Arctic Performance Technology line ensures maximum protection with smooth and reliable performance in extreme cold weather conditions.



FORESTRY

With relentless work schedules, environmental challenges, competitive pricing and harsh climatic conditions faced by the forestry industry, we are continually enhancing the KLONDIKE range of oils and lubricants to ensure harvesting, transportation and wood-production is as efficient and cost effective as possible. Our line of tough greases is blended for maximum lubrication and adhesion with minimum fly-off, making them ideal for milling operations.

Industry Applications



INDUSTRIAL

KLONDIKE has a vast range of premium industrial lubricants from conventional hydraulic fluids through to premium environmentally friendly oils. We provide solutions that increase uptime, productivity, and efficiency. The KLONDIKE lubricants can be utilized to extend maintenance intervals and prolong the life of your equipment. Our technical professionals will identify your needs and provide solutions for faster production and greater cost efficiency.



MARINE

The KLONDIKE range of high quality marine oils is tailored for reliability, stringent safety standards and strict environmental requirements as specified by marine authorities. Engineered for durability and maximum protection, whether it is salt or fresh water, these hard-working lubricants will ensure that your marine vessels or pleasure craft run smoothly and efficiently. Certified by the National Marine Manufacturers Association - NMMA®.



MINING

We offer a complete selection of oils and lubricants tailored to the requirements of all types of mining operations from equipment to process lubrication. The KLONDIKE line of heavy duty engine oils will deliver optimum efficiency and performance to every application and specification found in the wide range of machinery used in mining. From surface to underground mining our oils and greases are formulated to deliver outstanding equipment protection.



ON-ROAD HEAVY DUTY

Our heavy duty engine oils are formulated to protect your investment in your equipment and maximize the life of your engine. KLONDIKE heavy duty engine oils provide high performance in extreme temperatures, heavy-load requirements and challenging terrain. They are designed to meet the difficult challenge of effectively balancing durability, extended drain intervals, and emission control. Certified by Cummins, Detroit Diesel, Volvo, Mack, Ford and Renault.

KLONDIKE Distribution Facilities

Dedicated to meeting the delivery needs of our customers, we have warehousing and distribution centres that are strategically located throughout Canada to cater to the time-sensitive nature of your industry.

BRITISH COLUMBIA

Serving BC

1 Burbidge Street
Coquitlam, BC, V3K 7B2

A330, 20161 86th Avenue
Langley, BC V2Y 2C1

ALBERTA

Serving Northern BC, AB, SK, YT and NT

4819 – 90 A Ave
Edmonton, AB T6B 2Y3

MANITOBA

Serving MB, Northwestern ON and NU

1510 Wall Street NW
Winnipeg, MB R3G 2T3

ONTARIO

Serving ON and QC

370 Henry Street
Brantford ON N3S 7W2

QUEBEC


Serving Eastern Canada

390 Notre-Dame Street West
Montreal, QC H2Y 1T9

NEW BRUNSWICK

Serving the Atlantic Provinces

350 English Dr
Moncton, NB E1E 3Y9



Spring/Summer 2023

KLONDIKE Lubricants Corporation

1-877-293-4691 • info@klondikelubricants.com • www.klondikelubricants.com



BRAVING THE FORCE OF MOVEMENT®