Part Number	Description		
G103-06	3/8" ID. hose is resistant to most lubricating oils and hydraulic fluids,	hose is resistant to most lubricating oils and hydraulic fluids,	
G103-08	1/2" ID. hose is resistant to most lubricating oils and hydraulic fluids,	hose is resistant to most lubricating oils and hydraulic fluids,	Smooth, black, oil resistant Type A nitrile rubber. Not for use with gasoline or diesel fuels.
G103-12	3/4" ID. hose is resistant to most lubricating oils and hydraulic fluids,	hose is resistant to most lubricating oils and hydraulic fluids,	
G1340C-400	4" MATERIAL HANDLING HOSE	Grain Vac (heavy black)	
G1340C-500	5" MATERIAL HANDLING HOSE	Grain Vac (heavy black)	This hose is typically used in dry applications, particularly grain vacuum
G1340C-600	6" MATERIAL HANDLING HOSE	Grain Vac (heavy black)	
G1341K-100	1" PREMIUM EPDM SUCTIONHOSE	Water/Chemical/Fertilizer	
G1341K-125	1-1/4" PREMIUM EPDM SUCTION HOSE	Water/Chemical/Fertilizer	
G1341K-150	1-1/2" PREMIUM EPDM SUCTION HOSE	Water/Chemical/Fertilizer	
G1341K-200	2" PREMIUM EPDM SUCTION HOSE	Water/Chemical/Fertilizer	

			_	
G1341K-250	2 1/2" PREMIUM EPDM SUCTION HOSE		Water/Chemical/Fertilizer	
G1341K-300	3" PREMIUM EPDM SUCTION HOSE		Water/Chemical/Fertilizer	
G1342-200	FABRIC REINFORCED EPDM SUCTION HOSE		Polyester Fabric Reinforced Often used for Fertilizer Solutions	Can use 72383 Enforcer
G1342-300	FABRIC REINFORCED EPDM SUCTION HOSE		Polyester Fabric Reinforced Often used for Fertilizer Solutions	Can use 72384 Enforcer
G1342-400	FABRIC REINFORCED EPDM SUCTION HOSE		Polyester Fabric Reinforced Often used for Fertilizer Solutions	
G1740-300	3" URETHANE BLOWER HOSE	<b>2</b>	Insulation blowing, lawn cleaning, leaf collection	
G1740-400	4" URETHANE BLOWER HOSE	<b>E</b>	Insulation blowing, lawn cleaning, leaf collection	
G1745-250	BLACK HELIX 2-1/2" MATERIAL HANDLING HOSE		Air Seeder HD More Flexible External black helix	
G1745G-250	2-1/2" IMPLEMENT GREEN/CLEAR URETHANE LINED AIR SEEDER HOSE	(same as above w/green/clear helix)	Air Seeder HD More Flexible External green helix	
G1745G-300	3" IMPLEMENT GREEN/CLEAR URETHANE LINED AIR SEEDER HOSE	(same as above w/green/clear helix)	Air Seeder HD More Flexible External green helix	

		Air Seeder HD More Flexible	
IRED HELIX 2-1/2" MATERIAL HANDLING HOSE		External red helix	
THE TIELD A THE THAT ET AND ENTONE			
		Fire Hose	
A A (OIL OILLO) E. LA OIZET EIDE LIOOE	THO DINGLE MAN	1 110 1 1000	
1-1/2" SINGLE JACKET FIRE HOSE		+	
	to smace un	Fire Hose	
2" SINGLE JACKET FIRE HOSE			
	To broke the	Fire Hose	
2-1/2" SINGLE JACKET FIRE HOSE			
		Low-pressure agricultural spray applications/Industrial water-2 spiral	
3/8" INDUSTRIAL WATER HOSE			
		spray applications/Industrial	
1/2" INDUSTRIAL WATER HOSE			
3/4" INDUSTRIAL WATER HOSE		Low-pressure agricultural spray applications/Industrial water-2 spiral	
		Low-pressure agricultural	
1" INDUSTRIAL WATER HOSE	•	water-2 spiral	
T INDOCTRIAL WATER FIGGE			
3/4" HEAVY DUTY INDUSTRIAL WATER HOSE		HD Industrial Water/low pressure agricultural spray applications- 4 Spiral	
DIT TIENT DOTT INDUSTRIAL WATER TIOSE			
1-1/4" HEAVY DUTY INDUSTRIAL WATER HOSE		HD Industrial Water/low pressure agricultural spray applications- 4 Spiral	
	2-1/2" SINGLE JACKET FIRE HOSE  3/8" INDUSTRIAL WATER HOSE  1/2" INDUSTRIAL WATER HOSE	1-1/2" SINGLE JACKET FIRE HOSE  2" SINGLE JACKET FIRE HOSE  2-1/2" SINGLE JACKET FIRE HOSE  3/8" INDUSTRIAL WATER HOSE  1/2" INDUSTRIAL WATER HOSE  1" INDUSTRIAL WATER HOSE  3/4" HEAVY DUTY INDUSTRIAL WATER HOSE	Fire Hose  2* SINGLE JACKET FIRE HOSE  Fire Hose  2* SINGLE JACKET FIRE HOSE  Fire Hose  Cow-pressure agricultural spray applications/Industrial water-2 spiral  Low-pressure agricultural spray applications/Industrial water-2 spiral  HD Industrial Water/low pressure agricultural spray applications-4 Spiral  HD Industrial Water/low pressure agricultural spray applications-4 Spiral

		1		
G322-150	1-1/2" HEAVY DUTY INDUSTRIAL WATER HOSE		HD Industrial Water/low pressure agricultural spray applications- 4 Spiral	
			HD Water Suction Hose w/ Heavy wire helix	
G341-125	1-1/4" RUBBER WATER SUCTION HOSE			
G341-150	1-1/2" RUBBER WATER SUCTION HOSE		HD Water Suction Hose w/ Heavy wire helix	
G341-200	2" RUBBER WATER SUCTION HOSE		HD Water Suction Hose w/ Heavy wire helix	
G341-250	2-1/2" RUBBER WATER SUCTION HOSE		HD Water Suction Hose w/ Heavy wire helix	
G341-300	3" RUBBER WATER SUCTION HOSE		HD Water Suction Hose w/ Heavy wire helix	
G603-075	3/4" HI-TEST FARM TANK HOSE		Premium Farm Tank Hose with built in static wire	
G603-100	1" HI-TEST FARM TANK HOSE		Premium Farm Tank Hose with built in static wire	
G603-125	1-1/4" HI-TEST FARM TANK HOSE		Premium Farm Tank Hose with built in static wire	
G623-150	1-1/2" FUEL OIL DELIVERY HOSE		Fuel Oil Delivery Hose (not recommended for mixed fuel use)	

		a wide variety of applications in the
		coldest of climates. G626 maintains
		flexibility down to -55°C (-67°F) and
0000 050	A /OII A DOTIO ELIEL OU DELIVEDY LICOE	can be used for gasoline, fuel oil,
G626-050	1/2" ARCTIC FUEL OIL DELIVERY HOSE	kerosene, air, and many chemicals
		a wide variety of applications in the
		coldest of climates. G626 maintains
		flexibility down to -55°C (-67°F) and
l_		can be used for gasoline, fuel oil,
G626-075	3/4" ARTIC FUEL OIL DELIVERY HOSE	kerosene, air, and many chemicals
		a wide variety of applications in the
		coldest of climates. G626 maintains
		flexibility down to -55°C (-67°F) and
		can be used for gasoline, fuel oil,
G626-100	1" ARCTIC FUEL OIL DELIVERY HOSE	kerosene, air, and many chemicals
		more flexible than regular
		petroleum transfer,
		particularly at sub zero
G643-100	1" NORTH STAR TANK TRUCK HOSE	temperatures.
		more flexible than regular
		petroleum transfer,
		particularly at sub zero
G643-125	1-1/4" NORTH STAR TANK TRUCK HOSE	temperatures.
		more flexible than regular
		petroleum transfer,
		particularly at sub zero
G643-150	1-1/2" NORTH STAR TANK TRUCK HOSE	temperatures.
		more flexible than regular
		petroleum transfer,
		particularly at sub zero
G643-200	2" NORTH STAR TANK TRUCK HOSE	temperatures.
		Type A marine fuel hoses, wire helix
		allows the hose to be used around
		obstacles and in tight bends without
		kinking.
G681A-138	1-3/8" TYPE A2 HARDWALL FUEL FILL HOSE	.t.inting.
		Type A marine fuel hoses, wire helix
		allows the hose to be used around
		obstacles and in tight bends without
		kinking.
G681A-175	1-3/4" TYPE A2 HARDWALL FUEL FILL HOSE	Milding.
		Type A marine fuel hoses, wire helix
1		allows the hose to be used around
1		obstacles and in tight bends without
l		kinking.
G682A-163	1-5/8" TYPE A2 SOFTWALL FUEL FILL HOSE	Military.

G805-038-063	EVA TUBING 3/8 NATURAL		EVA tubing is used where a low- cost product is required for seed and fertilizer dispersal on air seeding and similar equipment	
G805-050-075	NATURAL EVA TUBING		EVA tubing is used where a low- cost product is required for seed and fertilizer dispersal on air seeding and similar equipment	
G805-088-112	NATURAL EVA TUBING BOURGAULT OLDER		EVA tubing is used where a low- cost product is required for seed and fertilizer dispersal on air seeding and similar equipment	
G805-094-119	NATURAL EVA TUBING MORRIS		EVA tubing is used where a low- cost product is required for seed and fertilizer dispersal on air seeding and similar equipment	
G805-100-125	NATURAL EVA TUBING FLEXICOIL SEEDHAWK		EVA tubing is used where a low- cost product is required for seed and fertilizer dispersal on air seeding and similar equipment	
G805-104-126	1.036 ID X 1.263 OD NATURAL EVA TUBING NEW BOURGAULT		EVA tubing is used where a low- cost product is required for seed and fertilizer dispersal on air seeding and similar equipment	
G805-112-137	1.12 ID X 1.37 OD NATURAL EVA TUBING NEWER MORRIS		EVA tubing is used where a low- cost product is required for seed and fertilizer dispersal on air seeding and similar equipment	
G805B-100-125	BLACK EVA TUBING	1	Black EVA tubing is used where a low-cost product is required for seed and fertilizer dispersal on air seeding and similar equipment	
G89-022	1.38" TO 1.56" KODIAK T-BOLT CLAMP	0	STAINLESS STEEL KODIAK® T-BOLT	
G89-024	1.50" TO 1.69" KODIAK T-BOLT CLAMP	Ö	STAINLESS STEEL KODIAK® T-BOLT	

G89-026	1.62" TO 1.81" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	
G89-028	1.75" TO 2.00" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	
G89-030	1.88" TO 2.13" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	
G89-032	2.00" TO 2.35" KODIAK T-BOLT CLAMP	Ö	STAINLESS STEEL KODIAK® T-BOLT	
G89-034	2.13" TO 2.38" KODIAK T-BOLT CLAMP	5	STAINLESS STEEL KODIAK® T-BOLT	
G89-036	2.25" TO 2.56" KODIAK T-BOLT CLAMP	Ö	STAINLESS STEEL KODIAK® T-BOLT	
G89-038	2.38" TO 2.69" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	
G89-040	2.50" TO 2.81" KODIAK T-BOLT CLAMP	5	STAINLESS STEEL KODIAK® T-BOLT	
G89-042	2.63" TO 2.94" KODIAK T-BOLT CLAMP	Ö	STAINLESS STEEL KODIAK® T-BOLT	
G89-044	2.75" TO 3.06" KODIAK T-BOLT CLAMP	0	STAINLESS STEEL KODIAK® T-BOLT	

G89-046	2.88" TO 3.15" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	
G89-049	3.06" TO 3.38" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	
G89-052	3.25" TO 3.56" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	
G89-054	3.38" TO 3.69" KODIAK T-BOLT CLAMP	Ö	STAINLESS STEEL KODIAK® T-BOLT	
G89-057	3.56" TO 3.88" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	
G89-061	3.81" TO 4.13" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	
G89-065	4.06" TO 4.38" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	
G89-069	4.31" TO 4.63" KODIAK T-BOLT CLAMP	9	STAINLESS STEEL KODIAK® T-BOLT	
G89-073	4.56" TO 4.88" KODIAK T-BOLT CLAMP	Ö	STAINLESS STEEL KODIAK® T-BOLT	
G89-077	4.81" TO 5.13" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	

G89-081	5.06" TO 5.38" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	
G89-085	5.31" TO 5.63" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	
G89-089	5.56" TO 5.88" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	
G89-096	6.00" TO 6.32" KODIAK T-BOLT CLAMP	6	STAINLESS STEEL KODIAK® T-BOLT	
G89-100	6.25" TO 6.56" KODIAK T-BOLT CLAMP	Ö	STAINLESS STEEL KODIAK® T-BOLT	
G89-104	6.50" TO 6.81" KODIAK T-BOLT CLAMP	Ö	STAINLESS STEEL KODIAK® T-BOLT	
G89-108	6.75" TO 7.06" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	
G89-116	7.25" TO 7.56" KODIAK T-BOLT CLAMP	Ö	STAINLESS STEEL KODIAK® T-BOLT	
G89-124	7.75" TO 8.06" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	
G89-132	8.25" TO 8.56" KODIAK T-BOLT CLAMP	Ö	STAINLESS STEEL KODIAK® T-BOLT	

G89-135	8.44" TO 8.75" KODIAK T-BOLT CLAMP		STAINLESS STEEL KODIAK® T-BOLT	
G89-148	9.25" TO 9.56" KODIAK T-BOLT CLAMP	0	STAINLESS STEEL KODIAK® T-BOLT	
G89-164	10.25" TO 10.56" KODIAK T-BOLT CLAMP	0	STAINLESS STEEL KODIAK® T-BOLT	
G900-019-025	3/16" X 1/4" CLEAR PVC TUBING		Clear Vinyl Tubing is soft, easy to handle, and crystal clear to allow full view of the materials being conveyed	Great for site gauges
G900-025-038	1/4" X 3/8" CLEAR VINYL TUBING		Clear Vinyl Tubing is soft, easy to handle, and crystal clear to allow full view of the materials being conveyed	Great for site gauges
G900-031-044	5/16" X 7/16" CLEAR VINYL TUBING		Clear Vinyl Tubing is soft, easy to handle, and crystal clear to allow full view of the materials being conveyed	Great for site gauges
G900-038-050	3/8" X 1/2" CLEAR VINYL TUBING		Clear Vinyl Tubing is soft, easy to handle, and crystal clear to allow full view of the materials being conveyed	Great for site gauges
G900-050-063	1/2" X 5/8" CLEAR VINYL TUBING	8	Clear Vinyl Tubing is soft, easy to handle, and crystal clear to allow full view of the materials being conveyed	Great for site gauges
G900-063-088	5/8" X 7/8" CLEAR VINYL TUBING		Clear Vinyl Tubing is soft, easy to handle, and crystal clear to allow full view of the materials being conveyed	Great for site gauges
G900-075-100	3/4" X 1" CLEAR VINYL TUBING		Clear Vinyl Tubing is soft, easy to handle, and crystal clear to allow full view of the materials being conveyed	Great for site gauges

G900-088-113	7/8" X 1-1/8" CLEAR VINYL TUBING		Clear Vinyl Tubing is soft, easy to handle, and crystal clear to allow full view of the materials being conveyed	Great for site gauges
G900-100-125	1" X 1-1/4" CLEAR VINYL TUBING		Clear Vinyl Tubing is soft, easy to handle, and crystal clear to allow full view of the materials being conveyed	Great for site gauges
G900-125-150	1-1/4"X 1-1/2" CLEAR VINYL TUBING	8	Clear Vinyl Tubing is soft, easy to handle, and crystal clear to allow full view of the materials being conveyed	Great for site gauges
G900-150-188	1-1/2"X 1-7/8" CLEAR VINYL TUBING	8	Clear Vinyl Tubing is soft, easy to handle, and crystal clear to allow full view of the materials being conveyed	Great for site gauges
G900-200-250	2" X 2-1/2" CLEAR VINYL TUBING		Clear Vinyl Tubing is soft, easy to handle, and crystal clear to allow full view of the materials being conveyed	Great for site gauges
G911-025	1/4" VINYLITE HOSE		Clear Vinyl w/ Braid Hose for water, sprayer, fertilizer	
G911-031	5/16" VINYLITE HOSE		Clear Vinyl w/ Braid Hose for water, sprayer, fertilizer	
G911-038	3/8" VINYLITE HOSE		Clear Vinyl w/ Braid Hose for water, sprayer, fertilizer	
G911-050	1/2" VINYLITE HOSE		Clear Vinyl w/ Braid Hose for water, sprayer, fertilizer	
G911-063	5/8" VINYLITE HOSE		Clear Vinyl w/ Braid Hose for water, sprayer, fertilizer	

G911-075	3/4" VINYLITE HOSE		Clear Vinyl w/ Braid Hose for water, sprayer, fertilizer	
G911-100	1" VINYLITE HOSE	13	Clear Vinyl w/ Braid Hose for water, sprayer, fertilizer	
G911-100	VINTERE FIGGE			
G911-125	1-1/4" VINYLITE HOSE	2	Clear Vinyl w/ Braid Hose for water, sprayer, fertilizer	
0044 450	4.4/011.7/11.17.1.17.00.5		Clear Vinyl w/ Braid Hose for water, sprayer, fertilizer	
G911-150	1-1/2" VINYLITE HOSE			
G911-200	2" VINYLITE HOSE	8	Clear Vinyl w/ Braid Hose for water, sprayer, fertilizer	
G941GT-200	2" PVC DUCTING/BLOWER HOSE		extremely flexible, all-plastic hose for conveying light particles, fumes, and air in ducting applications.	
G941GT-300	3" PVC DUCTING/BLOWER HOSE		extremely flexible, all-plastic hose for conveying light particles, fumes, and air in ducting applications.	
G941H-075	3/4" PVC WATER SUCTION HOSE		PVC, clear w/white helix - agricultural air seeder, and liquid fertilizer transfer, water suction	
G941H-100	1" PVC WATER SUCTION HOSE		PVC, clear w/white helix - agricultural air seeder, and liquid fertilizer transfer, water suction	
G941H-125	1-1/4" PVC SUCTION HOSE		PVC, clear w/white helix - agricultural air seeder, and liquid fertilizer transfer, water suction	

			1	,
			PVC, clear w/white helix -	
			agricultural air seeder, and liquid fertilizer transfer, water	
G941H-150	1 1/2" PVC SUCTION HOSE		suction	
			PVC, clear w/white helix -	
			agricultural air seeder, and	
			liquid fertilizer transfer, water	
G941H-200	2" PVC SUCTION HOSE		suction	
			PVC, clear w/white helix - agricultural air seeder, and	
			liquid fertilizer transfer, water	
G941H-250	2 1/2" PVC SUCTION HOSE	1907	suction	
			PVC, clear w/white helix -	
			agricultural air seeder, and liquid fertilizer transfer, water	
G941H-300	3" PVC SUCTION HOSE		suction	
001111000	o i ve domentiose		PVC, clear w/white helix -	
			agricultural air seeder, and	
			liquid fertilizer transfer, water	
G941H-400	4" PVC SUCTION HOSE	<del></del>	suction	
			PVC, clear w/white helix - agricultural air seeder, and	
			liquid fertilizer transfer, water	
G941H-500	5" PVC SUCTION HOSE		suction	
			economical PVC hoses that	
			flatten and roll up tightly	Layflat water discharge
G971-100	1" BLUE PVC LAY-FLAT HOSE		when not in use	
0077 100	I BESET TO EAT PEAT HOSE		: 151/01 11 1	
			economical PVC hoses that flatten and roll up tightly	Layflat water discharge
			when not in use	Layriat water discriarge
G971-150	1-1/2" BLUE PVC LAY-FLAT HOSE			
			economical PVC hoses that	
			flatten and roll up tightly when not in use	Layflat water discharge
G971-200	2" BLUE PVC LAY-FLAT HOSE		when not in use	
			economical PVC hoses that	
			flatten and roll up tightly	Layflat water discharge
G971-300	3" BLUE PVC LAY-FLAT HOSE		when not in use	
	<u> </u>			

G971-400	4" BLUE PVC LAY-FLAT HOSE		economical PVC hoses that flatten and roll up tightly when not in use	Layflat water discharge
G971-600	6" BLUE PVC LAY-FLAT HOSE		economical PVC hoses that flatten and roll up tightly when not in use	Layflat water discharge
G97 1-000	O BEOLI VO EAT-LEAT HOSE		ligntweight, economical PVC nose	
G972-200	2" 100 PSI RED PVC LAY-FLAT HOSE		that flattens and rolls up tightly when not in use, red G972 incorporates higher-tensile fabric reinforcement to provide greater	Higher Pressure Layflat discharge
G972-300	3" 90 PSI RED PVC LAY-FLAT HOSE		ingritweight/econtrolled to nose that flattens and rolls up tightly when not in use, red G972 incorporates higher-tensile fabric reinforcement to provide greater working programs.	Higher Pressure Layflat discharge
G972-400	4" 90 PSI RED PVC LAY-FLAT HOSE		ingmweight/econtinedia/Pvc nose that flattens and rolls up tightly when not in use, red G972 incorporates higher-tensile fabric reinforcement to provide greater	Higher Pressure Layflat discharge
TPR-1000	10" THERMOPLASTIC RUBBER DUCTING	Manufacture	TPR (thermoplastic rubber) ducting hose with wire helix, flexible rubber (downspout on drill fill etc.	NOT FOR GRAIN VAC
TPR-1200	12" THERMOPLASTIC RUBBER DUCTING	The same of the sa	TPR (thermoplastic rubber) ducting hose with wire helix, flexible rubber (downspout on drill fill etc.	NOT FOR GRAIN VAC
TPR-200	2" THERMOPLASTIC RUBBER DUCTING	in the state of th	TPR (thermoplastic rubber) ducting hose with wire helix, flexible rubber (downspout on drill fill etc.	NOT FOR GRAIN VAC
TPR-300	3" THERMOPLASTIC RUBBER DUCTING		TPR (thermoplastic rubber) ducting hose with wire helix, flexible rubber (downspout on drill fill etc.	NOT FOR GRAIN VAC
TPR-400	4" THERMOPLASTIC RUBBER DUCTING	A Communication of the Communi	TPR (thermoplastic rubber) ducting hose with wire helix, flexible rubber (downspout on drill fill etc.	NOT FOR GRAIN VAC

TPR-500	5" THERMOPLASTIC RUBBER DUCTING	TPR (thermoplastic rubber) ducting hose with wire helix, flexible rubber (downspout on drill fill etc.
TPR-600	6" THERMOPLASTIC RUBBER DUCTING	TPR (thermoplastic rubber) ducting hose with wire helix, flexible rubber (downspout on drill fill etc.
TPR-700	7" THERMOPLASTIC RUBBER DUCTING	TPR (thermoplastic rubber) ducting hose with wire helix, flexible rubber (downspout on drill fill etc.
TPR-800	8" THERMOPLASTIC RUBBER DUCTING	TPR (thermoplastic rubber) ducting hose with wire helix, flexible rubber (downspout on drill fill etc.
TPU-200	2" THERMOPLAS. HOSE	Urethane provides higher wear resistance, translucent construction allows users to see material build-up in the hose, lighter for moving around for grain vac  URAN BE USED FOR GRAIN VAC SHORTEST CUT IS 12.5'
TPU-400	4" 45 MIL URETHANE DUCTING	Urethane provides higher wear resistance, translucent construction allows users to see material build-up in the hose, lighter for moving around for grain vac  URAN BE USED FOR GRAIN VAC SHORTEST CUT IS 12.5'
TPU-500	5" 45 MIL URETHANE DUCTING	Urethane provides higher wear resistance, translucent construction allows users to see material build-up in the hose, lighter for moving around for grain vac  URAN BE USED FOR GRAIN VAC SHORTEST CUT IS 12.5'
TPU-600	6" 45 MIL URETHANE DUCTING	Urethane provides higher wear resistance, translucent construction allows users to see material build-up in the hose, lighter for moving around for grain vac  CAN BE USED FOR GRAIN VAC SHORTEST CUT IS 12.5'
TPU-700	7" 45MIL URETHANE DUCTING	Urethane provides higher wear resistance, translucent construction allows users to see material build-up in the hose, lighter for moving around for grain vac  URAN BE USED FOR GRAIN VAC SHORTEST CUT IS 12.5'
TPU-800	8" 45 MIL URETHANE DUCTING	Urethane provides higher wear resistance, translucent construction allows users to see material build-up in the hose, lighter for moving around for grain vac  URAN BE USED FOR GRAIN VAC SHORTEST CUT IS 12.5'