

# 6600

## 6600 SERIES LOW-PROFILE MILD & STAINLESS STEEL BASES

### **QUALITY, VALUE, AND LONG LIFE —**

Whatever your requirement — portable or permanent; on floor or in-pit; wet or dry; drop and weigh or drive-on — there's a 6600 base to exceed your expectations.

With thousands of satisfied users, the 6600 has a reputation for quality, value, and low maintenance costs.



# 6600 SERIES STEEL BASES

## Features:

- Made in the USA
- Rugged, heavy duty design for rough industrial use
- Available in custom capacities/sizes at standard pricing
- Four Sensortronics™ or premium load cells
- Adjustable leveling feet
- Powder coating standard on 48" x 48" 5,000 lb. base
- Designed for permanent or portable installations
- Optional four-way ramp access
- Safety diamond plate surface (except stainless)
- 20' cable to digital indicator or counting scale
- Special requirements for unique loading
- Structural performance assured with computer aided design
- Full support for legacy products
- Free factory matching when ordered with any Pennsylvania counting scale or digital indicator
- 5-year limited warranty

## Additional Features (Stainless Steel Models):

- 302/304 stainless steel construction
- Smooth plate deck (provides more surface contact than optional diamond plate in wet areas)
- All stainless steel load cells, hardware, and construction
- Remote stainless steel summing box, NEMA 4 rated

## Options (Mild Steel Models):

- Stainless steel load cells and hardware
- Remote stainless steel summing box, NEMA 4 rated

## Load Cell Specifications:

- Premium load cells are NTEP approved
- 100% end loading plus positive overload protection



Optional stainless steel construction and load cells provide excellent utility in harsh or wet applications and meet USDA standards.

## Ramps for 6600 Series Bases:

Size (W x L x H)	Capacity (lbs.)
24" x 36" x 3"	Up to 5,000 lbs.
30" x 36" x 3"	
36" x 36" x 3"	Up to 10,000 lbs.
48" x 36" x 3"	
48" x 48" x 3"	
60" x 36" x 3"	
48" x 48" x 4"	Up to 20,000 lbs.
60" x 48" x 4"	
48" x 60" x 5"	Up to 40,000 lbs.
60" x 60" x 5"	
72" x 60" x 5"	
84" x 60" x 5"	
96" x 60" x 3"	

## Applications:

- Shipping, manifest systems
- In-line weighing or checkweighing
- Bench or floor counting and weighing
- Food or chemical processing
- In-motion weighing systems
- Portable weighing station
- Drum, keg, or barrel weighing
- General purpose weighing

## Warranty:

The parts and components of these Pennsylvania Scale Company products are warranted for five years from the date of retail delivery against defects in materials and workmanship, subject to the terms and conditions of our standard warranty.



6600 mild steel model pictured.

# 6600 SERIES STEEL BASES

## Standard Sizes and Weight Capacities:

(Other weight units or graduations and platform sizes are available – contact your distributor)

Platform Size (W x L x H)	Capacity (lbs.)	Shipping Weight (lbs.)
24" x 24" x 3"	1,000	92
	2,000	92
	5,000	116
*30" x 30" x 3"	1,000	152
	2,000	152
	5,000	152
*36" x 36" x 3"	1,000	148
	2,000	148
	5,000	191
	10,000	210
36" x 48" x 3"	1,000	174
	2,000	174
	5,000	190
	10,000	235
*48" x 48" x 3"	1,000	275
	2,000	275
	5,000	275
	10,000	275
48" x 48" x 4"	20,000	489
48" x 48" x 5"	30,000	691
	40,000	691
48" x 60" x 3"	5,000	390
	10,000	390
48" x 60" x 4"	20,000	675
48" x 60" x 5"	30,000	864
	40,000	864
48" x 72" x 3"	5,000	455
	10,000	574
48" x 72" x 4"	20,000	801
48" x 72" x 5"	30,000	864
	40,000	1,037
48" x 84" x 3"	5,000	540
48" x 84" x 4"	10,000	719
	20,000	838
48" x 84" x 5"	30,000	1,210
	40,000	1,210
48" x 96" x 4"	5,000	555
	10,000	670
	20,000	790
48" x 96" x 5"	30,000	1,090
	40,000	1,310
48" x 120" x 4"	5,000	** As per Application
	10,000	** As per Application
48" x 120" x 5"	20,000	** As per Application
	30,000	** As per Application
	40,000	** As per Application
60" x 60" x 3"	5,000	500
	10,000	500
60" x 60" x 4"	20,000	871
60" x 60" x 5"	30,000	930
	40,000	1,090
60" x 72" x 3"	5,000	667

Platform Size (W x L x H)	Capacity (lbs.)	Shipping Weight (lbs.)
60" x 72" x 4"	10,000	730
	20,000	990
60" x 72" x 5"	30,000	1,080
	40,000	1,296
60" x 84" x 4"	5,000	820
	10,000	820
60" x 84" x 5"	20,000	1,100
	30,000	1,260
60" x 84" x 4"	40,000	1,512
	5,000	830
60" x 96" x 4"	10,000	1,150
	20,000	1,296
60" x 96" x 5"	30,000	1,350
	40,000	1,510
	5,000	840
72" x 72" x 4"	10,000	840
	20,000	1,200
72" x 72" x 5"	30,000	1,296
	40,000	1,555
72" x 84" x 4"	5,000	940
	10,000	940
	20,000	1,352
72" x 84" x 5"	30,000	1,512
	40,000	1,814
72" x 96" x 4"	5,000	1,016
	10,000	1,016
72" x 96" x 5"	20,000	1,850
	30,000	2,074
	40,000	2,074
72" x 120" x 4"	5,000	** As per Application
	10,000	** As per Application
72" x 120" x 5"	20,000	** As per Application
	30,000	** As per Application
	40,000	** As per Application
84" x 108" x 4"	5,000	** As per Application
	10,000	** As per Application
84" x 108" x 5"	20,000	** As per Application
	30,000	** As per Application
	40,000	** As per Application
84" x 120" x 4"	5,000	** As per Application
	10,000	** As per Application
84" x 120" x 5"	20,000	** As per Application
	30,000	** As per Application
	40,000	** As per Application
96" x 120" x 4"	5,000	** As per Application
	10,000	** As per Application
96" x 120" x 5"	20,000	** As per Application
	30,000	** As per Application
	40,000	** As per Application

\*Powder coat finished mild steel units. All other units have heavy duty industrial finish.

\*\*Contact factory for exact shipping weights.


# 6600 SERIES STEEL BASES

## Optional Equipment and Accessories:



### Extremely Durable Powder Coating

Pennsylvania's powder coating resists chips, cracks, abrasions, and chemical corrosion.



### Ramps

Provide easy access to 6600 bases for tow motors and pallet jacks. Add two ramps for easy on/off weighing. Hooks on front of ramp and lagging tabs securely hold base from shifting.



### Customizable

A wide range of standard and custom size capacities and loading specifications for virtually any application.



### Base Anchors

When lagged to the floor, these anchors keep the base in position in high-traffic areas.



### Digital Indicators

Choose from a variety of fast and accurate digital indicators to enhance the efficiency of any 6600 base.



### 7600+ Scale

Include a 7600+ counting scale for dual base counting systems. Contact your distributor for more information.



### Bumper Guards

Simple yet efficient design protects 6600 base from accidental hits from tow motor forks. Painted safety yellow for high visibility.



### Fork Lift Skids

Allow fast and easy movement of bases with tow motors. Fork lift skid option includes extended leveling feet. All load cell wiring is protected inside steel tubes.



### Pit Frame and Kit

Allows easier pit installation of 6600 base. Pit frame doubles as form for pouring concrete. Available in painted mild or stainless steel.

**PENNSYLVANIA**  
SCALE  COMPANY

Authorized Distributor:



Pennsylvania Scale Company  
665 North Reservoir Street, Lancaster, PA 17602 USA [www.pascale.com](http://www.pascale.com)  
**US/Canada** 800.233.0473 717.295.6935 FAX 800.768.6350  
**International** 717.295.6935 FAX 717.295.6941

Printed in USA 020818-REAM-5M