


Trousers/Salopette

Dog wear pattern recipe:PT016

milla milla

<http://www.millamilla.net/>



MOVIE Manual

We prepared the how to make the Trousers/Salopette by video.

Please access from the following site and watch.

We recommend watching by the broadband environment.

<http://movie.millamilla.jp/PT016/>

User Name:PT016 Password:

Trousers Salopette

INDEX	01	Material	Page.1
	02	Preparation	1
	03	Sew yoke	4
	04	Make pocket	5
	05	Make leg	5
	06	Sew bias binding and feed the elastic	6
Salopette	Continue	07	Make shoulder string 7
		08	Make belt 7
		09	Make chest cover 9
		10	Attach snap buttons 10
Pants	Continue	11	Make belt 11

01 Material


- ☆ Fabric1: Medium weight stretch fabric or knit fabric (e.g. stretch denim, Chino, Sweatshirt fabric)
- ☆ **SALOPETTE**
Fabric2: Light weight woven fabric (e.g. cotton fabric) used for lining.
- ☆ **PANTS**
Fabric2: Rib knit: used for waists rib.
- ☆ Single fold bias tape
- ☆ Snap button: 2 sets
- ☆ Elastic band: 5mm wide
- ☆ Thread: Use and all purpose thread, polyester or cotton wrapped polyester.


Finished size

	Back Length (A)	Waist(B)	Rough standard weight (kg)
3S	10	27.5	1.5~2
SS	11.5	31	~3
S	12.5	36	~4
M	14	43	~6
L	15	49	~8
2L	16	55	~12
3L	17.5	60	~15
DS	14.5	35.5	3~4
DM	18	43	~6
FB	14	53	around 11kg

(Unit: cm)

02 Preparation


- ① Cut out the pattern, calculate how much fabric you need.
* The pattern involve 1cm seam allowances.
- ② Prepare fabric, if needed, please wash the fabric.
- ③ Place the pattern and cut out the fabric carefully (red line).
Make notch  (cut about 3mm)



Both pants and salopette are using single bias tape around berry.

You can also make your own binding by cutting a bias strip of fabric and folding it in the same way that a binding strip is folded.

When making bias tape by your self, cut 3cm wide and fold both end.



Elastic band necessary quantity

3S	28.5	2L	63.5
SS	38	3L	74
S	47	DS	52
M	47.5	DM	54
L	55.5	FB	55.5

(Unit: cm)

Bias tape necessary quantity

3S	42	2L	92
SS	55	3L	107
S	68	DS	74
M	69	DM	78
L	80.5	FB	80.5

(Unit cm: including seam allowance)



* Note

The "necessary quantity" is measured placing patterns without considering the top and bottom.

If the fabric has direction, please place the pattern and measure the length of the fabric you need before you buy.

* The table is written as A x B (see diagram on left)

Salopette




Salopette necessary quantity

	Fabric 1	Fabric 2
3S	110×30	110×20
SS	110×35	110×25
S	110×40	110×25
M	110×50	110×30
L	110×60	110×35
2L	110×65	110×35
3L	110×85	110×45
DS	110×40	110×30
DM	110×50	110×30
FB	110×65	110×30

(Unit cm: including seam allowance)



Cut shoulder string by cut the fabric in bias (3cm wide).



Shoulder sting necessary quantity

3S	22.5	2L	42
SS	25.5	3L	46
S	28.5	DS	28.5
M	30	DM	34.5
L	37	FB	35

(Unit cm: including seam allowance)



* Purchase some extra fabric, because most cotton shrink to some degree.

Wash the fabric in the same manner you intend to use for the finished garment.

This will preshrink the fabric and remove the surface finish which will make it easier to sew.

milla milla
<http://www.millamilla.net/>

Trousers



Trousers necessary quantity

	Fabric 1	Fabric 2
3S	110x25	110x30
SS	110x30	110x30
S	110x35	110x35
M	110x35	110x40
L	110x40	110x40
2L	110x50	110x50
3L	110x55	110x55
DS	110x30	110x35
DM	110x40	110x40
FB	110x45	110x40

(Unit cm: including seam allowance)

03 Sew yoke

