

The ESZ Foldable Net User's manual

— Built with four different materials for durability and usability:

7075 anodized aluminum (net rim) 6063 anodized aluminum (joint) titanium (main bolt) carbon fiber (handle)


- Net joint designed so net can be easily opened with one hand.
- Can be used as a traditional fixed landing net, or a folding landing net.

Put Together Your ESZ Foldable Net in 7 Easy Steps

Step 1


This is what you should find inside your ESZ Foldable Net canvas bag:

· Net handle (with joint on it) · Net rim · Silicone net




Step 2

- · Fold the net rim like you see in the above illustration.
- · Thread the net rim through the threading loops located around the edge of the net.




Step 3

· Connect and secure the two ends of the net rim together, ensuring that both ends are fully linked.



Step 4

- · Screw the net rim bolt into the joint by hand, making sure the net rim is 90% perpendicular to the joint.
- · If it is loose, use a coin or a flathead screwdriver to tie the other bolt on the opposite end of the joint.




Step 5

· Use the lever on the net joint to fold and unfold the net.


TO FOLD: Pull the lever in the direction of the handle.

TO UNFOLD: Just hold the net handle and shake it forward and away from you.



Step 6

• To clean the inside of the handle (if it ever becomes necessary), simply unscrew the net joint from the net handle.



Step 7

· After cleaning, we suggest to use a few drops of thread-locking fluid (not included) before screwing the net joint back in place.

