

KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

1 of 1

Black Cherry

Sample ID: SA-230117-15776 Batch: Type: Finished Products Matrix: Edible - Gummy Unit Mass (g): 3.07564

Received: 01/18/2023 Completed: 01/30/2023 Client Humboldt's Cabinet 200 2nd Ave S #784 Saint Petersburg, FL 33712

USA





Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/unit)
СВС	0.00095	0.00284	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBCA	0.00181	0.00543	ND	ND
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.00242	0.0152	0.468
CBDA	0.00043	0.0013	ND	ND
CBDV	0.00061	0.00182	ND	ND
CBDVA	0.00021	0.00063	ND	ND
СВС	0.00057	0.00172	0.00252	0.0775
CBGA	0.00049	0.00147	ND	ND
CBL	0.00112	0.00335	ND	ND
CBLA	0.00124	0.00371	ND	ND
CBN	0.00056	0.00169	0.00353	0.109
CBNA	0.0006	0.00181	ND	ND
CBT	0.0018	0.0054	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Δ8-THC	0.00104	0.00312	0.638	19.6
Δ9-THC	0.00076	0.00227	0.284	8.74
Δ9-ΤΗϹΑ	0.00084	0.00251	ND	ND
Δ9-THCV	0.00069	0.00206	ND	ND
Δ9-THCVA	0.00062	0.00186	ND	ND
Total Δ9-THC			0.284	8.74
Total CBD			0.0152	0.468
Total		Ser Alter	0.944	29.0

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ9-THC = Δ9-THCA * 0.877 + Δ9-THC; Total CBD = CBDA * 0.877 + CBD;



Generated By: Ryan Bellone CCO Date: 01/30/2023

Tested By: Scott Caudill Senior Scientist Date: 01/30/2023





This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.