

Patient Safety

One solution for Patients Identification



Identification Wristbands & Labels for Hospital



Direct Thermal Patient ID Wristbands

Efficiency , Accuracy , Patient Safety

Meet critical patient safety and regulatory guidelines



- 1) JCI – Joint Commission International
- 2) CHINA JSPHA
- 3) WHO – World Health Organization
- 4) JCAHO – The Joint Commission on Accreditation of Healthcare Organization in USA
- 5) NHS – The National Health System in UK
- 6) La Haute Autorité de Santé (HAS) in France
- 7) Il Ministero della Salute in Italy (Patient Safety regulations)

Patient Identification

Joint Commission #1 Patient Safety Goal:

Improve The Accuracy Of Patient Identification

Wrong-patient errors occur in nearly all stages of treatment and preventable medical errors are the 3rd leading cause of death in the US. Every patient, procedure, and provider rely upon effective identification. That's why PDC is passionate about developing leading ID solutions that help providers reduce errors, improve workflow, and comply with The Joint Commission.

Why Choose PDC?

Choose a Patient ID Solution That's a Perfect Fit for Your Entire Organization.

PDC Patient ID Solutions allow providers to configure many options to accurately match each patient to the correct medical record, medications, specimens, and procedures at every stage of care.

- . Seamless EMR integration with Epic, Cerner, MediTech, and more
- . Mix and match thermal printers, wristbands, and labels for a custom configuration that meets your specific needs
- . Reliable performance and ease of use
- . Industry's best printer warranties and product guarantees

Why Choose PDC Wristbands ?

- Soft. Comfortable
- Anti-Allergy. Antimicrobial
- MRI Safe
- Latex-free, Phthalate-free
- Resistant to Solvents and Harsh Environment



1) Best Print Quality

Heat is transferred directly and evenly along the wristband, high quality and superior bar code scanning

2) Resistant to Solvents and Harsh Environment, Light, Moisture and Liquid-proof for Shower

- Betadine Iodine
- Isopropyl Alcohol
- Ethyl Rubbing Alcohol
- Hand Sanitizer
- Hand Lotion

3) Anti-Microbial

Anti-Microbial additive protects wristband surface against non-pathogenic bacteria

4) Accurate Barcode & Durability

- Help to reduce waste and optimize efficiency with superior print performance and scanability

Supreme Soft Series

ScanBand Satin


- Satin-Like Material is super soft and comfortable to the most sensitive skin
- Combines ultra comfort with high performance and safety
- Withstands even the harshest hospital environments
- Anti-wrinkle material makes it easy to read Barcodes and other identifiers
- Water-resistant and tamper-evident

- Durable non-transferable adhesive closure
- High-quality dark & sharp print that doesn't fade
- Easy to print and patients in seconds

ADHESIVE CLOSURE




ScanBand® Satin adult direct thermal



7063ST-16-PDK

Product number	Core size	Wound	Black bar	Outer diameter	Bands per box	Color						
7062ST-**-PDM	25mm	Out	Before imprint area	148mm	250/RL - 2RLS	<table border="1"> <tr> <td>11</td> <td>13</td> <td>14</td> </tr> <tr> <td>White</td> <td>Blue</td> <td>Yellow</td> </tr> </table>	11	13	14	White	Blue	Yellow
11			13	14								
White	Blue	Yellow										
7063ST-**-PDK	A perforation	109mm	150/RL - 2RLS	<table border="1"> <tr> <td>15</td> <td>16</td> <td>17</td> </tr> <tr> <td>Green</td> <td>Red</td> <td>Orange</td> </tr> </table>	15	16	17	Green	Red	Orange		
15	16	17										
Green	Red	Orange										


ScanBand® Satin adult/pediatric direct thermal



7036ST-13-PDK

Product number	Core size	Wound	Black bar	Outer diameter	Bands per box	Color						
7026ST-**-PDM	25mm	Out	Before imprint area	148mm	250/RL - 2RLS	<table border="1"> <tr> <td>11</td> <td>13</td> <td>14</td> </tr> <tr> <td>White</td> <td>Blue</td> <td>Yellow</td> </tr> </table>	11	13	14	White	Blue	Yellow
11			13	14								
White	Blue	Yellow										
7036ST-**-PDK	A perforation	109mm	150/RL - 2RLS	<table border="1"> <tr> <td>15</td> <td>16</td> <td>17</td> </tr> <tr> <td>Green</td> <td>Red</td> <td>Orange</td> </tr> </table>	15	16	17	Green	Red	Orange		
15	16	17										
Green	Red	Orange										

ScanBand® Satin pediatric direct thermal



7700ST-49-PDL


Product number	Core size	Wound	Black bar	Out diameter	Band per box	Colours/Pattern						
7700ST-**-PDL	25mm	Out	At perforation	112mm	200/RL-2RLS	<table border="1"> <tr> <td>11</td> <td>16</td> <td>49</td> </tr> <tr> <td>White</td> <td>Red Fish</td> <td>Unicorn & Rocket</td> </tr> </table>	11	16	49	White	Red Fish	Unicorn & Rocket
11	16	49										
White	Red Fish	Unicorn & Rocket										

ContourBand® AC

- Narrow strap and wide patient data area
- Special outer wristband coating allows for crisp printing and excellent bar code scanability

- Soft, lightweight polyethylene material provides maximum patient comfort and security
- Secure adhesive closure is easy to apply, comfortable and tamper-evident

ADHESIVE CLOSURE



38mm 8596-16-ISL

Product number	Wound	Black bar	Outer diameter	Bands per box	**Colors												
8596-**-ISL	In	At perforation	144mm	200 RL 2RLS/BX	<table border="1"> <tr> <td>11</td> <td>13</td> <td>14</td> </tr> <tr> <td>White</td> <td>Blue</td> <td>Yellow</td> </tr> <tr> <td>15</td> <td>16</td> <td>17</td> </tr> <tr> <td>Green</td> <td>Red</td> <td>Orange</td> </tr> </table>	11	13	14	White	Blue	Yellow	15	16	17	Green	Red	Orange
11	13	14															
White	Blue	Yellow															
15	16	17															
Green	Red	Orange															

ComfortBand™ thermal

Maximum comfort meets maximum performance. ComfortBand™ is specially designed for patients with delicate skin. It provides superior comfort with softer material and a contoured shape.

ComfortBand™ Features:

- Softer material is comfortable for even the most delicate skin
- Tamperproof double-post snap closure for security
- Contour-shaped band comfortably conforms to the wrist
- Large Information area

Includes snaps (Also sold separately. See below.)


ComfortBand™ Performance:

- Patented PermaPrint® surface provides best imprint quality, maximum resistance to solvents and seamless printing
- Supports text, linear and 2D bar codes, photo ID and graphics
- Ensures crisp, clear bar codes for easy scannability



Certified for
PDC Certis™
& Portico™ printers


ComfortBand™ Adult



Product number	Sensor Mark	Core size	Wound	Outer diameter	Bands per box	Color												
7801-**-PDL	Standard	3"	Out	8.0" Typical	200 Band/RL - 2RLS	<table border="1"> <tr> <td>11</td> <td>13</td> <td>14</td> </tr> <tr> <td>White</td> <td>Blue</td> <td>Yellow</td> </tr> <tr> <td>15</td> <td>16</td> <td>17</td> </tr> <tr> <td>Green</td> <td>Red</td> <td>Orange</td> </tr> </table>	11	13	14	White	Blue	Yellow	15	16	17	Green	Red	Orange
11	13	14																
White	Blue	Yellow																
15	16	17																
Green	Red	Orange																



ComfortBand™ Infant




Product number	Sensor Mark	Core size	Wound	Outer diameter	Bands per box	Color						
7851-**-PDL	Before Imprint area	25mm	Out	101mm	200 /RL - 2RLS	<table border="1"> <tr> <td>11</td> <td>12</td> <td>13</td> </tr> <tr> <td>White</td> <td>Pink</td> <td>Light Blue</td> </tr> </table>	11	12	13	White	Pink	Light Blue
11	12	13										
White	Pink	Light Blue										



Premier Series

CompuBand – Snap button model

Adult Direct Thermal



Pediatric/Infant Direct Thermal



Product number	Core size	Wound	Outer diameter	Wristbands/Box	Color												
7049S-**-PDO	38mm	In	126.5mm	175 /RL - 2RLS	<table border="1"> <tr> <td>11</td> <td>13</td> <td>14</td> </tr> <tr> <td>White</td> <td>Blue</td> <td>Yellow</td> </tr> <tr> <td>15</td> <td>16</td> <td>17</td> </tr> <tr> <td>Green</td> <td>Red</td> <td>Orange</td> </tr> </table>	11	13	14	White	Blue	Yellow	15	16	17	Green	Red	Orange
11					13	14											
White	Blue	Yellow															
15	16	17															
Green	Red	Orange															
7029S-**-PDO																	


Single-Post Snaps

Product number	Description	Snaps/Bag
8615-00-PDJ	Single-Post Snaps	250



Adhesive model – ScanBandDR

Adult Direct Thermal



7412LT-13S-PDL

Adult/Pediatric Direct Thermal



7424LT-12S-PDL

Pediatric/Infant Direct Thermal




7421LT-18S-PDL

Product number	Core size	Wound	Black bar	Outer diameter	Bands per box	Color										
7412LT-**-PDL	25mm	Out	At perforation	122mm	200 /RL - 2RLS	<table border="1"> <tr> <td>11</td> <td>12</td> <td>13</td> <td>16</td> <td>18</td> </tr> <tr> <td>White</td> <td>Pink</td> <td>Blue</td> <td>Red</td> <td>Light Blue</td> </tr> </table>	11	12	13	16	18	White	Pink	Blue	Red	Light Blue
11	12					13	16	18								
White	Pink	Blue	Red	Light Blue												
7424LT-**-PDL	38mm	<table border="1"> <tr> <td>11</td> <td>12</td> <td>13</td> <td>16</td> </tr> <tr> <td>White</td> <td>Pink</td> <td>Blue</td> <td>Red</td> </tr> </table>	11	12	13	16	White	Pink	Blue	Red						
11	12	13	16													
White	Pink	Blue	Red													
7421LT-**-PDL	25mm	Out	At perforation	90mm	200 /RL - 2RLS	<table border="1"> <tr> <td>11</td> <td>12</td> <td>13</td> <td>16</td> </tr> <tr> <td>White</td> <td>Pink</td> <td>Blue</td> <td>Red</td> </tr> </table>	11	12	13	16	White	Pink	Blue	Red		
11	12	13	16													
White	Pink	Blue	Red													

Specialties Series


TenderCare™ thermal mother-infant 2-Part



7751T-13- PDO

Product number	Core size	Wound	Black bar	Outer diameter	Bands per box	**Colours/Pattern								
2 Part 7751-**-PDO	38mm	in	At perforation	110mm	2 bands/set 120 sets/roll 2 rolls/box	<table border="1"> <tr> <td>11</td> <td>12</td> <td>13</td> <td>16</td> </tr> <tr> <td>White</td> <td>Pink ducks</td> <td>Blue Tigers</td> <td>Red Tigers</td> </tr> </table>	11	12	13	16	White	Pink ducks	Blue Tigers	Red Tigers
11	12	13	16											
White	Pink ducks	Blue Tigers	Red Tigers											

Precision® infant direct thermal with tag



Product number	Core size	Wound	Black bar	Outer diameter	Bands per box	**Colours/Pattern		
7701-11-PDL	38mm	In	Before imprint area	125mm	200/RL-2RLS	<table border="1"> <tr> <td>11</td> </tr> <tr> <td>White</td> </tr> </table>	11	White
11								
White								

Pharmacy Labels Solution

- Accurate Identification for Medication Administration Safety**
- Prevent Medication Error & Improve Medication Safety
 - Compatible with most Pharmacy Information Systems
 - Medical grade materials to ensure high quality & durability



Certified for
PDC Certis Printers
B2 & B4

Laboratory Labels Solution

Safety. Efficiency. Compliance.

- Increase Patient Safety & Assure Identification Accuracy for Medication Administration or Specimen Collection
- Immediate Method of Positive Identification
- Increase Accuracy of Labeling Specimens & Containers
- Compatible with most Laboratory Information Systems
- Medical Grade Materials to Ensure High Quality & Durability



Certified for
PDC Certis Printers
B2 & B4



Certis B2

High Performance & Capacity

- . Save time with high performance, high capacity printer that holds 50% more wristbands than cartridge thermal printers. Print and scan with confidence – from admission to discharge
- . Versatile applications: patient ID wristbands, chart labels, medication labels, and more
- . Easy loading and open compatibility prevents jams
- . Compatible with leading EMRs including Epic, Cerner, Meditech, and others




Certis B4

Versatile & Dependable

- . Reliable and robust printer backend by an industry leading 1-year warranty
- . Supports a variety of healthcare print applications including Mother/Baby wristbands, chart labels, medication labels, and more
- . Compact, easy media loading design
- . Compatible with leading EMRs including Epic, Cerner, Meditech, and others

Printer Usage Procedures:



Easy Versatile



Quick & Durable



Convenient & Comfortable



Efficient & Reliable

Printer specifications

Specifications	Certis B2-20	Certis B2-30	Certis B4-20	Certis B4-30
Part Number	PD-B2-20EA1000	PD-B2-30EA1000	PD-B4-20EA1000	PD-B4-30EA1000
Resolution	203 dpi	300 dpi	203 dpi	300 dpi
Printing Method	Direct Thermal			
Max Print Speed	5 ips	4 ips	6 ips	4 ips
Max Print Width	2.05" (52mm)	1.89" (48mm)	4.25" (108mm)	4.16" (105mm)
Max Media Width	0.59" - 2.05" (15 - 52mm)		0.7" - 4.5" (18 - 102mm)	
Label Roll Capacity	6.5" (165mm) OD		5" (127mm) OD	
Media Core Diameter	1.0" or 1.5" (25mm or 28mm)			
Connectivity	Internal Ethernet (10/100 Mbps), USB 2.0		Ethernet and USB, (Wi-Fi Option)	
Printer Language	ZPL, ZPL II, TSPL-EZTM			
Included in Box	External Power Supply, Power Cord, USB Cable, USB Drive with: Labeling Software, Quick Start Guide & User Manual installed"			
Warranty	1 Year			


How to load wristbands/labels



To open the printer top cover you just need to pull the tabs located on each side towards the front of the printer.



Adjust the support accordingly to the width and place the roll.



The wristband must be inserted with the black mark facing down in order to be read by the black mark sensor.



Correct placement of the wristband: printing side face up, wristband through the media guides.



Every time you change the wristband roll you need to press the feed button once until the end of the wristband feeds through and the light becomes green.



You are now ready to print the wristband

Laboratory Tested for
Maximum Comfort,
Safety, & Performance



Product tested with industry-standard ASTM instruments to meet stringent comfort and quality requirements



non-allergenic, Lates-free, and Phthalate-free

Brady Hong Kong

Website: www.BradyPeopleid.com.cn

Email: Info@Bradycorp.com

Address: RM15-18,29/F, 1 Hung To Road, Kwun Tong, Kowloon, Hong Kong

Tel: 852- 22169000

Brady China

Address: Unit B, 11/F, Lujiazui Finance Plaza,
1217 DongFang Rd, Pudong, Shanghai, P.R. China

Tel: 400-101-3700

Brady (Xiamen) Co. Ltd

Address: No 30, Xiang Ming Rd. , Xiang An District, Xiamen, China