



# BLOCKADE INSWING: Vault Door by Liberty Safe

Shown: Left Hand Inswing



Front

4 Piece Clamshell Design



Back







All information contained on this document is the sole property of Liberty Safe & Security.  Any alteration or reproduction by any method is strictly forbidden without written authorization from Liberty Safe & Security, Inc.	DRAWN	NAME	DATE	LIBERTY SAFE & SECURITY PRODUCTS
	CHECKED	ryand	04/13/20	
	ENG APPR			TITLE
	MGR APPR			BLOCKADE INSWING
			UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES ANGLES ±1.0° 3 PL ±0.075	SIZE D
				Rev_2020-04-01
				FILE NAME: VEIN-XXX-06F_Specs_2020-04-01.dft
				SCALE: 1:8 WEIGHT: SHEET 1 OF 5

# Clearances

Shown: Left Hand Inswing

Clearances are the same for Right Hand Inswing




All information contained on this document is the sole property of Liberty Safe & Security.  Any alteration or reproduction by any method is strictly forbidden without written authorization from Liberty Safe & Security, Inc.	NAME	DATE	LIBERTY SAFE & SECURITY PRODUCTS	
	DRAWN	ryand		04/13/20
	CHECKED			TITLE
	ENG APPR			BLOCKADE INSWING
MGR APPR			SIZE	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	D		Rev_2020-04-01	
ANGLES ±1.0°	FILE NAME: VEIN-XXX-06F_Specs_2020-04-01.dft			
3 PL ±0.075	SCALE: 1:8	WEIGHT:	SHEET 2 OF 5	

# Front and Back Frame Dimensions


Shown: Left Hand Inswing

Dimensions are the same for Right Hand Inswing

This shows the amount of space that the vault door will use on the wall.




Face Frame  
( Front )



Back Frame  
( Back )




All information contained on this document is the sole property of Liberty Safe & Security.  Any alteration or reproduction by any method is strictly forbidden without written authorization from Liberty Safe & Security, Inc.	NAME	DATE	LIBERTY SAFE & SECURITY PRODUCTS	
	DRAWN	ryand		04/13/20
	CHECKED			TITLE
	ENG APPR			BLOCKADE INSWING
MGR APPR			SIZE	
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES ANGLES ±1.0° 3 PL ±0.075		D	
SCALE: 1:8		WEIGHT:	SHEET 3 OF 5	



# Walk Through Clearances

Shown: Left Hand Inswing

Dimensions are the same for Right Hand Inswing



Door allowed to open at 90°  
( Front View )



All information contained on this document is the sole property of Liberty Safe & Security.  Any alteration or reproduction by any method is strictly forbidden without written authorization from Liberty Safe & Security, Inc.	DRAWN	NAME	DATE	LIBERTY SAFE & SECURITY PRODUCTS	
	CHECKED				
	ENG APPR			TITLE	BLOCKADE INSWING
	MGR APPR			SIZE	D
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES ANGLES ±1.0° 3 PL ±0.075			FILE NAME:	VEIN-XXX-06F_Specs_2020-04-01.dft
	SCALE:	1:8	WEIGHT:		SHEET 4 OF 5

# Opening Requirements

Shown: Typical rough opening for a normal 36" wide x 80" tall door in a foundation wall


**The BLOCKADE INSWING vault door will accommodate any opening that is between:**

**38"-42" Wide**

**82"-85" Tall**

**7"-9" Wall Thickness**

These values may vary slightly based on the squareness of the opening.



Treated lumber is often secured to the concrete so that a door may be fastened to the opening. This may be cut or modified as needed.



<small>All information contained on this document is the sole property of Liberty Safe &amp; Security.</small>  <small>Any alteration or reproduction by any method is strictly forbidden without written authorization from Liberty Safe &amp; Security, Inc.</small>	NAME	DATE	LIBERTY SAFE & SECURITY PRODUCTS	
	DRAWN	ryand		04/13/20
	CHECKED			TITLE
	ENG APPR			BLOCKADE INSWING
MGR APPR			SIZE	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES			D	
ANGLES ±1.0°			FILE NAME: VEIN-XXX-06F_Specs_2020-04-01.dft	
3 PL ±0.075			SCALE: 1:1	
			WEIGHT:	
			SHEET 5 OF 5	