



YEAR 13 LED LIGHTS & BEAM PATTERN GUIDE

LED LIGHTS

We build the best lights using the finest materials, electronics and technologies. Our lights perform as well as they look, and we offer the perfect light for every rider.

DESIGN

From a sketch, to a CAD model, to a 3D-printed prototype, we comprehensively test our trend-setting designs before beginning our in-house production.

ENGINEERED

Each of our lights is engineered in-house to perform at the highest level and meet the toughest durability standards.

TESTED

Every light undergoes rigorous corrosion and impact testing, all while exceeding the IPX7 waterproof standards.

VERIFIED

Our engineers use a precision calibrated integrating sphere, to verify the lumen output of all our lights.

MANUFACTURING


Our in house manufacturing process gives us complete control over the quality, design and efficiency of all Lezyne lights. We continually upgrade our facilities and remain at the forefront of cutting-edge LED technology.

QUALITY CONTROL

100% of Lezyne lights are rigorously tested before leaving our factory.

CUTTING-EDGE TECHNOLOGY

Lezyne sources the finest electronics for our LED lights, and continually innovates with features like Wide Angle Optics, Smart Connect, Constant Lumens, Tri-Focus Optics and more.





MEGA DRIVE 1800i

[CLICK HERE TO VISIT MEGA DRIVE 1800i WEB PAGE](#)



MEGA DRIVE 1800i ^{206g} OVERDRIVE MODE SHOWN (1800 LUMENS)

Max 1,800 lumens / 148 hour runtime in Femto mode

	BLAST	ENDURO	ECONOMY	FEMTO	FLASH	PULSE	OVERDRIVE
	1000 LUMENS	600 LUMENS	250 LUMENS	15 LUMENS	150 LUMENS	150 LUMENS	1800 LUMENS
	2:30 h : min	3:45 h : min	10:00 h : min	148:00 h : min	33:00 h : min	38:00 h : min	1:40 h : min

Black: 1-LED-7-V304, Silver: 1-LED-7-V319

Black Loaded Pro Kit: 1-LED-7A-V304

Remote Switch compatible





SUPER DRIVE 1600XXL

[CLICK HERE TO VISIT SUPER DRIVE 1600XXL WEB PAGE](#)



SUPER DRIVE 1600XXL 193g

OVERDRIVE MODE SHOWN (1600 LUMENS)

Max 1,600 lumens / 148 hour runtime in Femto mode


	BLAST	ENDURO	ECONOMY	FEMTO	FLASH	PULSE	OVERDRIVE
	1000 LUMENS	600 LUMENS	250 LUMENS	15 LUMENS	150 LUMENS	150 LUMENS	1600 LUMENS
	2:30 h:min	3:45 h:min	10:00 h:min	148:00 h:min	33:00 h:min	38:00 h:min	1:45 h:min

Black: 1-LED-6-V704, Gray: 1-LED-6-V719

Black Loaded Pro Kit: 1-LED-6A-V804



Remote Switch compatible



MACRO DRIVE 1300XXL

[CLICK HERE TO VISIT MACRO DRIVE 1300XXL WEB PAGE](#)



MACRO DRIVE 1300XXL 226g

OVERDRIVE MODE SHOWN (1300 LUMENS)

Max 1,300 lumens / 148 hour runtime in Femto mode

	BLAST	ENDURO	ECONOMY	FEMTO	FLASH	PULSE	OVERDRIVE
	800 LUMENS	450 LUMENS	150 LUMENS	15 LUMENS	150 LUMENS	150 LUMENS	1300 LUMENS
	4:00 h : min	8:00 h : min	23:00 h : min	148:00 h : min	42:00 h : min	28:00 h : min	2:30 h : min

Matte Black: 1-LED-4-V617, Black: 1-LED-4-V604, Silver: 1-LED-4-V606
 Black Loaded Kit: 1-LED-4A-V704

Remote Switch compatible





LITE DRIVE 1000XXL + CONNECT SMART DRIVE

[CLICK HERE TO VISIT LITE DRIVE 1000XXL](#)

[CLICK HERE TO VISIT CONNECT SMART DRIVE](#)



LITE DRIVE 1000XXL 124g CONNECT SMART DRIVE 124g OVERDRIVE MODE SHOWN (1000 LUMENS)

Max 1,000 lumens / 87 hour runtime in Femto mode

	BLAST	ENDURO	ECONOMY	FEMTO	DAY FLASH	FLASH	PULSE	OVERDRIVE
	500 LUMENS	250 LUMENS	150 LUMENS	15 LUMENS	1000 LUMENS	150 LUMENS	150 LUMENS	1000 LUMENS
	3:00 h : min	5:30 h : min	9:00 h : min	87:00 h : min	7:30 h : min	19:00 h : min	17:00 h : min	1:30 h : min


LITE DRIVE 1000XXL

Matte Black: 1-LED-16-V217, Black: 1-LED-16-V204, Silver: 1-LED-16-V206

Red: 1-LED-16-V211, Blue: 1-LED-16-V210, Black Loaded Kit: 1-LED-16A-V304

CONNECT SMART DRIVE (Pair): Black 1-LED-32P-V104L





REFLECTIVE SIGN
180m (590.5 ft)

70m (229.6 ft)

50m (164 ft)

30m (98.4 ft)

20m (65.6 ft)

10m (32.8 ft)

5m (16.4 ft)

MULTI DRIVE

[CLICK HERE TO VISIT MULTI DRIVE WEB PAGE](#)




MULTI DRIVE 73G (W/O BATTERY PACK) OVERDRIVE MODE SHOWN (1000 LUMENS)

Max 1000 lumens / 18 hour runtime in Economy mode

	BLAST	ENDURO	ECONOMY	DAY FLASH	FLASH	OVERDRIVE
	500 LUMENS	250 LUMENS	150 LUMENS	500 LUMENS	150 LUMENS	1000 LUMENS
	5:30 h : min	11:00 h : min	18:00 h : min	17:00 h : min	35:00 h : min	3:00 h : min

1-LED-27F-V104



MICRO DRIVE PRO 800XL

[CLICK HERE TO VISIT MICRO DRIVE PRO 800XL WEB PAGE](#)



MICRO DRIVE PRO 800XL ^{125g} OVERDRIVE MODE SHOWN (800 LUMENS)

Max 800 lumens / 87 hour runtime in Femto mode

	BLAST	ENDURO	ECONOMY	FEMTO	DAY FLASH	FLASH	PULSE	OVERDRIVE
	400 LUMENS	250 LUMENS	150 LUMENS	15 LUMENS	800 LUMENS	150 LUMENS	150 LUMENS	800 LUMENS
	4:00 h : min	5:30 h : min	9:00 h : min	87:00 h : min	8:30 h : min	19:00 h : min	17:00 h : min	1:45 h : min

Black: 1-LED-25F-V204, Silver: 1-LED-25F-V206

Black Loaded Kit: 1-LED-25A-V204

Remote Switch compatible



CLASSIC DRIVE 700XL

[CLICK HERE TO VISIT CLASSIC DRIVE 700XL WEB PAGE](#)




CLASSIC DRIVE 700XL ^{124g} OVERDRIVE MODE SHOWN (700 LUMENS)

Max 700 lumens / 95 hour runtime in Femto mode

	BLAST	ENDURO	ECONOMY	FEMTO	DAY FLASH	FLASH	PULSE	OVERDRIVE
	400 LUMENS	250 LUMENS	150 LUMENS	15 LUMENS	700 LUMENS	150 LUMENS	150 LUMENS	700 LUMENS
	3:45 h : min	6:00 h : min	11:00 h : min	95:00 h : min	10:00 h : min	20:30 h : min	19:00 h : min	2:00 h : min

Matte Black: 1-LED-30-V117, Silver: 1-LED-30-V106



MACRO DRIVE DUO

[CLICK HERE TO VISIT MACRO DRIVE DUO WEB PAGE](#)



MACRO DRIVE DUO 124g OVERDRIVE MODE SHOWN (700 LUMENS)

Front: Max 700 lumens / 52 hour runtime in Femto mode

Rear: Max 30 lumens

	OVERDRIVE	BLAST	ENDURO	ECONOMY	FEMTO	DAY FLASH	PULSE	FLASH 1/2
	700 LUMENS	400 LUMENS	250 LUMENS	150 LUMENS	15 LUMENS	400 LUMENS	150 LUMENS	150 LUMENS
	1:45 h:min	3:00 h:min	5:00 h:min	8:45 h:min	52:00 h:min	16:00 h:min	16:00 h:min	17:00 h:min

Rear

	SOLID	FLASH	DAYFLASH	OFF
	30 LUMENS	30 LUMENS	30 LUMENS	0 LUMENS

1-LED-15-V204



REFLECTIVE SIGN
180m (590.5 ft)

70m (229.6 ft)

50m (164 ft)

30m (98.4 ft)

20m (65.6 ft)

10m (32.8 ft)

5m (16.4 ft)

CLASSIC DRIVE

[CLICK HERE TO VISIT CLASSIC DRIVE WEB PAGE](#)



CLASSIC DRIVE ^{95g}

BLAST MODE SHOWN (500 LUMENS)

Max 500 lumens / 40 hour runtime in Femto mode

	BLAST	ENDURO	ECONOMY	FEMTO	FLASH 1	FLASH 2	PULSE	DAYFLASH
	500 LUMENS	200 LUMENS	100 LUMENS	15 LUMENS	50 LUMENS	50 LUMENS	50 LUMENS	500 LUMENS
	1:30 h:min	3:45 h:min	8:00 h:min	40:00 h:min	28:30 h:min	28:30 h:min	31:00 h:min	11:00 h:min

Matte Black: 1-LED-29-V117, Silver: 1-LED-29-V106



MICRO DRIVE 600XL

[CLICK HERE TO VISIT MICRO DRIVE 600XL WEB PAGE](#)



MICRO DRIVE 600XL ^{97g} OVERDRIVE MODE SHOWN (600 LUMENS)

Max 600 lumens / 44 hour runtime in Femto mode

	BLAST	ENDURD	ECONOMY	FEMTO	DAYGLASH	FLASH1	FLASH2	PULSE	OVERDRIVE
	400 LUMENS	200 LUMENS	100 LUMENS	15 LUMENS	600 LUMENS	75 LUMENS	75 LUMENS	75 LUMENS	600 LUMENS
	1:40 h : min	3:15 h : min	6:45 h : min	44:00 h : min	8:00 h : min	17:00 h : min	17:00 h : min	14:30 h : min	1:00 h : min

Black: 1-LED-2-V504, Silver: 1-LED-2-V506



REFLECTIVE SIGN
180m (590.5 ft)

70m (229.6 ft)

50m (164 ft)

30m (98.4 ft)

20m (65.6 ft)

10m (32.8 ft)

5m (16.4 ft)

HECTO DRIVE 500XL

[CLICK HERE TO VISIT HECTO DRIVE 500XL WEB PAGE](#)



HECTO DRIVE 500XL 84g

BLAST MODE SHOWN (500 LUMENS)

Max 500 lumens / 20 hour runtime in Femto mode

	BLAST	ENDURO	ECONOMY	FEMTO	FLASH1	FLASH2	DAY FLASH	PULSE
	500 LUMENS	200 LUMENS	100 LUMENS	15 LUMENS	50 LUMENS	50 LUMENS	500 LUMENS	50 LUMENS
	1:00 h : min	2:00 h : min	4:00 h : min	20:00 h : min	13:30 h : min	13:30 h : min	5:45 h : min	15:00 h : min

Black: 1-LED-9F-V504, Silver: 1-LED-9F-V506, Purple: 1-LED-9F-V521
Red: 1-LED-9F-V511, Blue: 1-LED-9F-V510



REFLECTIVE SIGN
180m (590.5 ft)

70m (229.6 ft)

50m (164 ft)

30m (98.4 ft)

20m (65.6 ft)

10m (32.8 ft)

5m (16.4 ft)

MINI DRIVE 400XL

[CLICK HERE TO VISIT MINI DRIVE 400XL WEB PAGE](#)



MINI DRIVE 400XL 83g

BLAST MODE SHOWN (400 LUMENS)

Max 400 lumens / 20 hour runtime in Femto mode

	BLAST	ENDURO	ECONOMY	FEMTO	FLASH1	FLASH2	DAY FLASH	PULSE
	400 LUMENS	150 LUMENS	75 LUMENS	15 LUMENS	50 LUMENS	50 LUMENS	400 LUMENS	50 LUMENS
	1:00 h : min	2:30 h : min	5:00 h : min	20:00 h : min	13:30 h : min	13:30 h : min	7:00 h : min	15:00 h : min

Black: 1-LED-24F-V204, Silver: 1-LED-24F-V206, Purple: 1-LED-24F-V221
Red: 1-LED-24F-V211, Blue: 1-LED-24F-V210



STRIP DRIVE (FRONT)

[CLICK HERE TO VISIT STRIP DRIVE FRONT WEB PAGE](#)



STRIP DRIVE (FRONT) 69g

BLAST MODE SHOWN (100 LUMENS)

Max 400 lumens in Day Flash / 21.3 hour runtime in Flash 6 mode

	BLAST	ENDURD	ECONOMY	FLASH1	FLASH2	FLASH3	FLASH4	FLASH5	FLASH6	DAY FLASH
	100 LUMENS	50 LUMENS	15 LUMENS	25 LUMENS	50 LUMENS	50 LUMENS	75 LUMENS	25/5 LUMENS	50 LUMENS	400 LUMENS
	2:30 h : min	4:30 h : min	11:00 h : min	13:00 h : min	4:00 h : min	5:30 h : min	4:30 h : min	11:00 h : min	21:30 h : min	5:00 h : min

Black: 1-LED-21F-V304



WIDE ANGLE REAR LED LIGHTS

[CLICK HERE TO VISIT REAR LEDS WEB PAGE](#)



New lens technology provides
up to 270° of visibility.



Strip Drive Pro
300 LUMENS



Strip Drive
150 LUMENS



KTV Pro 75*
75 LUMENS



Femto USB Rear
5 LUMENS

KTV Rear
10 LUMENS

**Same for KTV Smart Connect*

GENERAL INQUIRIES

Email: info@lezyne.com

USA HQ: +1.805.548.8780

INTERNATIONAL SALES

Email: sales@lezyne.com

USA SALES

Email: usa-sales@lezyne.com

WARRANTY

Email: warranty@lezyne.com

MARKETING

Email: marketing@lezyne.com

USA HEADQUARTERS

Lezyne USA, Inc.

645 Tank Farm Road, Unit F.

San Luis Obispo, CA 93401

United States of America

TAIWAN FACTORY

Lezyne USA, Inc. Taiwan Branch

No. 162 Shigu Ln. Guozhong Rd.

Dali District, Taichung City 421

Taiwan R.O.C.

2018-2020 © LEZYNE USA, INC

All rights reserved. Lezyne is a trademark of Lezyne USA, Inc. and is registered both in the United States and internationally.

Lezyne holds the rights to all of the material within this catalog. Any unauthorized use is expressly prohibited and will be prosecuted to the fullest extent of the law.

LEZYNE™
ENGINEERED DESIGN