

東莞永力電業有限公司

YUNG LI CO., LTD

Da Pu Industrial Zone, Gang Zi, Changping Town,
Dong Guan City, Guangdong 523571 China.P.R.C

TEL:0769-83396797~8

FAX:0769-83396796

E-mail: sales@yung-li.com

Description: YP-32/YC-12

Customer: SIGNAL+POWER

Parts No. : P-06B-MON




Draw No. :

REVISION RECORD

| | | |
|---|--|--|
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |

| YUNG LI | |
|---------|-------------|
| CHECKED | PREPARED BY |
| | |

| CUSTOMER | APPROVED |
|----------|----------|
| | |



The Back Marking





YUNG LI
YP-32
10A 250V~

| NO. | SPECIFICATION | QTY | REMARK |
|-----|-----------------------------|--------|--------|
| 1 | SVT 18/3C 105°C BLACK | 1PC | |
| 2 | YP-32 PVC PLASTIC:50P BLACK | 15g/PC | |
| 3 | TER:98672BS-1 | 3PCS | |
| 4 | INNER BODY: 2X4 | 1PC | |
| 5 | TER:97740 | 3PCS | |
| 6 | YC-12 INNER BODY | 1PC | |
| 7 | YC-12 PVC PLASTIC:50P BLACK | 18g/PC | |
| 8 | MINI TIE BLACK | 1PC | |

| Tolerance >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1° | Approved | Date | SIGNAL+POWER | | | | |
|---|----------------|------|--------------|-----------|---------|------|----|
| | Checked | | Date | | | | |
| Drawn | SUKI | Date | 22.07.20 | Customer | | | |
| Cat. No. | UL YP-32/YC-12 | | P/N. | P-06B-MON | | | |
| Drawing No. | CY-U0227-01 | Rev. | B | Material | P. V. C | Unit | mm |
| | | | | Scale | | | |







IEC 60320 C14



| | | | | | | | | |
|--|-------------|------------|------|-------|------------------|---------|------|----|
| TOLERANCE >0 ± 0.30 >1.0 ± 0.50 >10.0 ± 1.0 >20.0 ± 2.0 Angle: ±1° | APPROVED | | DATE | | YUNG LI CO., LTD | | | |
| | CHECKED | | DATE | | | | | |
| | DRAWN | | DATE | | CUSTOMER | | | |
| | TYPE | YP-32 | | | P/N | | | |
| | DRAWING NO. | CY-P32U10A | REV | B | MATERIAL | P. V. C | UNIT | mm |
| | | | | SCALE | 1:1 | | | |



IEC 60320 C13



| | | | | | | | | |
|--|----------|-------|------|-------|------------------|------|----|--|
| TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1° | APPROVED | | DATE | | YUNG LI CO., LTD | | | |
| | CHECKED | | DATE | | | | | |
| | DRAWN | | DATE | | | | | |
| | TYPE | YC-12 | | | P/N | | | |
| DRAWING NO. | | REV | B | SCALE | 1:1 | UNIT | mm | |

YUNG LI CO., LTD

SPECIFICATION

| | | | |
|-----------|-------|----------------------|-------------|
| Yung-Li | Style | PVC FLEXIBLE CORDS | Document No |
| 2007.8.10 | | | |
| Edition | Size | SVT 18/ 3C 60 | Page |
| A | | | 1/2 |

1. Standard : UL 62 UL 1581

2. Construction & Dimension

| | Item | Specification |
|---------------|--------------------------------|----------------------|
| Conductor | Size | 18AWG x 3C |
| | Material | Annealed Bare Copper |
| | Construction | 41/ 0.16±0.002 |
| Insulation | Material | P.V.C. |
| | Minimum Average Thickness | 0.38mm |
| | Minimum Thickness at any point | 0.33mm |
| | Diameter | 2.1 ± 0.1 |
| | Identification | Black, Green, White |
| Core Assembly | Core Twist | 3-Core |
| | Filler | Cotton 6000D |
| | Assembly Pair | NA |
| Taping | Mylar Foil | NA |
| Shielded | A1-Mylar Foil | NA |
| Drain Wire | Material | NA |
| | Construction | NA |
| Jacket | Material | PVC |
| | Minimum Average Thickness | 0.76mm |
| | Minimum Thickness at any point | 0.61mm |
| | Overall Diameter(Approx) | 6.3 ± 0.15 |
| | Color | Any Color |

Marking :

YUNG LI (UL) E241374 SVT 3/C 18AWG(0.824mm²) 60 300V
 VW-1 CSA 177323 SVT 3/C 18AWG(0.824mm²) 60 300V FT-2


YUNG LI CO., LTD

SPECIFICATION

| | | | |
|-----------|-------|----------------------|-------------|
| Yung-Li | Style | PVC FLEXIBLE CORDS | Document No |
| 2007.8.10 | | | |
| Edition | Size | SVT 18/ 3C 60 | Page |
| A | | | 2/2 |

| 3. Electrical & Physical Properties | | | |
|-------------------------------------|--------|-------------------------|--------------------------|
| Item | | Specification | |
| Rating Voltage | | 300V | |
| Insulation Resistance | | 0.76MΩ/Km 15.0 Min | |
| Dielectric Strength | | AC 1.5KV/1 min No Crack | |
| Spark Test | | 3.0KV/0.15 Sec | |
| Insulation | Unaged | Tensile Strength | 1500 lbs/in2 min |
| | | Elongation | 100% Min |
| | Aged | Tensile Strength | Min 85% (100±1 x 168hrs) |
| | | Elongation | Min 65% (100±1 x 168hrs) |
| Jacket | Unaged | Tensile Strength | 1500 lbs/in2 min |
| | | Elongation | 100% Min |
| | Aged | Tensile Strength | Min 85% (100±1 x 168hrs) |
| | | Elongation | Min 45% (100±1 x 168hrs) |
| Deformation Test | | 121 ±1 m X 1hr 50% | |
| Cold Bend Test | | -20 x 4hr No Crack | |
| Heat Shock Test | | 121 ±1 x 1hr No Crack | |
| Flame Test | | VW-1 | |

Graph:





ELBZ7.E152635

Cord Sets and Power-supply Cords Certified for Canada

Page Bottom

Cord Sets and Power-supply Cords Certified for Canada

[See General Information for Cord Sets and Power-supply Cords Certified for Canada](#)

YUNG LI CO LTD

1ST FL

10 LANE 235 PAO-CHIAO RD

HSIN-TIEN, TAIPEI HSIEN 231 TAIWAN

E152635

Power-supply cords

| Cat. No. | ANSI /NEMA WD6 Config | Cord AWG | Cord Type | Electrical Rating Amps V |
|----------|--------------------------|-------------|---|--------------------------------|
| YP-11 | 1-15 | 18/2 | SPT-1, SPT-1W, NISPT-1, SPT-2, SPT-2W, NISPT-2, SPT-3, HPN, SVT, SVTO, SJT, SJTW, SJTO, SJTOW, SV, SVO, SJ, SJO, SJOW, SJOOW | 10/125 |
| | | 17/2 | SVT, SVTO, SV, SVO, SJ, SJO, SJOW, SJOOW | 12/125 |
| | | 16/2 | SPT-2, SPT-2W, NISPT-2, SPT-3, SVT, SVTO, SJT, SJTW, SJTO, SJTOW, SV, SVO, SJ, SJO, SJOW, SJOOW | 13/125 |
| | | 16/2 | HPN | 15/125 |
| | | 14/2 | SPT-3, SJT, SJTW, SJTO, SJTOW, SJ, SJO, SJOW, SJOOW | 15/125 |
| YP-11W | 1-15P | 18/2 | SPT-1, SPT-1W, NISPT-1, SPT-2, SPT-2W, NISPT-2, SPT-3, HPN, SVT, SVTO, SJT, SJTW, , SJTO, SJTOW, SV, SVO, SJ, SJO, SJOW, SJOOW | 10/125 |
| | | 17/2 | SVT, SVTO, SV, SVO, SJ, SJO, SJOW, SJOOW | 12/125 |
| | | 16/2 | SPT-2, SPT-2W, NISPT-2, SPT-3, SVT, SVTO, SJT, SJTW, SJTO, SJTOW, SV, SVO, SJ, SJO, SJOW, SJOOW | 13/125 |
| | | 16/2 | HPN | 15/125 |
| | | 14/2 | SPT-3, SJT, SJTW, SJTO, SJTOW, SJ, SJO, SJOW, SJOOW | 15/125 |
| YP-11C | 1-15 | 18/2 | NISPT-1, NISPT-2 | 10/125 |
| YP-12 | 5-15 | 18/3 | SVT, SVT Shielded, SVTO, SJT, SJT Shielded, SJTW, SJTW Shielded, SJTO, SJTO Shielded, SJTOW, SJTOW Shielded, ST, ST Shielded, STW, STW Shielded, STOW, STOW Shielded, SV, SVO, SJ, SJ Shielded, SJO, SJO Shielded, SJOOW, SJOOW Shielded, SJOW, SJOW Shielded, SJOOW, SJOOW Shielded, S, SO, SO Shielded, SOO, SOO Shielded, SOW, SOW Shielded, SOOW, SOOW Shielded, SPT-2, SPT-3 | 10/125 |
| | | 17/3 | SVT, SVTO, SV, SVO | 12/125 |
| | | 16/3 | SVT, SVT Shielded, SVTO, SJT, SJT Shielded, SJTW, SJTW Shielded, SJTO, SJTO Shielded, SJTOW, SJTOW Shielded, ST, ST Shielded, STW, STW Shielded, STOW, STOW Shielded, SV, SVO, SJ, SJ Shielded, SJO, SJO Shielded, SJOOW, SJOOW Shielded, SJOW, SJOW Shielded, SJOOW, SJOOW Shielded, S, | 13/125 |

| | | | | |
|---------------|---------|------|--|---------------|
| | | 16/3 | SJT, SJTW | 13/125 |
| YL-921B | 1-15 | 18/2 | SPT-1, SPT-2, NISPT-1, NISPT-2, SVT, SJT, SJTW, SJTO, SJTOW, SJ, SJO, SJOW, SJOOW | 10/125 |
| | | 16/2 | SPT-2, NISPT-2, SVT, SJT, SJTW, SJTO, SJTOW, SJ, SJO, SJOW, SJOOW | 13/125 |
| YP-19L | 6-15 | 18/3 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW | 10/250 |
| | | 16/3 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW | 13/250 |
| | | 14/3 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW, SPT-3 | 15/250 |
| | | 12/3 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW, SPT-3 | 15/250 |
| YP-31 | IEC C8 | 18/2 | SVT, SVTO, SJT, SJTW, SJTO, SJTOW, SV, SVO, SJ, SJO, SJOW, SJOOW, SPT-1, SPT-1W, SPT-2, SPT-2W, NISPT-1, NISPT-2 | 10/125 or 250 |
| YP-32, YP-32L | IEC C14 | 18/3 | SVT, SVT Shielded, SJT, SJTW, SJT Shielded, SJTW Shielded, SJTO, SJTO Shielded, SJTOW, SJTOW Shielded, ST, ST Shielded, STW, STW Shielded, STOW, STOW Shielded, SJ, SJ Shielded, SJO, SJO Shielded, SJOO, SJOO Shielded, SJOW, SJOW Shielded, SJOOW, SJOOW Shielded, SO, SO Shielded, SOO, SOO Shielded, SOW, SOW Shielded, SOOW, SOOW Shielded | 10/250 |
| | | 16/3 | SJT, SJT Shielded, SJTW, SJTW Shielded, SJTO, SJTO Shielded, SJTOW, SJTOW Shielded, ST, ST Shielded, STW, STW Shielded, STOW, STOW Shielded, SJ, SJ Shielded, SJO, SJO Shielded, SJOO, SJOO Shielded, SJOW, SJOW Shielded, SJOOW, SJOOW Shielded, SO, SO Shielded, SOO, SOO Shielded, SOW, SOW Shielded, SOOW, SOOW Shielded | 13/250 |
| | | 14/3 | SJT, SJT Shielded, SJTW, SJTW Shielded, SJTO, SJTO Shielded, SJTOW, SJTOW Shielded, ST, ST Shielded, STW, STW Shielded, STOW, STOW Shielded, SJ, SJ Shielded, SJO, SJO Shielded, SJOO, SJOO Shielded, SJOW, SJOW Shielded, SJOOW, SJOOW Shielded, SO, SO Shielded, SOO, SOO Shielded, SOW, SOW Shielded, SOOW, SOOW Shielded | 15/250 |
| YP-12D | 5-15 | 18/3 | SVT, SJT, SJT Shielded, SJTW, SJTO, SJTOW | 10/125 |
| | | 16/3 | SVT, SJT, SJT Shielded, SJTW, SJTO, SJTOW | 13/125 |
| | | 14/3 | SVT, SJT, SJT Shielded, SJTW, SJTO, SJTOW | 15/125 |
| YP-32A | IEC C14 | 18/3 | SVT, SJT, SJT Shielded, SJTW, SJTO, SJTOW | 10/250 |
| | | 16/3 | SVT, SJT, SJT Shielded, SJTW, SJTO, SJTOW | 13/250 |
| | | 14/3 | SVT, SJT, SJT Shielded, SJTW, SJTO, SJTOW | 15/250 |
| YP-33 | IEC C20 | 18/3 | SJT, SJT shielded, SJTW, SJTW shielded, SJTO, SJTO shielded, SJTOO, SJTOO shielded, SJTOW, SJTOW shielded, SJTOOW, SJTOOW shielded, SJ, SJ shielded, SJO, SJO shielded, SJOO, SJOO shielded, SJOW, SJOW shielded, SJOOW, SJOOW shielded, ST, ST shielded, STW, STW shielded, STOW, STOW shielded, STOOW, STOOW shielded, S, SO, SO shielded, SOW, SOW shielded, SOO, SOO shielded, SOOW, SOOW shielded | 10/250 |
| | | 16/3 | SJT, SJT shielded, SJTW, SJTW shielded, SJTO, SJTO shielded, SJTOO, SJTOO shielded, SJTOW, SJTOW shielded, SJTOOW, SJTOOW shielded, SJ, SJ shielded, SJO, SJO shielded, SJOO, SJOO shielded, SJOW, SJOW shielded, SJOOW, SJOOW shielded, ST, ST shielded, STW, STW shielded, STOW, STOW | 13/250 |

| | | | | |
|---------|---------|------|--|---------------|
| | | | SO, SOW, SOOW | |
| | | 16 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SJ, SJO, SJOW, SJOOW, S, SO, SOW, SOOW | 13/250 |
| | | 14 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SJ, SJO, SJOW, SJOOW, S, SO, SOW, SOOW | 15/250 |
| | | 12 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SJ, SJO, SJOW, SJOOW, S, SO, SOW, SOOW | 15/250 |
| YP-16HL | 6-20 | 18 | SJT, SJT SHIELDED, SJTW, SJTW SHIELDED, SJTO, SJTOW, ST, STW, STOW, SJ, SJO, SJOW, SJOOW, S, SO, SOW, SOOW | 10/250 |
| | | 16 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW | 13/250 |
| | | 14 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW | 15/250 |
| | | 12 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW | 20/250 |
| YP-17HL | 5-20 | 18 | SJT, SJT SHIELDED, SJTW, SJTW SHIELDED, SJTO, SJTOW, ST, STW, STOW, SJ, SJO, SJOW, SJOOW, S, SO, SOW, SOOW | 10/125 |
| | | 16 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW | 13/125 |
| | | 14 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW | 15/125 |
| | | 12 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW | 20/125 |
| YP-19HL | 6-20 | 18 | SJT, SJT SHIELDED, SJTW, SJTW SHIELDED, SJTO, SJTOW, ST, STW, STOW, SJ, SJO, SJOW, SJOOW, S, SO, SOW, SOOW | 10/250 |
| | | 16 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW | 13/250 |
| | | 14 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW | 15/250 |
| | | 12 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW | 15/250 |
| YP-32B | IEC C14 | 18/3 | SVT, SJT, SJT SHIELDED, SJTW, SJTO, SJTOW | 10/125 or 250 |
| | | 16/3 | SJT, SJT SHIELDED, SJTW, SJTO, SJTOW | 13/125 or 250 |
| | | 14/3 | SJT, SJT SHIELDED, SJTW, SJTO, SJTOW | 15/125 or 250 |
| YP-32BL | IEC C14 | 18/3 | SVT, SJT, SJT SHIELDED, SJTW, SJTO, SJTOW | 10/125 or 250 |
| | | 16/3 | SJT, SJT SHIELDED, SJTW, SJTO, SJTOW | 13/125 or 250 |
| | | 14/3 | SJT, SJT SHIELDED, SJTW, SJTO, SJTOW | 15/125 or 250 |
| YP-33AL | IEC C20 | 16/3 | SJT, SJT SHIEDLED, SJTW, SJTO, SJTOW | 13/125 or 250 |
| | | 14/3 | SJT, SJT SHIEDLED, SJTW, SJTO, SJTOW | 15/125 or 250 |
| | | 12/3 | SJT, SJT SHIEDLED, SJTW, SJTO, SJTOW | 20/125 or 250 |

Special-use cord sets

| Cat. No. | IEC 320 Config | Cord AWG | Cord Type | Electrical Rating Amps V |
|----------|----------------|----------|---|--------------------------|
| YC-11 | IEC C17 | 18 | SPT-1, SPT-2, NISPT-1, NISPT-2, SPT-3, SVT, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW | 125/250 |
| | | 16 | SPT-2, NISPT-2, SPT-3, SVT, SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW | 125/250 |

| | | | | |
|---|---------|----|---|-----------------|
| YC-12, YC-12L, YC-12L-1, YC-12L-2, YC-12L-3 | IEC C13 | 18 | SVT, SVT Shielded, SJT, SJT Shielded, SJTW, SJTW Shielded, SJTO, SJTO Shielded, SJTOW, SJTOW Shielded, SJ, SJ Shielded, SJO, SJO Shielded, SJOO, SJOO Shielded, SJOW, SJOW Shielded, SJOOW, SJOOW Shielded, ST, ST Shielded, STW, STW Shielded, STOW, STOW Shielded, SO, SO Shielded, SOO, SOO Shielded, SOW, SOW Shielded, SOOW, SOOW Shielded, SPT-2, SPT-3 | 10/125 or 250 |
| | | 16 | SJT, SJT Shielded, SJTW, SJTW Shielded, SJTO, SJTO Shielded, SJTOW, SJTOW Shielded, ST, ST Shielded, STW, STW Shielded, STOW, STOW Shielded, SJ, SJ Shielded, SJO, SJO Shielded, SJOO, SJOO Shielded, SJOW, SJOW Shielded, SJOOW, SJOOW Shielded, SO, SO Shielded, SOO, SOO Shielded, SOW, SOW Shielded, SOOW, SOOW Shielded, SPT-3 | 13/125 or 250 |
| | | 14 | SJT, SJT Shielded, SJTW, SJTW Shielded, SJTO, SJTO Shielded, SJTOW, SJTOW Shielded, ST, ST Shielded, STW, STW Shielded, STOW, STOW Shielded, SJ, SJ Shielded, SJO, SJO Shielded, SJOO, SJOO Shielded, SJOW, SJOW Shielded, SJOOW, SJOOW Shielded, SO, SO Shielded, SOO, SOO Shielded, SOW, SOW Shielded, SOOW, SOOW Shielded, SPT-3 | 15/125 or 250 |
| | | 12 | SJT, SJT Shielded, SJTW, SJTW Shielded, SJTO, SJTO Shielded, SJTOW, SJTOW Shielded, ST, ST Shielded, STW, STW Shielded, STOW, STOW Shielded, SJ, SJ Shielded, SJO, SJO Shielded, SJOO, SJOO Shielded, SJOW, SJOW Shielded, SJOOW, SJOOW Shielded, SO, SO Shielded, SOO, SOO Shielded, SOW, SOW Shielded, SOOW, SOOW Shielded | 15/125 or 250 |
| YC-12 (A.C.1) | IEC C13 | 12 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW, SPT-3 | 125/250 |
| | | 10 | SJT, SJTW, SJTO, SJTOW, ST, STW, STOW, SO, SOW, SOOW | 125/250 |
| YC-12C | IEC C13 | 18 | NISPT-2 | 125/250 |
| | | 16 | NISPT-2 | 125/250 |
| YC-13 | IEC C7 | 18 | SPT-1, SPT-1W, SPT-2, SPT-2W, NISPT-2, SVT, SJT NISPT-1 | 125 |
| YC-13W | IEC C7P | 18 | SPT-1, SPT-1W, SPT-2, SPT-2W, NISPT-2 | 125 |
| YC-14 | IEC C5 | 18 | SVT, SVT Shielded, SVTO, SJT, SJT Shielded, SJTW, SJTW Shielded, SJTO, SJTOW, SV, SVO, SJ, SJO, SJOW, SJOOW SPT-2 | 10/125 or 250 |
| YC-13L | IEC C7 | 18 | SPT-1, SPT-1W, SPT-2, SPT-2W | 125 |
| YC-13D | IEC C7 | 18 | SPT-1, SPT-1W, SPT-2, SPT-2W, NISPT-1, NISPT-2, SJT, SVT | 125 |
| YC-13C | IEC C7 | 18 | NISPT-1, NISPT-2 | 125 |
| YC-14L, YC-14L-1, YC-14L-2, YC-14L-3 | IEC C5 | 18 | SVT, SJT, SPT-2 | 15 |
| YC-18 | IEC C19 | 16 | SJT, SJTW, SJTO, SJTOW, SJTOOW, SJ, SJO, SJOO, SJOW, SJOOW, ST, STW, STOW, STOOW, S, SO, SOW, SOO, SOOW, SPT-3 | 125 or 250 |
| | | 14 | SJT, SJTW, SJTO, SJTOW, SJTOOW, SJ, SJO, SJOO, SJOW, SJOOW, ST, STW, STOW, STOOW, S, SO, SOW, SOO, SOOW, SPT-3 | 125 or 250 |
| | | 12 | SJT, SJTW, SJTO, SJTOW, SJTOOW, SJ, SJO, SJOO, SJOW, SJOOW, ST, STW, STOW, STOOW, S, SO, SOW, SOO, SOOW, SPT-3 | 125 or 250 V ac |
| YC-18L | IEC C19 | 16 | SJT, SJTW, SJTO, SJTOW, SJTOOW, SJ, SJO, SJOO, SJOW, SJOOW, ST, STW, STOW, STOOW, S, SO, SOW, SOO, SOOW, SPT-3 | 125 or 250 V ac |
| | | 14 | SJT, SJTW, SJTO, SJTOW, SJTOOW, SJ, SJO, SJOO, SJOW, SJOOW, ST, STW, STOW, STOOW, S, SO, SOW, SOO, SOOW, | 125 or 250 V ac |

**ZJCZ.E241374**
Flexible Cord[Page Bottom](#)

Flexible Cord[See General Information for Flexible Cord](#)**YUNG LI CO LTD**

E241374

1ST FL

10 LANE 235 PAO-CHIAO RD

HSIN-TIEN, TAIPEI HSIEN 231 TAIWAN

Jacketed cords, Type SJTW, STW, SJTO, SJTOW, STO, STOW, SJ, S, SJO, SO, SVT, SVTO, SJT, ST, SJOW, SJOOW, SOW, SOOW, SJOO, SOO.

Parallel cords, Type SPT-1, SPT-2, SPT-3, SPT-1W, SPT-2W, NISPT-1, NISPT-2.

Rang and dryer cord, Type SRDT.

[Last Updated on 2007-02-12](#)

[Questions?](#)[Notice of Disclaimer](#)[Page Top](#)[Copyright © 2007 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2007 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.



Certificate of Compliance

Certificate: 1594794 (LL 76398)

Master Contract: 177323

Project: 2128031

Date Issued: 2009/03/03

Issued to: Yung Li Company Ltd.
1F No 10 Lane 235 Pao Chiao Rd
Hsin Tien City
Taipei Hsien,
Taiwan
Attention: Mr. W.T. Lai

The products listed below are eligible to bear the CSA Mark shown



Issued by: Kim Nguyen, P. Eng.

Authorized by: Nick Alfano, Operations
Manager

PRODUCTS

CLASS 5831 01 - WIRES - Flexible Cord

Types SPT-1, NISPT-1, SPT-2, NISPT-2, SPT-3, SVT, SVTO, SJT, SJTW, SJTO, SJTOW, ST, STW, STO, STOW with PVC insulation and jacket, rated 60C, 75C, 90C and 105C, FT1, FT2, VW-1.

APPLICABLE REQUIREMENTS

CSA C22.2 No 49 - Flexible Cords and Cables



CSA INTERNATIONAL

Supplement to Certificate of Compliance

Certificate: 1594794

Master Contract: 177323

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

| Project | Date | Description |
|----------------|-------------|---|
| 2128031 | 2009/03/03 | Adding temperature ratings of 75C and 90C to Types SPT-1,-2,-3, NISPT-1,-2, SVT, SJT, SJTW, ST and STW. |
| 1929621 | 2007/10/17 | Types SJTO, SJTOW, STO, STOW, SVTO added. |
| 1625068 | 2005/01/10 | Addition of Flexible cords Types SJTW, STW rated 60C, 105C |
| 1594794 | 2004/10/14 | Original Certification: Flexible Cords SPT-1, -2, -3, NISPT-1, -2, SVT, SJT, ST |