

# 東莞永力電業有限公司

YUNG LI CO., LTD

Da Pu Industrial Zone, Gang Zi, Changping Town,  
Dong Guan City, Guangdong 523571 China.P.R.C

TEL:0769-83396797~8

FAX:0769-83396796

E-mail: sales@yung-li.com

**Description :** YP-35/YC-14

**Customer :** SIGNAL+POWER

**Parts No. :** P-06BM-AUSI


**Draw No. :**

## REVISION RECORD





1		
2		
3		
4		
5		

YUNG LI	
CHECKED	PREPARED BY

CUSTOMER APPROVED	
CHECKED	PREPARED BY






N18720



NO.	SPECIFICATION	QTY	REMARK
1	YP-35 PVC PLASTIC:50P BLACK	32g/PC	
2	YP-35 INNER BODY	1PC	
3	TER:P97658BS-1	2PCS	
4	TER:98658BS-1	1PC	
5	SLEEVE:3PIN WHITE	1PC	
6	H05VV-F 0.75/3G BLACK	1PC	
7	YC-14 PVC PLASTIC:50P BLACK	18g/PC	
8	TER:98732PS-0	1PC	
9	TER:98714PS-0	2PCS	
10	YC-14 H. S. G BLACK	1PC	
11	MINI TIE:L=130mm BLACK	1PC	

Tolerance >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	Approved	Date		<b>SIGNAL+POWER</b>				
	Checked	Date						
	Drawn	SUKI	Date	24.03.05	Customer			
	Cat. No.	YP-35/YC-14			P/N.	P-06BM-AUSI		
	Drawing No.	CY-S0341-01	Rev.	B	Material	P. V. C	Unit	mm
				Scale				





NSW17967



TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED		DATE		YUNG LI CO., LTD.			
	CHECKED		DATE					
	DRAWN	Melon	DATE	18.06.29				
	TYPE	YP-35			P/N			
					MATERIAL	P.V.C	UNIT	mm
	DRAWING NO				SCALE	1:1		



N18720



TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED		DATE		YUNG LI CO., LTD.			
	CHECKED		DATE					
	DRAWN		DATE					
	TYPE	YC-14 (CE)			P/N			
DRAWING NO				MATERIAL	P.V.C	UNIT	mm	
				SCALE	1:1			

# YUNG LI CO., LTD










## SPECIFICATION

Yung Li	Style	PVC FLEXIBLE CORDS	Document No
2019.04.23			
Edition	Size	<b>H05VV-F 3G 0.75mm<sup>2</sup></b>	Page
A			1/2

1. Standard: IEC 227 IEC228  
 2. Construction & Dimension

	Item	Specification
Conductor	Size	3G 0.75mm <sup>2</sup>
	Material	Annealed Bare Copper
	Construction	24/ § 0.2±0.008
Insulation	Material	PVC
	Minimum Average Thickness	0.60mm
	Minimum Thickness at any point	0.44mm
	Diameter	2.35 ± 0.10
	Identification	Blue,Brown,Green/Yellow
Core Assembly	Core Twist	3-Core
	Filler	NA
	Assembly Pair	NA
Taping	Mylar Foil	NA
Shielded	A1-Mylar Foil	NA
Drain	Material	NA
	Construction	NA
Jacket	Material	PVC
	Minimum Average Thickness	0.8mm
	Minimum Thickness at any point	0.58mm
	Overall Diameter(Approx)	6.7 ± 0.2
	Color	Any Color

### Marking:

Yung Li Co., Ltd. H05VV-F 3G 0.75mm<sup>2</sup> <VDE> NF-USE 1347  KEMA-KEUR  CEBEC <ÖVE>  
     IEMMEQU SAA-190646-EA  A004049 60227 IEC 53(RVV) 300/500V  SU01027-4002

# YUNG LI CO., LTD


## SPECIFICATION

Yung Li	Style	PVC FLEXIBLE CORDS	Document No
2019.04.23			
Edition	Size	<b>H05VV-F 3G 0.75mm<sup>2</sup></b>	Page
A			2/2

### 4. Electrical & Physical Properties

Item	Specification		
Rating Voltage	70°C 300/500V		
Conductor resistance(AT 20°C)	26.0Ω/Km MAX		
Insulation Resistance(AT 70°C)	0.011MΩ/Km Min		
Dielectric Strength	AC 2.0 KV / 15 min No Break		
Spark Test	6.0KV		
Insulation	Unaged	Tensile Strength	1.02 kgf/mm <sup>2</sup> min
		Elongation	150% Min
	Aged	Tensile Strength	80~120% (80°C x168hrs)
		Elongation	80~120% (80°C x168hrs)
	Loss of mass Test		2.0mg/cm <sup>2</sup> (max)
	Jacket	Unaged	Tensile Strength
Elongation			150% Min
Aged		Tensile Strength	80~120% (80°C x168hrs)
		Elongation	80~120% (80°C x168hrs)
Loss of mass Test		2.0mg/cm <sup>2</sup> (max)	
Deformation Test		70±2°C X 4hr ≤ 50%	
Cold Bend Test		-15°C x 1hr No Crack	
Heat Shock Test		150±2°C x 1hr No Crack	

### Graph:



# CERTIFICATE OF APPROVAL

ISSUED PURSUANT TO SECTION 21C OF THE ELECTRICITY SAFETY ACT 1945

**ISSUED TO:**

Yung Li Co Ltd

**CLASS OF ARTICLE:**

Plug

**DESCRIPTION OF ARTICLE:**

**Plug (Insulated Pin)**

[Non-rewirable, three-pin, flat-pin (two-insulated live pins), black thermoplastic moulded plug with a white thermoplastic insert, integrally moulded to any <HAR> certified H05VV-F 3G0.75mm<sup>2</sup>, or Australian approved three-core, 0.75mm<sup>2</sup>, PVC insulated and sheathed, ordinary duty circular flexible cord] 250V, 10A

**EXAMINED FOR COMPLIANCE WITH:** AS/NZS 3112 : 2000

**TYPE REFERENCE CODE:** Type No. YP-35

**APPROVAL MARK:**

Each electrical article of the abovementioned type shall be marked with Approval Number N17967 or N14876

**DATE OF APPROVAL:** 25 September 2001

This approval expires 25 September 2006 unless suspended, cancelled, renewed or extended.

for **DIRECTOR-GENERAL**



DEPARTMENT OF **FAIR TRADING**  
NSW Consumer Protection Agency

**ADDENDUM TO CERTIFICATE OF APPROVAL No 17967**

**Particulars of Modification(s)**

1. **Original Type No. YP-35 alternatively moulded to any of the following <HAR> certified or equivalent Australian approved flexible cords:-**
  - (a) H05VV-F 3G1.00mm<sup>2</sup>.
  - (b) H05VV-F 2X0.75mm<sup>2</sup>.
  - (c) H05VV-F 2X1.00mm<sup>2</sup>.
  - (d) H03VV-F 3G0.75mm<sup>2</sup>.
  - (e) H03VV-F 2X0.75mm<sup>2</sup>.
  - (f) H05VVH2-F 2X1.00mm<sup>2</sup>
  - (g) H05VVH2-F 2X0.75mm<sup>2</sup>
  
2. **Type YP-36 being similar to original Type No. YP-35 except two-pin in lieu of three-pin, and alternatively moulded to any of the following <HAR> certified or Australian approved flexible cords:-**
  - (a) H03VVH2-F 2X0.75mm<sup>2</sup>.
  - (b) H05VVH2-F 2X0.75mm<sup>2</sup>.
  - (c) H05VVH2-F 2X1.00mm<sup>2</sup>.
  - (d) H03VV-F 2X0.75mm<sup>2</sup>.
  - (e) H05VV-F 2X0.75mm<sup>2</sup>.
  - (f) H05VV-F 2X1.00mm<sup>2</sup>.

Approved: 25 September 2001



for DIRECTOR-GENERAL





**OFFICE OF FAIR TRADING**

*NSW Consumer Protection Agency*  
Department of Commerce


**ADDENDUM TO CERTIFICATE OF APPROVAL No 17967**

**Particulars of Modification(s)**

**Model No. YP-36 to use the alternative approval mark N15572.**

**Approved: 03 March 2005**

**for Commissioner**



Ref: 17967/3

**ADDENDUM TO CERTIFICATE OF APPROVAL 17967**

**Particulars of Modification(s)**

- (a) **Original Type No. YP-35 alternatively moulded to a 'Yung Li' Type H05VV-F 3G1.5mm<sup>2</sup> flexible cord (Q04083).**
- (b) **General Modification:  
Plugs now comply with AS/NZS3112 : 2004.**

Approved: 01 May 2006



for Commissioner for Fair Trading

Ref: 17967/5

## ADDENDUM TO CERTIFICATE OF APPROVAL 17967

## Particulars of Modification(s)

1. Type YP-35 alternatively moulded to any <HAR> certified H05RR-F 3G1.00mm<sup>2</sup> or equivalent Australian approved flexible cord.
2. Type YP-39 being similar to Type YP-35 except :-
  - (a) Having 15A in lieu of 10A construction.
  - (b) Marked 15A in lieu of 10A.
  - (c) Alternatively moulded to any <HAR> certified H05VV-F 3G1.5mm<sup>2</sup> or H05RR-F 3G1.5mm<sup>2</sup> or equivalent Australian approved flexible cords.
3. General Modification.  
Plugs now comply with AS/NZS3112:2001 A1

Approved: 10 May 2007



for Commissioner for Fair Trading



Fair  
Trading

Ref: NSW17967/8

FILE COPY

## ADDENDUM TO CERTIFICATE OF APPROVAL: NSW17967 Particulars of Modification(s)

Model No. YP-35 is alternatively moulded to any <HAR> certified H05RN-F 3G0.75/1.0mm<sup>2</sup> or equivalent Australian approved flexible cord. Plug enclosure and pin supporter can be of any colour;

Model No. YP-35L is identical to YP-35 except for cord connection of side-entry type in lieu of straight-entry. It can be moulded to any <HAR> certified H05RN-F 3G0.75/1.0mm<sup>2</sup>, or H05RR-F 3G0.75/1.0/1.5mm<sup>2</sup>, or H05VV-F 3G0.75/1.0/1.5mm<sup>2</sup>, or equivalent Australian approved flexible cord. Plug enclosure and pin supporter can be of any colour;

Model No. YP-36 is alternatively moulded to any <HAR> certified H05RN-F 2x0.75/1.0mm<sup>2</sup> or equivalent Australian approved flexible cord. Plug enclosure and pin supporter can be of any colour;

Model No. YP-39 is alternatively moulded to any <HAR> certified H05RN-F 3G0.75/1.0mm<sup>2</sup>, or H05VV-F 3G2.5mm<sup>2</sup>, or equivalent Australian approved flexible cord. Plug enclosure and pin supporter can be of any colour.

This certificate will expire on 25/09/2016

Approved: 17 July 2013



18/7/2013

For Commissioner for Fair Trading



Fair  
Trading

Ref: NSW17967/13

## ADDENDUM TO CERTIFICATE OF APPROVAL: NSW17967 Particulars of Modification(s)

Model No. YP-35 is alternatively moulded to any <HAR> certified H05Z1Z1-F 3G0.75/1.0/1.5mm<sup>2</sup> or equivalent Australian approved flexible cord.

General modification:

- 1) Certificate now complies with AS/NZS 3112: 2017+A1:2021 and AS/NZS 3100:2017+A1:2017+A2:2019+A3:2020.
- 2) Certificate NSW27916 now being added as an alternative cable certificate.

This certificate will expire on 14/04/2026

Approved pursuant to Clause 15 (1) of the Gas and Electricity (Consumer Safety) Regulation 2018:

 14 March 2023

For Secretary, Department of Customer Service

## ZEICHENGENEHMIGUNG MARKS APPROVAL

Yung-Li Co. Ltd.  
DaPu Industrial Zone, GangZi  
ChangPing Town  
523571 DongGuan City  
Guangdong  
China

ist berechtigt, für ihr Produkt /  
*is authorized to use for their product*

**Gerätesteckdose, nicht-wiederanschließbar**  
**Connector, non-rewirable**

die hier abgebildeten markenrechtlich geschützten Zeichen  
für die ab Blatt 2 aufgeführten Typen zu benutzen /  
*the legally protected Marks as shown below for the types referred to on page 2 ff.*



und/oder - and/or



Geprüft und zertifiziert nach /  
*Tested and certified according to*

DIN EN 60320-1 (VDE 0625-1):2021-08; EN 60320-1:2015+AC:2016+AC:2019+A1:2021

Das Produkt erfüllt auch die Anforderungen nach /  
*The product also fulfills the requirements of*

IEC 60320-1:2015

IEC 60320-1:2015/AMD1:2018

Aktenzeichen: 1609800-1550-0006 / 302904

File ref.:

Ausweis-Nr. 40029893

Blatt 1

Certificate No.

Page

Weitere Bedingungen siehe Rückseite und Folgeblätter /  
*further conditions see overleaf and following pages*

Offenbach, 2010-04-21

(letzte Änderung / updated 2023-04-18)

VDE Prüf- und Zertifizierungsinstitut GmbH  
VDE Testing and Certification Institute  
Zertifizierungsstelle / Certification

M. Tasotti

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:  
VDE certificates are valid only when published on:

<http://www.vde.com/zertifikat>  
<http://www.vde.com/certificate>

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung-Li Co. Ltd., DaPu Industrial Zone, GangZi, ChangPing Town, 523571 DONGGUAN CITY, Guangdong, CHINA

Aktenzeichen / *File ref.*

1609800-1550-0006 / 302904 / TL3 / E

letzte Änderung / *updated*

2023-04-18

Datum / *Date*

2010-04-21

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40029893.

*This supplement is only valid in conjunction with page 1 of the Certificate No. 40029893.*

## Gerätesteckdose, nicht-wiederanschließbar *Connector, non-rewirable*

Typ(en) / *Type(s)*

- 1) YC-14
- 2) YC-14L

Bemessungsspannung  
*Rated voltage*

AC 250 V

Bemessungsstrom  
*Rated current*

2,5 A

Polzahl  
*Number of poles*

2-polig mit Schutzkontakt  
*2-pole with earthing contact*

Bauart  
*Kind of construction*

Normblatt C5  
*standard sheet C5*

Ausführung(en)  
*Construction(s)*

zentrale Leitungseinführung  
*straight cable entry*  
Für / *for* 1)

abgewinkelte Leitungseinführung  
*angled cable entry*  
Für / *for* 2)

Anmerkung(en)  
*Remark(s)*

Gerätesteckdosen 2,5 A mit Schutzkontakt müssen Teil einer Geräteanschlußleitung oder einer Weiterverbindungs-Geräteanschlußleitung sein.

*Connectors 2,5 A with earthing contact shall be part of a cord set or interconnection cord set.*

Fortsetzung siehe Blatt 3 /  
*continued on page 3*

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung-Li Co. Ltd., DaPu Industrial Zone, GangZi, ChangPing Town, 523571 DONGGUAN CITY, Guangdong, CHINA

Aktenzeichen / *File ref.*

1609800-1550-0006 / 302904 / TL3 / E

letzte Änderung / *updated*

2023-04-18

Datum / *Date*

2010-04-21

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40029893.

*This supplement is only valid in conjunction with page 1 of the Certificate No. 40029893.*

Warenzeicheninhaber  
*Trademark holder*

Yung-Li Co. Ltd.

Produktinformation  
*Product information*

siehe Anlagen Nr. 300 + 700 + 900 vom 2023-04-18  
*see Appendix No. 300 + 700 + 900 dated 2023-04-18*

Dieser Zeichengenehmigungsausweis bildet eine Grundlage für die EU-Konformitätserklärung und CE-Kennzeichnung durch den Hersteller oder dessen Bevollmächtigten.

*This Marks Approval is a basis for the EU Declaration of Conformity and the CE Marking by the manufacturer or his agent.*



# VDE Prüf- und Zertifizierungsinstitut Zeichengenehmigung

Ausweis-Nr. / Beiblatt /  
Certificate No. Supplement  
40029893

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung-Li Co. Ltd., DaPu Industrial Zone, GangZi, ChangPing Town, 523571 DONGGUAN CITY, Guangdong,  
CHINA

Aktenzeichen / *File ref.*

1609800-1550-0006 / 302904 / TL3 / E

letzte Änderung / *updated*

2023-04-18

Datum / *Date*

2010-04-21

Dieses Beiblatt ist Bestandteil des Zeichengenehmigungsausweises Nr. 40029893.

*This supplement is part of the Certificate No. 40029893.*

## Gerätesteckdose, nicht-wiederanschließbar *Connector, non-rewirable*

Fertigungsstätte(n)

*Place(s) of manufacture*

Referenz/*Reference*  
**30008928**

Yung-Li Co. Ltd.  
DaPu Industrial Zone, GangZi  
ChangPing Town  
523571 DONGGUAN CITY  
Guangdong  
CHINA



Name und Sitz des Genehmigungs-Inhabers / Name and registered seat of the Certificate holder

Yung-Li Co. Ltd., DaPu Industrial Zone, GangZi, ChangPing Town, 523571 DONGGUAN CITY, Guangdong, CHINA

Aktenzeichen / File ref.

1609800-1550-0006 / 302904 / TL3 / E

letzte Änderung / updated

2023-04-18

Datum / Date

2010-04-21

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40029893.

*This supplement is only valid in conjunction with page 1 of the Certificate No. 40029893.*

## **Genehmigung zum Benutzen des auf Seite 1 abgebildeten markenrechtlich geschützten Zeichens des VDE:**

Grundlage für die Benutzung sind die Allgemeinen Geschäftsbedingungen (AGB) der VDE Prüf- und Zertifizierungsinstitut GmbH ([www.vde.com\AGB-Institut](http://www.vde.com\AGB-Institut)). Das Recht zur Benutzung erstreckt sich nur auf die bezeichnete Firma mit den genannten Fertigungsstätten und die oben aufgeführten Produkte mit den zugeordneten Bezeichnungen. Die Fertigungsstätte muss so eingerichtet sein, dass eine gleichmäßige Herstellung der geprüften und zertifizierten Ausführung gewährleistet ist.

Die Genehmigung ist so lange gültig wie die VDE-Bestimmungen gelten, die der Zertifizierung zugrunde gelegen haben, sofern sie nicht auf Grund anderer Bedingungen aus der VDE Prüf- und Zertifizierungsordnung (PM102) zurückgezogen werden muss.

Der Gültigkeitszeitraum einer VDE-GS-Zeichengenehmigung kann auf Antrag verlängert werden. Bei gesetzlichen und / oder normativen Änderungen kann die VDE-GS-Zeichengenehmigung ihre Gültigkeit zu einem früheren als dem angegebenen Datum verlieren.

Produkte, die das Biozid Dimethylfumarat (DMF) enthalten, dürfen gemäß der Kommissionsentscheidung 2009/251/EG nicht mehr in den Verkehr gebracht oder auf dem Markt bereitgestellt werden.

Der VDE-Zeichengenehmigungsausweis wird ausschließlich auf der ersten Seite unterzeichnet.

### **Approval to use the legally protected Mark of the VDE as shown on the first page:**

*Basis for the use are the general terms and conditions of the VDE Testing and Certification Institute ([www.vde.com\terms-institute](http://www.vde.com\terms-institute)). The right to use the mark is granted only to the mentioned company with the named places of manufacture and the listed products with the related type references. The place of manufacture shall be equipped in a way that a constant manufacturing of the certified construction is assured.*

*The approval is valid as long as the VDE specifications are in force, on which the certification is based on, unless it is withdrawn according to the VDE Testing and Certification Procedure (PM102E).*

*The validity period of a VDE-GS-Mark Approval may be prolonged on request. In case of changes in legal and / or normative requirements, the validity period of a VDE-GS-Mark Approval may be shortened.*

*Products containing the biocide dimethylfumarate (DMF) may not be marketed or made available on the EC market according to the Commission Decision 2009/251/EC.*

*The approval is solely signed on the first page.*



# CERTIFICATE OF APPROVAL

ISSUED PURSUANT TO SECTION 21C OF THE ELECTRICITY SAFETY ACT 1945

ISSUED TO:

Yung Li Co Ltd

CLASS OF ARTICLE:

Appliance Connector

DESCRIPTION OF ARTICLE:

Appliance Connector  
(Non-rewirable, thermoplastic moulded, straight-entry, CS appliance connector for cold conditions, for class I equipment, integrally moulded to any <HAR> certified H05VV-F 3G0.75-1mm<sup>2</sup>, or Australian approved three-core 0.75mm<sup>2</sup> or 1.00mm<sup>2</sup>, PVC insulated and sheathed ordinary duty circular flexible cord) 250V, ac, 2.5A

EXAMINED FOR COMPLIANCE WITH: AS/NZS 3109 : 1996 A1

TYPE REFERENCE CODE: Type No. YC-14

APPROVAL MARK:

Each electrical article of the abovementioned type shall be marked with Approval Number N18720

DATE OF APPROVAL: 23 August 2002

This approval expires 23 August 2007 unless suspended, cancelled, renewed or extended.

  
for DIRECTOR-GENERAL

澳洲

Ref: 18720/1

**RENEWAL OF CERTIFICATE OF APPROVAL 18720**

**PARTICULARS OF RENEWAL**

The approval of the original model no. YC-14 has been renewed for a period of FIVE (5) years.

Date of Renewal: 23 August 2007

The Approval expires on 23 August 2012 unless it is renewed, extended, suspended or cancelled.



for Commissioner for Fair Trading



Fair  
Trading

Ref: NSW18720/2

RENEWAL OF CERTIFICATE OF APPROVAL NSW18720


PARTICULARS OF RENEWAL

The approval of the original appliance connector model no. YC-14 has been renewed.

The Approval expires on 23/08/2017 unless it is renewed, extended, suspended or cancelled.

  
23.8.2012

For Commissioner for Fair Trading





Fair  
Trading

Ref: NSW18720/3

## RENEWAL OF CERTIFICATE OF APPROVAL: NSW18720

### Particulars of Renewal

The approval of the original appliance connector model no. YC-14 has been renewed.

The Approval expires on 23/08/2022 unless it is renewed, extended, suspended or cancelled.

  
For Commissioner for Fair Trading



## RENEWAL OF CERTIFICATE OF APPROVAL: NSW18720

### Particulars of Renewal

The approval of the original appliance connector model no. YC-14 has been renewed.

The Approval expires on 23/08/2027 unless it is renewed, extended, suspended or cancelled.

Approved pursuant to Clause 11 (1) of the Gas and Electricity (Consumer Safety) Regulation 2018

30 May 2022

For Secretary, Department of Customer Service



A P P R O V A L S ®

## Certificate of Approval

**Certificate No.:** SAA-190646-EA

**Certificate Holder:** Yung Li Co., Ltd.  
Dapu Industrial Zone, Gangzi,  
Changping Town, Dongguan,  
Guangdong  
P.R. China

**Class Description:** Supply Flexible Cord  
**Product Description:** Polyvinyl chloride sheathed cord  
**Brand Name:** Yung LI  
**Model No.:** H05VV-F 2x2.5mm<sup>2</sup>  
**Markings:** 300/500V  
Ordinary, Circular  
**Standard:** AS/NZS 60227.5:2003 Inc A1  
**Conditions:** Nil

**Approval Mark:** SAA-190646-EA or RCM

**Date First Registered:** 22 March 2019

**Date of Expiry:** 22 March 2024

*R.A. Hill*


For and on Behalf of  
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)

JAS-ANZ



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 22-03-19 190646/1





A P P R O V A L S ®

## Certificate of Approval

\* Addendum \*

**Certificate No.:** SAA-190646-EA

**Date of Issue:** 22 March 2019

**Class Description:** Supply Flexible Cord

**Product Description:** Polyvinyl chloride sheathed cord

<b>Additional Models</b>	<b>Description</b>
H03VVH2-F 2x0.5mm <sup>2</sup>	300/300V, Light, Flat
H03VVH2-F 2x0.75mm <sup>2</sup>	300/300V, Light, Flat
H03VV-F 2x0.5mm <sup>2</sup>	300/300V, Light, Circular
H03VV-F 2x0.75mm <sup>2</sup>	300/300V, Light, Circular
H03VV-F 3x0.5mm <sup>2</sup>	300/300V, Light, Circular
H03VV-F 3x0.75mm <sup>2</sup>	300/300V, Light, Circular
H05VVH2-F 2x0.75mm <sup>2</sup>	300/500V, Ordinary, Flat
H05VVH2-F 2x1.0mm <sup>2</sup>	300/500V, Ordinary, Flat
H05VV-F 2x0.75mm <sup>2</sup>	300/500V, Ordinary, Circular
H05VV-F 2x1.0mm <sup>2</sup>	300/500V, Ordinary, Circular
H05VV-F 2x1.5mm <sup>2</sup>	300/500V, Ordinary, Circular
H05VV-F 3x0.75mm <sup>2</sup>	300/500V, Ordinary, Circular
H05VV-F 3x1.0mm <sup>2</sup>	300/500V, Ordinary, Circular
H05VV-F 3x1.5mm <sup>2</sup>	300/500V, Ordinary, Circular
H05VV-F 3x2.5mm <sup>2</sup>	300/500V, Ordinary, Circular

*R.A. Hill*


For and on Behalf of  
SAA Approvals Pty Ltd

SAA Approvals Pty Ltd as accredited by JAS-ANZ under ISO/IEC 17065 certifies in accordance with the SAA Approvals Electrical Product Safety Certification Scheme that the product nominated in this certificate complies with standard/s listed.

When using the RCM the requirements of all relevant parts of AS/NZS 4417 applicable to the article must be fulfilled.

For SAA Contact Details and to verify this Certificate go to:  
[www.saaapprovals.com.au](http://www.saaapprovals.com.au)

JAS-ANZ



[www.jas-anz.org/register](http://www.jas-anz.org/register)



Issued: 22-03-19 190646/2