





Packing: Bulk Pack.

NO.	SPECIFICATION	QTY	REMARK
1	SJT 14/3C 105°C BLACK	1PC	
2	YP-12 PVC PLASTIC:35P BLACK	19g/PC	
3	TER: 98675BS-1	2PCS	
4	TER:98475	1PC	
5	YP-12 INNER BODY	1PC	
6	YC-18 PVC PLASTIC:50P BLACK	25g/PC	
7	YC-18 INNER BODY	1PC	
8	YC-18 TER	3PCS	





Tolerance >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	Approved		Date		SIGNAL+POWER			
	Checked		Date					
	Drawn	SUKI	Date	22.08.01	Customer			
	Cat. No.	YP-12/YC-18			P/N.	P-1218-03B-14		
	Drawing No.	CY-U2541-01	Rev.	D	Material	P. V. C	Unit	mm
				Scale				



NO.	SPECIFICATION	QTY	REMARK
1	SJT 14/3C 105°C BLACK	1PC	
2	YP-12 PVC PLASTIC:35P BLACK	19g/PC	
3	TER: 98675BS-1	2PCS	
4	TER:98475	1PC	
5	YP-12 INNER BODY	1PC	
6	YC-18 PVC PLASTIC:50P BLACK	25g/PC	
7	YC-18 INNER BODY	1PC	
8	YC-18 TER	3PCS	
9	MINI TIE:L=150mm BLACK	1PC	
10	SLEEVE	1PC	





Tolerance >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	Approved		Date		SIGNAL+POWER			
	Checked		Date					
	Drawn		Date		Customer			
	Cat. No.	YP-12/YC-18			P/N.	P-1218-06B-14		
	Drawing No.	CY-U1023		Rev.	D	Material	P.V.C	Unit
					Scale			

REV	DATE	Drawn	Description
C	2019.06.20	SUKI	added rating on the plug mold.
D	2022.08.02	H.F	Remove CSA certification



NO.	SPECIFICATION	QTY	REMARK
1	SJT 14/3C 105 °C BLACK	1PC	
2	YP-12 PVC PLASTIC:35P BLACK	19g/PC	
3	TER: 98675BS-1	2PCS	
4	TER:98475	1PC	
5	YP-12 INNER BODY	1PC	
6	YC-18 PVC PLASTIC:50P BLACK	25g/PC	
7	YC-18 INNER BODY	1PC	
8	YC-18 TER	3PCS	
9	MINI TIE:L=150mm BLACK	1PC	
10	SLEEVE WHITIE	1PC	

Tolerance >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	Approved	Date	SIGNAL+POWER				
	Checked	Date					
Drawn	H F	Date	22.08.02	Customer			
Cat. No.	YP-12/YC-18		P/N.	P-1218-08B-14			
Drawing No.	CY-U3219	Rev.	C	Material	P.V.C	Unit	mm
				Scale			



NO.	DESCRIPTION	QTY	REMARK
1	SJT 14/3C 105 °C BLACK	1PC	
2	YP-12 PVC PLASTIC:35P BLACK	19g/PC	
3	YP-12 INNER BODY	1PC	
4	TER:98475	1PC	
5	TER: 98675BS-1	2PCS	
6	YC-18 PVC PLASTIC:50P BLACK	25g/PC	
7	YC-18 INNER BODY	1PC	
8	YC-18 TER	3PCS	
9	MINI TIE:L=180mm BLACK	1PC	

Tolerance >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	Approved		Date		SIGNAL+POWER			
	Checked		Date					
	Drawn		Date		Customer			
	Cat. No.	YP-12/YC-18		P/N.	P-1218-10B-14			
	Drawing No.	CY-U5009		Rev.	D	Material	P. V. C	Unit
					Scale			