





Packing: Bulk Pack.

NO.	SPECIFICATION	QTY	REMARK
1	SJT 18/3C 105°C BLACK	1PC	
2	YP-32 PVC PLASTIC:50P BLACK	15g/PC	
3	TER:98672BS-1	3PCS	
4	INNER BODY: 2X4	1PC	
5	YC-14 PVC PLASTIC:50P BLACK	18g/PC	
6	TER:98732	1PC	
7	TER:98714	2PCS	
8	YC-14 H. S. G BLACK	1PC	

Tolerance >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	Approved		Date		SIGNAL+POWER			
	Checked		Date					
	Drawn		Date		Customer			
	Cat. No.	UL YP-32/YC-14			P/N.	P-3214-03B-18		
	Drawing No.	CY-U5018		Rev.	C	Material	P. V. C	Unit
					Scale			




(6') 1830±50



NO.	SPECIFICATION	QTY	REMARK
1	SJT 18/3C 105°C BLACK	1PC	
2	YP-32 PVC PLASTIC:50P BLACK	15g/PC	
3	TER:98672BS-1	3PCS	
4	INNER BODY: 2X4	1PC	
5	YC-14 PVC PLASTIC:50P BLACK	18g/PC	
6	TER:98732	1PC	
7	TER:98714	2PCS	
8	YC-14 H. S. G BLACK	1PC	
9	MINI TIE:L=130mm BK	1PC	

Tolerance	Approved	Date	SIGNAL+POWER				
	>0. 30	Checked	Date	Customer			
>1. 0±0. 50	Drawn	Date	P/N.	P-3214-06B-18			
>10. 0±1. 0	Cat. No.	UL YP-32/YC-14		Material	P. V. C	Unit	mm
>20. 0±2. 0	Drawing No.	CY-U5019-01	Rev.	B	HEFT(g)	180	
Angle: ±1°							



NO.	SPECIFICATION	QTY	REMARK
1	SJT 18/3C 105 °C BLACK	1PC	
2	YP-32 PVC PLASTIC:50P BLACK	15g/PC	
3	TER:98672BS-1	3PCS	
4	INNER BODY: 2X4	1PC	
5	YC-14 PVC PLASTIC:50P BLACK	18g/PC	
6	TER:98732	1PC	
7	TER:98714	2PCS	
8	YC-14 H. S. G BLACK	1PC	
9	MINI TIE:L=200mm BK	1PC	

Tolerance >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	Approved		Date		SIGNAL+POWER			
	Checked		Date					
	Drawn		Date		Customer			
	Cat. No.	UL YP-32/YC-14			P/N.	P-3214-10B-18		
	Drawing No.	CY-U4988-01	Rev.	C	Material	P. V. C	Unit	mm
				Scale				