

東莞永力電業有限公司

YUNG LI CO., LTD

Da Pu Industrial Zone, Gang Zi, Changping Town,
Dong Guan City, Guangdong 523571 China.P.R.C

TEL:0769-83396797~8

FAX:0769-83396796

E-mail: sales@yung-li.com

Description: YP-36/YC-13

Customer: SIGNAL+POWER

Parts No. : P-ZIP-06B-AUSI

Draw No. :

REVISION RECORD

1		
2		
3		
4		
5		

YUNG LI		CUSTOMER	APPROVED
CHECKED	PREPARED BY		





N/15572



10



NSW23599





NO.	SPECIFICATION	QTY	REMARK
1	H03VVH2-F 0.75/2C BLACK	1PC	
2	YP-36 PVC PLASTIC:50P BLACK	34g/PC	
3	SAA INNER BODY	1PC	
4	TER:P97658BS-1	2PCS	
5	SAA SLEEVE WHITE	1PC	
6	YC-13 TER	2PCS	
7	YC-13 H. S. G	1PC	
8	YC-13 PVC PLASTIC:50P BLACK	9g/PC	
9	MINI TIE:L=130mm BLACK	1PC	

Tolerance >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	Approved		Date		SIGNAL+POWER					
	Checked		Date							
	Drawn		Date		Customer					
	Cat. No.	YP-36/YC-13				P/N.	P-ZIP-06B-AUS-I			
	Drawing No.	CY-S0339-01		Rev.	B	Material	P. V. C	Unit	mm	
					Scale					






N/15572



TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED		DATE		YUNG LI CO., LTD.			
	CHECKED		DATE					
	DRAWN		DATE					
	TYPE	YP-36			P/N			
	DRAWING NO.	CY-P36B-1	REV	B	SCALE	1:1	UNIT	mm

IEC 60320 C7



TOLERANCE >0±0.30 >1.0±0.50 >10.0±1.0 >20.0±2.0 Angle: ±1°	APPROVED		DATE		YUNG LI CO., LTD.			
	CHECKED		DATE					
	DRAWN	Huangfang	DATE	17.8.18				
	TYPE	YC-13ENEC(CE)			CUSTOMER			
					MATERIAL	P. V. C	UNIT	mm
	DRAWING NO.				SCALE	1:1		

YUNG LI CO., LTD

SPECIFICATION

Yung Li	Style	PVC FLEXIBLE CORDS	Document No
2012.7.25			
Edition	Size	H03VVH2-F 2 x 0.75mm²	Page
A			1/2

1. Standard: IEC 227 IEC228

2. Construction & Dimension

Item		Specification
Conductor	Size	2 x 0.75mm ²
	Material	Annealed Bare Copper
	Construction	67 / ϕ 0.12±0.01
Insulation	Material	PVC
	Minimum Average Thickness	0.50mm
	Minimum Thickness at any point	0.35mm
	Diameter	2.15 ± 0.10
	Identification	Blue,Brown
Core Assembly	Core Twist	2-Core
	Filler	NA
	Assembly Pair	NA
Taping	Mylar Foil	NA
Shielded	A1-Mylar Foil	NA
Drain	Material	NA
	Construction	NA
Jacket	Material	PVC
	Minimum Average Thickness	0.60mm
	Minimum Thickness at any point	0.44mm
	Overall Diameter(Approx)	3.4 ± 0.1/5.6±0.15
	Color	Any Color

Marking:

Yung Li Co., Ltd. H03VVH2-F 2X0.75mm² <VDE> NF-USE 1347  KEMA-KEUR  <ÖVE>
    IEMMEQU Q04083  A004049 60227 IEC 52(RVV) 300/300V  SU01027-4001

YUNG LI CO., LTD


SPECIFICATION

Yung Li	Style	PVC FLEXIBLE CORDS	Document No
2012.7.25			
Edition	Size	H03VVH2-F 2 x 0.75mm²	Page
A			2/2

3.Electrical & Physical Properties

Item			Specification
Rating Voltage			70℃ 300V
Conductor resistance(AT 20℃)			26.0Ω/Km MAX
Insulation Resistance(AT 70℃)			0.010MΩ/Km Min
Dielectric Strength			AC 2.0 KV / 15 min No Brack
Spark Test			5.0KV
Insulation	Unaged	Tensile Strength	1500 lbs/in ² min
		Elongation	150% Min
	Aged	Tensile Strength	80~120% (80℃ x168hrs)
		Elongation	80~120% (80℃ x168hrs)
Jacket	Unaged	Tensile Strength	1500 lbs/in ² min
		Elongation	150% Min
	Aged	Tensile Strength	80~120% (80℃ x168hrs)
		Elongation	80~120% (80℃ x168hrs)
Deformation Test			70±4℃ X 1hr ≤ 50%
Cold Bend Test			-15℃ x 4hr No Crack
Heat Shock Test			150±2℃ x 1hr No Crack

Graph:



CERTIFICATE OF APPROVAL

ISSUED PURSUANT TO SECTION 21C OF THE ELECTRICITY SAFETY ACT 1945

ISSUED TO:

Yung Li Co Ltd

CLASS OF ARTICLE:

Plug

DESCRIPTION OF ARTICLE:

Plug (Insulated Pin)

[Non-rewirable, three-pin, flat-pin (two-insulated live pins), black thermoplastic moulded plug with a white thermoplastic insert, integrally moulded to any <HAR> certified H05VV-F 3G0.75mm², or Australian approved three-core, 0.75mm², PVC insulated and sheathed, ordinary duty circular flexible cord] 250V, 10A

EXAMINED FOR COMPLIANCE WITH: AS/NZS 3112 : 2000

TYPE REFERENCE CODE: Type No. YP-35

APPROVAL MARK:

Each electrical article of the abovementioned type shall be marked with Approval Number N17967 or N14876

DATE OF APPROVAL: 25 September 2001

This approval expires 25 September 2006 unless suspended, cancelled, renewed or extended.

for DIRECTOR-GENERAL



DEPARTMENT OF **FAIR TRADING**
NSW Consumer Protection Agency


ADDENDUM TO CERTIFICATE OF APPROVAL No 17967

Particulars of Modification(s)

1. Original Type No. YP-35 alternatively moulded to any of the following <HAR> certified or equivalent Australian approved flexible cords:-
 - (a) H05VV-F 3G1.00mm².
 - (b) H05VV-F 2X0.75mm².
 - (c) H05VV-F 2X1.00mm².
 - (d) H03VV-F 3G0.75mm².
 - (e) H03VV-F 2X0.75mm².
 - (f) H05VVH2-F 2X1.00mm²
 - (g) H05VVH2-F 2X0.75mm²

2. Type YP-36 being similar to original Type No. YP-35 except two-pin in lieu of three-pin, and alternatively moulded to any of the following <HAR> certified or Australian approved flexible cords:-
 - (a) H03VVH2-F 2X0.75mm².
 - (b) H05VVH2-F 2X0.75mm².
 - (c) H05VVH2-F 2X1.00mm².
 - (d) H03VV-F 2X0.75mm².
 - (e) H05VV-F 2X0.75mm².
 - (f) H05VV-F 2X1.00mm².

Approved: 25 September 2001



for DIRECTOR-GENERAL



OFFICE OF FAIR TRADING

NSW Consumer Protection Agency
Department of Commerce


ADDENDUM TO CERTIFICATE OF APPROVAL No 17967

Particulars of Modification(s)

Model No. YP-36 to use the alternative approval mark N15572.

Approved: 03 March 2005

for Commissioner



Ref: 17967/3

ADDENDUM TO CERTIFICATE OF APPROVAL 17967

Particulars of Modification(s)

- (a) Original Type No. YP-35 alternatively moulded to a 'Yung Li' Type H05VV-F 3G1.5mm² flexible cord (Q04083).
- (b) General Modification:
Plugs now comply with AS/NZS3112 : 2004.

Approved: 01 May 2006



for Commissioner for Fair Trading

Ref: 17967/4

RENEWAL OF CERTIFICATE OF APPROVAL 17967

PARTICULARS OF RENEWAL

The approval of Plug Type No. YP-35 and all approved modifications has been renewed for a period of FIVE years.

Date of Renewal: 05 September 2006

The Approval expires on 25 September 2011 unless it is renewed, extended, suspended or cancelled.



for Commissioner for Fair Trading

ADDENDUM TO CERTIFICATE OF APPROVAL 17967

Particulars of Modification(s)

1. Type YP-35 alternatively moulded to any <HAR> certified H05RR-F 3G1.00mm² or equivalent Australian approved flexible cord.
2. Type YP-39 being similar to Type YP-35 except :-
 - (a) Having 15A in lieu of 10A construction.
 - (b) Marked 15A in lieu of 10A.
 - (c) Alternatively moulded to any <HAR> certified H05VV-F 3G1.5mm² or H05RR-F 3G1.5mm² or equivalent Australian approved flexible cords.
3. General Modification.
Plugs now comply with AS/NZS3112:2001 A1

Approved: 10 May 2007



for Commissioner for Fair Trading



Fair
Trading


Ref: NSW17967/7

RENEWAL OF CERTIFICATE OF APPROVAL NSW17967

PARTICULARS OF RENEWAL

The approval of Plug Type No. YP-35 and all approved modifications has been renewed for a period of FIVE years.

The Approval expires on 25/09/2016 unless it is renewed, extended, suspended or cancelled.


for Deputy Commissioner, Fair Trading Operations



Fair
Trading

Ref: NSW17967/8

FILE COPY

ADDENDUM TO CERTIFICATE OF APPROVAL: NSW17967 Particulars of Modification(s)

Model No. YP-35 is alternatively moulded to any <HAR> certified H05RN-F 3G0.75/1.0mm² or equivalent Australian approved flexible cord. Plug enclosure and pin supporter can be of any colour;

Model No. YP-35L is identical to YP-35 except for cord connection of side-entry type in lieu of straight-entry. It can be moulded to any <HAR> certified H05RN-F 3G0.75/1.0mm², or H05RR-F 3G0.75/1.0/1.5mm², or H05VV-F 3G0.75/1.0/1.5mm², or equivalent Australian approved flexible cord. Plug enclosure and pin supporter can be of any colour;

Model No. YP-36 is alternatively moulded to any <HAR> certified H05RN-F 2x0.75/1.0mm² or equivalent Australian approved flexible cord. Plug enclosure and pin supporter can be of any colour;

Model No. YP-39 is alternatively moulded to any <HAR> certified H05RN-F 3G0.75/1.0mm², or H05VV-F 3G2.5mm², or equivalent Australian approved flexible cord. Plug enclosure and pin supporter can be of any colour.

This certificate will expire on 25/09/2016

Approved: 17 July 2013



18/7/2013

For Commissioner for Fair Trading



Fair
Trading

Ref: NSW17967/9

RENEWAL OF CERTIFICATE OF APPROVAL: NSW17967

Particulars of Renewal

The approval of Plug Type No. YP-35 and all approved modifications has been renewed for a period of FIVE years.

The Approval expires on 14/04/2021 unless it is renewed, extended, suspended or cancelled.


For Commissioner for Fair Trading

Certificate Number: 23599

CERTIFICATE OF APPROVAL

ISSUED PURSUANT TO THE ELECTRICITY (CONSUMER SAFETY) ACT 2004

ISSUED TO:

Yung Li Co Ltd

CLASS OF ARTICLE:

Appliance Connector

DESCRIPTION OF ARTICLE:

Appliance Connector
(Non-rewirable, thermoplastic moulded, straight-entry C7 appliance connector
for cold conditions for Class II equipment integrally moulded to any <HAR>
certified H03VVH2-F 2X0.75mm² or Australian approved, two-core, 0.75mm²,
PVC insulated and sheathed light duty flat flexible cord)
Trade Name: 'Yung Li'
250V, ac 2.5A

EXAMINED FOR COMPLIANCE WITH: AS/NZS 60320.1 : 2004

TYPE REFERENCE CODE: Type YC-13

APPROVAL MARK:

Each electrical article of the abovementioned type shall be marked with Approval Number
NSW23599 or N15371 ;or
the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant
parts of AS/NZS 4417 applicable to the article are fulfilled.

DATE OF APPROVAL: 30 July 2008

This approval expires 30 July 2013 unless suspended, cancelled, renewed or extended.



for Commissioner for Fair Trading

ADDENDUM TO CERTIFICATE OF APPROVAL 23599

Particulars of Modification(s)

1. Type No. YC-13 alternatively moulded to any of the following <HAR> certified or equivalent Australian approved flexible cords:-
 - (a) H05VVH2-F 2X0.75mm²,
 - (b) H03VV-F 2X0.75mm²,
 - (c) H05VV-F 2X0.75mm²,
2. Type No. YC-13L being similar to Type No. YC-13 except having a side cord entry on the vertical plane in lieu of a rear cord entry and integrally moulded to any of the following <HAR> certified or equivalent Australian approved flexible cords:-
 - (a) H03VVH2-F 2X0.75mm²,
 - (b) H05VVH2-F 2X0.75mm²,
 - (c) H03VV-F 2X0.75mm²,
 - (d) H05VV-F 2X0.75mm²,
3. Type No. YC-13D being similar to Type No. YC-13 except having a side cord entry on the horizontal plane in lieu of a rear cord entry and integrally moulded to any of the following <HAR> certified or equivalent Australian approved flexible cords:-
 - (a) H03VVH2-F 2X0.75mm²,
 - (b) H05VVH2-F 2X0.75mm²,
 - (c) H03VV-F 2X0.75mm²,
 - (d) H05VV-F 2X0.75mm²,

Approved: 30 July 2008



for Commissioner for Fair Trading



Fair
Trading

Ref: NSW23599/2

RENEWAL OF CERTIFICATE OF APPROVAL: NSW23599

Particulars of Renewal

The approval of (C7) Appliance Connector Type No. YC-13 and all approved modifications has been renewed for a period of FIVE years.

The Approval expires on 30/07/2018 unless it is renewed, extended, suspended or cancelled.



12/6/2013

For Commissioner for Fair Trading

ZEICHENGENEHMIGUNG MARKS APPROVAL

Yung-Li Co. Ltd.
Da Pu Industrial Zone
Chang Ping Town
523571 DONG GUAN CITY
Guangdong
CHINA

ist berechtigt, für ihr Produkt /
is authorized to use for their product

Gerätesteckdose, nicht-wiederanschließbar
Connector, non-rewirable

die hier abgebildeten markenrechtlich geschützten Zeichen
für die ab Blatt 2 aufgeführten Typen zu benutzen /
the legally protected Marks as shown below for the types referred to on page 2 ff.



Geprüft und zertifiziert nach /
Tested and certified according to

DIN EN 60320-1 (VDE 0625-1):2008-05; EN 60320-1:2001 + A1:2007

VDE Prüf- und Zertifizierungsinstitut GmbH
VDE Testing and Certification Institute
Zertifizierungsstelle / Certification

Dr. Schipper

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:
VDE certificates are valid only when published on:

Aktenzeichen: 1609800-1550-0005 / 117700

File ref.:

Ausweis-Nr. 40029072

Blatt 1

Certificate No.

Page

Weitere Bedingungen siehe Rückseite und Folgeblätter /
further conditions see overleaf and following pages

Offenbach, 2010-01-08

<http://www.vde.com/zertifikat>

<http://www.vde.com/certificate>

Name und Sitz des Genehmigungs-Inhabers / *Name and registered seat of the Certificate holder*

Yung-Li Co. Ltd., Da Pu Industrial Zone, Chang Ping Town, 523571 DONG GUAN CITY, Guangdong, CHINA

Aktenzeichen / *File ref.*

1609800-1550-0005 / 117700 / FG31 / E

Datum / *Date*

2010-01-08

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40029072.
This supplement is only valid in conjunction with page 1 of the Certificate No. 40029072.

Gerätesteckdose, nicht-wiederanschließbar
Connector, non-rewirable

Typ(en) / *Type(s)*:

- 1) YC-13
- 2) YC-13L
- 3) YC-13D

Bemessungsspannung
Rated voltage

AC 250 V

Bemessungsstrom
Rated current

2,5 A

Polzahl
Number of poles

2-polig ohne Schutzkontakt
2-pole without earthing contact

Bauart
Kind of construction

Normblatt C7
standard sheet C7

Anmerkung(en)

Remark(s)

Gerätesteckdosen ohne Schutzkontakt müssen Teil einer Geräteanschlußleitung oder einer Weiterverbindungs-Geräteanschlußleitung sein.
Connectors without earthing contact shall be part of a cord set or interconnection cord set

Produktinformation
Product information

siehe Anlage Nr. 100 + 200 + 900
see Appendix No. 100 + 200 + 900

Warenzeicheninhaber
Trademark holder

Yung Li Co. Ltd.

Fortsetzung siehe Blatt 3 /
continued on page 3

Certificate Number: ESO140750/00



Certificate of Approval

This is to certify that the Director of Equipment Safety has approved the electrical equipment described hereunder.

Registered Declarant: Yung-Li Co., Ltd.
Da Pu Industrial Zone,
Chang Ping Town,
Dong Guan City 523571 China, People's Republic of

Required Marking: ESO140750

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Queensland Government (ESO) prior to the equipment being supplied or offered for supply.

Notification must be given to Queensland Government (ESO) of any change to the name or address of the holder of the certificate within 20 business days.

ARTICLE DETAILS

Electrical Equipment:	Prescribed Supply Flexible Cord PVC Flexible Cord
Relevant Standards:	AS/NZS60227.5: 2003 including amendment 1.
Expiry Date:	04/10/2019
Conditions of Approval:	Alternative certification mark Q04083

A handwritten signature in black ink, appearing to be "E. R. H.", written over a horizontal line.

Certificate Number: ESO140750/00



Approval details

Model	H05VV-F 2x0.75mm ²
Rated at	Input: 300/500 V,
Trade Name	Yung-Li Co., Ltd.
Comments	

Model	H05VVH2-F 2x1.00mm ²
Rated at	Input: 300/500 V,
Trade Name	Yung-Li Co., Ltd.
Comments	

Model	H03VV-F 3X0.75mm ²
Rated at	Input: 300/300 V,
Trade Name	Yung-Li Co., Ltd.
Comments	

Model	H03VVH2-F 2X0.75mm ²
Rated at	Input: 300/300 V,
Trade Name	Yung-Li Co., Ltd.
Comments	

Model	H05VV-F 2x1.00mm ²
Rated at	Input: 300/500 V,
Trade Name	Yung-Li Co., Ltd.
Comments	

Model	H05VV-F 2x1.5mm ²
Rated at	Input: 300/500 V,
Trade Name	Yung-Li Co., Ltd.
Comments	

Model	H05VV-F 2x2.5mm ²
-------	------------------------------

A handwritten signature in black ink, appearing to be "B. R. H.", written over a faint, large watermark that reads "SIGNATURE POWER".

Certificate Number: ESO140750/00



Rated at	Input: 300/500 V,
Trade Name	Yung-Li Co., Ltd.
Comments	

Model	H05VV-F 3x0.75mm ²
Rated at	Input: 300/500 V,
Trade Name	Yung-Li Co., Ltd.
Comments	

Model	H05VV-F 3x1.00mm ²
Rated at	Input: 300/500 V,
Trade Name	Yung-Li Co., Ltd.
Comments	

Model	H05VV-F 3x1.5mm ²
Rated at	Input: 300/500 V,
Trade Name	Yung-Li Co., Ltd.
Comments	

Model	H05VV-F 3x2.5mm ²
Rated at	Input: 300/500 V,
Trade Name	Yung-Li Co., Ltd.
Comments	

Model	H05VVH2-F 2x0.75mm ²
Rated at	Input: 300/500 V,
Trade Name	Yung-Li Co., Ltd.
Comments	

Model	H03VV-F 2x0.5mm ²
Rated at	Input: 300/300 V,
Trade Name	Yung-Li Co., Ltd.
Comments	

A handwritten signature in black ink, appearing to be 'E. R. H.' or similar.



Certificate Number: ESO140750/00

Model	H03VV-F 2x0.75mm ²
Rated at	Input: 300/300 V,
Trade Name	Yung-Li Co., Ltd.
Comments	

Model	H03VV-F 3x0.5mm ²
Rated at	Input: 300/300 V,
Trade Name	Yung-Li Co., Ltd.
Comments	

Model	H03VVH2-F 2x0.5mm ²
Rated at	Input: 300/300 V,
Trade Name	Yung-Li Co., Ltd.
Comments	

ZEICHENGENEHMIGUNG MARKS APPROVAL

Yung-Li Co. Ltd.
Da Pu Industrial Zone, Cang Zi
Chang Ping Town
523571 DONG GUAN CITY
Guangdong
CHINA

ist berechtigt, für ihr Produkt /
is authorized to use for their product

Flexible Leitung
Flexible cable (cord)

die hier abgebildeten markenrechtlich geschützten Zeichen
für die ab Blatt 2 aufgeführten Typen zu benutzen /
the legally protected Marks as shown below for the types referred to on page 2 ff.



oder/or




oder/or



Gepprüft und zertifiziert nach /
Tested and certified according to

DIN VDE 0281-5 (VDE 0281 Teil 5):2002-09; HD 21.5 S3:1994 + A1:1999 + A2:2001



Aktenzeichen: 1609800-5140-0005 / 159386

File ref.:

VDE Prüf- und Zertifizierungsinstitut GmbH
VDE Testing and Certification Institute
Zertifizierungsstelle / Certification

Ausweis-Nr. 40010145

Blatt 1

Certificate No.

Page

Weitere Bedingungen siehe Rückseite und Folgeblätter /
further conditions see overleaf and following pages

Offenbach, 2004-04-27

(letzte Änderung/updated 2012-03-27)

K. Prohaska

VDE Zertifikate sind nur gültig bei Veröffentlichung unter:
VDE certificates are valid only when published on:

<http://www.vde.com/zertifikat>

<http://www.vde.com/certificate>

VDE Prüf- und Zertifizierungsinstitut Zeichengenehmigung

Ausweis-Nr. / Blatt /
Certificate No. page
40010145 2

Name und Sitz des Genehmigungs-Inhabers / Name and registered seat of the Certificate holder

Yung-Li Co. Ltd., Da Pu Industrial Zone, Cang Zi, Chang Ping Town, 523571 DONG GUAN CITY,
Guangdong, CHINA

Aktenzeichen / File ref.

1609800-5140-0005 / 159386 / FG42 / STR

letzte Änderung / updated Datum / Date

2012-03-27 2004-04-27

Dieses Blatt gilt nur in Verbindung mit Blatt 1 des Zeichengenehmigungsausweises Nr. 40010145
This supplement is only valid in conjunction with page 1 of the Certificate No. 40010145.

Flexible Leitung Flexible cable (cord)

Typ(en) / Type(s):

H03VV-F 2...4 x 0,5...0,75 mm²

+

H03VVH2-F 2 x 0,5...0,75 mm²

+

H05VV-F 2...5 x 0,75...4 mm²

+

H05VVH2-F 2 x 0,75...1,0 mm²

+

Firmenzeichen

YUNG LI

Trademark

Dieser Zeichengenehmigungs-Ausweis bildet eine Grundlage für die EG-Konformitätserklärung und CE-Kennzeichnung durch den Hersteller oder dessen Bevollmächtigten und bescheinigt die Konformität mit den grundlegenden Schutzanforderungen der **EG-Niederspannungsrichtlinie 2006/95/EG** mit ihren Änderungen.

This Marks Approval is a basis for the EC Declaration of Conformity and the CE Marking by the manufacturer or his agent and proves the conformity with the essential safety requirements of the EC Low-Voltage Directive 2006/95/EC including amendments.

VDE Prüf- und Zertifizierungsinstitut GmbH

VDE Testing and Certification Institute

Fachgebiet FG42

Section FG42