

OPTIMUM BIG HIT RUGBY TACKLE BUDDY INFLATABLE KIDS PUNCHING KICKING BOUNCE-BACK TARGET BOP BAG FOR AGE 4-6 YEARS

PRODUCT NAME AND MANUFACTURER

- 1. PRODUCT NAME:
- 2. MANUFACTURER:
 - 3. ADDRESS:
 - 4. EMERGENCY PHONE:

OPTIMUM BIG HIT RUGBY TACKLE BUDDY GUANGDONG GUANSHENG NEW MATERIAL CO., LTD Liangcun Industrial Area, Lecong Town, Shunde District, Foshan City, Guangdong Province, P.R. China 01942 497707

SAFTEY DATA INFORMATION

PRODUCT IDENTIFIER: BIG HIT RUGBY TACKLE BUDDY RECOMMENDED USE OF THE CHEMICAL: INFLATABLE RECREATIONAL OR DECORATIVE PRODUCT. RESTRICTIONS ON USE: NOT INTENDED FOR MEDICAL OR FOOD-RELATED PURPOSES. SECTION 2: HAZARD IDENTIFICATION CLASSIFIED AS HAZARDOUS ACCORDING TO REGULATION (EC) NO 1272/2008 (CLP). GHS LABEL ELEMENTS: NOT CLASSIFIED AS HAZARDOUS ACCORDING TO REGULATION (EC) NO 1272/2008 (CLP). GHS LABEL ELEMENTS: N/A SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS SUBSTANCES: THE INFLATABLE PRODUCT CONSISTS PRIMARILY OF WHITE PLASTIC FILM, COMPOSED OF POLYETHYLENE / POLYVINYL CHLORIDE (PVC) MATERIALS. (ID: CAN20-026470.001) SECTION 4: FIRST AID MEASURES INHALATION: ALWAYS INFLATE THE PRODUCT OUTSIDE. IF BREATHING IS DIFFICULT, TAKE A BREAK OR SEK MEDICAL ATTENTION. SKIN CONTACT: IN CASE OF IRRITATION: WASH SEK MEDICAL ATTENTION. SKIN CONTACT: IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTOS. SECK MEDICAL ATTENTION IF IRRITATION PERSISTS. EYE CONTACT: IN CASE OF IRRITATION FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.	SECTION 1: ID	ENTIFICATION	
RESTRICTIONS ON USE: NOT INTENDED FOR MEDICAL OR FOOD-RELATED PURPOSES. SECTION 2: HAZARD IDENTIFICATION CLASSIFICATION OF THE SUBSTANCE OR MIXTURE: NOT CLASSIFIED AS HAZARDOUS ACCORDING TO REGULATION (EC) NO 1272/2008 (CLP). GHS LABEL ELEMENTS: N/A SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS SUBSTANCES: THE INFLATABLE PRODUCT CONSISTS PRIMARILY OF WHITE PLASTIC FILM, COMPOSED OF POLYETHYLENE / POLYVINYL CHURING EXECTION 4: FIRST AID MEASURES INHALATION: SECTION 4: FIRST AID MEASURES INHALATION: SECTION 4: FIRST AID MEASURES INHALATION: INHALATION: SECTION 4: FIRST AID MEASURES INHALATION: INHALATION: SECTION 4: FIRST AID MEASURES INHALATION: INHALATION: INHALATION: SUTACES: INFOLICT CONSISTS PRIMARILY OF WHITE INFOLICT CONSIGNED	PRODUCT IDENTIFIER:	BIG HIT RUGBY TACKLE BUDDY	
SECTION 2: HAZARD IDENTIFICATION CLASSIFICATION OF THE SUBSTANCE OR MIXTURE: NOT CLASSIFIED AS HAZARDOUS ACCORDING TO REGULATION (EC) NO 1272/2008 (CLP). GHS LABEL ELEMENTS: N/A SUBSTANCES: THE INFLATABLE PRODUCT CONSISTS PRIMARILY OF WHITE PLASTIC FILM, COMPOSED OF POLYETHYLENE / POLYVINYL CHLORIDE (PVC) MATERIALS. (ID: CAN20-026470.001) SECTION 4: FIRST AID MEASURES INHALATION: ALWAYS INFLATE THE PRODUCT OUTSIDE. IF BREATHING IS DIFFICULT, TAKE A BREAK OR SEEK MEDICAL ATTENTION. SKIN CONTACT: IN CASE OF IRRITATION: WASH AFFECTED AREAS THOROUGHLY WITH SOAP ADD WATER. SEEK MEDICAL ATTENTION IF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. EYE CONTACT: IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: SUITABLE EXTINGUISHING MEDIA: SECTION 5: FIRE-FIGHTING MEASURES SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: <td cols<="" td=""><td>RECOMMENDED USE OF THE CHEMICAL:</td><td>INFLATABLE RECREATIONAL OR DECORATIVE PRODUCT.</td></td>	<td>RECOMMENDED USE OF THE CHEMICAL:</td> <td>INFLATABLE RECREATIONAL OR DECORATIVE PRODUCT.</td>	RECOMMENDED USE OF THE CHEMICAL:	INFLATABLE RECREATIONAL OR DECORATIVE PRODUCT.
CLASSIFICATION OF THE SUBSTANCE OR MIXTURE: NOT CLASSIFIED AS HAZARDOUS ACCORDING TO REGULATION (EC) NO 1272/2008 (CLP). GHS LABEL ELEMENTS: N/A SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS SUBSTANCES: THE INFLATABLE PRODUCT CONSISTS PRIMARILY OF WHITE PLASTIC FILM, COMPOSED OF POLYETHYLENE / POLYUNYL CHLORIDE (PVC) MATERIALS. (ID: CAN20-026470.001) SECTION 4: FIRST AID MEASURES INHALATION: ALWAYS INFLATE THE PRODUCT OUTSIDE. IF BREATHING IS DIFFICULT, TAKE A BREAK OR SEEK MEDICAL ATTENTION. SKIN CONTACT: IN CASE OF IRRITATION FERSISTS. EYE CONTACT: IN CASE OF IRRITATION FERSISTS. EYE CONTACT: IN CASE OF IRRITATION FERSISTS. EYE CONTACT: IN CASE OF IRRITATION FERSISTS. INGESTION: DO NOT INDUCE VOMITING. RUNSE MOUTH WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. RUNSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IF MATER. SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO	RESTRICTIONS ON USE:	NOT INTENDED FOR MEDICAL OR FOOD-RELATED PURPOSES.	
CLASSIFICATION OF THE SUBSTANCE OR MIXTURE: NOT CLASSIFIED AS HAZARDOUS ACCORDING TO REGULATION (EC) NO 1272/2008 (CLP). GHS LABEL ELEMENTS: N/A SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS SUBSTANCES: THE INFLATABLE PRODUCT CONSISTS PRIMARILY OF WHITE PLASTIC FILM, COMPOSED OF POLYETHYLENE / POLYUNYL CHLORIDE (PVC) MATERIALS. (ID: CAN20-026470.001) SECTION 4: FIRST AID MEASURES INHALATION: ALWAYS INFLATE THE PRODUCT OUTSIDE. IF BREATHING IS DIFFICULT, TAKE A BREAK OR SEEK MEDICAL ATTENTION. SKIN CONTACT: IN CASE OF IRRITATION FERSISTS. EYE CONTACT: IN CASE OF IRRITATION FERSISTS. EYE CONTACT: IN CASE OF IRRITATION FERSISTS. EYE CONTACT: IN CASE OF IRRITATION FERSISTS. INGESTION: DO NOT INDUCE VOMITING. RUNSE MOUTH WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. RUNSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IF MATER. SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO		·	
(EC) NO 1272/2008 (CLP). GHS LABEL ELEMENTS: SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS SUBSTANCES: THE INFLATABLE PRODUCT CONSISTS PRIMARILY OF WHITE PLASTIC FILM, COMPOSED OF POLYETHYLENE / POLYVINYL CHLORIDE (PVC) MATERIALS. (ID: CAN2O-026470.001) SECTION 4: FIRST AID MEASURES INHALATION: ALWAYS INFLATE THE PRODUCT OUTSIDE. IF BREATHING IS DIFFICULT, TAKE A BREAK OR SEEK MEDICAL ATTENTION. SKIN CONTACT: IN CASE OF IRRITATION: WASH AFFECTED AREAS THOROUGHLY WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. EYE CONTACT: IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO	SECTION 2: HAZ		
GHS LABEL ELEMENTS: N/A SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS SUBSTANCES: THE INFLATABLE PRODUCT CONSISTS PRIMARILY OF WHITE PLASTIC FILM, COMPOSED OF POLYETHYLENE / POLYVINYL CHORNOUSE OF POLYETHYLENE / POLYVINYL CONTACT: INHALATION: ALWAYS INFLATE THE PRODUCT OUTSIDE. IF BREATHING IS DIFFICULT, TAKE A BREAK OR SEEK MEDICAL ATTENTION. SKIN CONTACT: IN CASE OF IRRITATION: WASH AFFECTED AREAS THOROUGHLY WITH SOAD AND WATER. SEEK MEDICAL ATTENTION IF IRRITATION POLYCI SECTION 5: FIRE-FIGHTING MEASURES <td col<="" td=""><td>CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:</td><td></td></td>	<td>CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:</td> <td></td>	CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:	
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS SUBSTANCES: THE INFLATABLE PRODUCT CONSISTS PRIMARILY OF WHITE PLASTIC FILM, COMPOSED OF POLYETHYLENE / POLYVINYL CHLORIDE (PVC) MATERIALS. (ID: CAN20-026470.001) SECTION 4: FIRST AID MEASURES INHALATION: ALWAYS INFLATE THE PRODUCT OUTSIDE. IF BREATHING IS DIFFICULT, TAKE A BREAK OR SEEK MEDICAL ATTENTION. SKIN CONTACT: IN CASE OF IRRITATION: WASH AFFECTED AREAS THOROUGHLY WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PEVE CONTACT: IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PEVE CONTACT: IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PEVE CONTACT: IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PEVENTION: <td></td> <td></td>			
SUBSTANCES: THE INFLATABLE PRODUCT CONSISTS PRIMARILY OF WHITE PLASTIC FILM, COMPOSED OF POLYETHYLENE / POLYVINYL CHLORIDE (PVC) MATERIALS. (ID: CAN20-026470.001) SECTION 4: FIRST AID MEASURES INHALATION: ALWAYS INFLATE THE PRODUCT OUTSIDE. IF BREATHING IS DIFFICULT, TAKE A BREAK OR SEEK MEDICAL ATTENTION. SKIN CONTACT: IN CASE OF IRRITATION: WASH AFFECTED AREAS THOROUGHLY WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. EYE CONTACT: IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IMMEDIATELY. SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO	GHS LABEL ELEMENTS:	N/A	
PLASTIC FILM, COMPOSED OF POLYETHYLENE / POLYVINYL CHLORIDE (PVC) MATERIALS. (ID: CAN20-026470.001) SECTION 4: FIRST AID MEASURES INHALATION: ALWAYS INFLATE THE PRODUCT OUTSIDE. IF BREATHING IS DIFFICULT, TAKE A BREAK OR SEEK MEDICAL ATTENTION. SKIN CONTACT: IN CASE OF IRRITATION: WASH AFFECTED AREAS THOROUGHLY WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. EYE CONTACT: IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IMMEDIATELY. SECTION 5: FIRE-FIGHTING MEASURES SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO	SECTION 3: COMPOSITION/IN	FORMATION ON INGREDIENTS	
CHLORIDE (PVC) MATERIALS. (ID: CAN20-026470.001) SECTION 4: FIRST AID MEASURES INHALATION: ALWAYS INFLATE THE PRODUCT OUTSIDE. IF BREATHING IS DIFFICULT, TAKE A BREAK OR SEEK MEDICAL ATTENTION. IN CASE OF IRRITATION: WASH AFFECTED AREAS SKIN CONTACT: IN CASE OF IRRITATION WASH AFFECTED AREAS THOROUGHLY WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. EYE CONTACT: IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. SECTION 5: FIRE-FIGHTING MEASURES SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO	SUBSTANCES:	THE INFLATABLE PRODUCT CONSISTS PRIMARILY OF WHITE	
SECTION 4: FIRST AID MEASURES INHALATION: ALWAYS INFLATE THE PRODUCT OUTSIDE. IF BREATHING IS DIFFICULT, TAKE A BREAK OR SEEK MEDICAL ATTENTION. SKIN CONTACT: IN CASE OF IRRITATION: WASH AFFECTED AREAS THOROUGHLY WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. EYE CONTACT: IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IMMEDIATELY. SECTION 5: FIRE-FIGHTING MEASURES SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO		PLASTIC FILM, COMPOSED OF POLYETHYLENE / POLYVINYL	
INHALATION: ALWAYS INFLATE THE PRODUCT OUTSIDE. IF BREATHING IS DIFFICULT, TAKE A BREAK OR SEEK MEDICAL ATTENTION. SKIN CONTACT: IN CASE OF IRRITATION: WASH AFFECTED AREAS THOROUGHLY WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. EYE CONTACT: IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IMMEDIATELY. SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO		CHLORIDE (PVC) MATERIALS. (ID: CAN20-026470.001)	
INHALATION: ALWAYS INFLATE THE PRODUCT OUTSIDE. IF BREATHING IS DIFFICULT, TAKE A BREAK OR SEEK MEDICAL ATTENTION. SKIN CONTACT: IN CASE OF IRRITATION: WASH AFFECTED AREAS THOROUGHLY WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. EYE CONTACT: IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IMMEDIATELY. SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO			
DIFFICULT, TAKE A BREAK OR SEEK MEDICAL ATTENTION. SKIN CONTACT: IN CASE OF IRRITATION: WASH AFFECTED AREAS THOROUGHLY WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. EYE CONTACT: IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: D0 NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IMMEDIATELY. SECTION 5: FIRE-FIGHTING MEASURES SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO	SECTION 4: FIRS	T AID MEASURES	
Skin contact: In case of irritation: wash affected areas Thoroughly with soap and water. seek medical Attention if irritation persists. Eye contact: In case of irritation: flush eyes with water for at Least 15 minutes. seek medical attention if irritation Persists. Ingestion: Do not induce vomiting. Rinse mouth with water. Seek medical attention immediately. Suitable extinguishing media: Use water spray, foam, dry chemical, or carbon Dioxide (co2) to extinguish fires involving this Product. Specific hazards arising from the chemical: May emit toxic fumes of carbon monoxide, carbon Dioxide, and various hydrocarbons when heated to	INHALATION:	ALWAYS INFLATE THE PRODUCT OUTSIDE. IF BREATHING IS	
THOROUGHLY WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. EYE CONTACT: IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IMMEDIATELY. SECTION 5: FIRE-FIGHTING MEASURES SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO		DIFFICULT, TAKE A BREAK OR SEEK MEDICAL ATTENTION.	
ATTENTION IF IRRITATION PERSISTS. EYE CONTACT: IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: D0 NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IMMEDIATELY. SECTION 5: FIRE-FIGHTING MEASURES SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO	SKIN CONTACT:	IN CASE OF IRRITATION: WASH AFFECTED AREAS	
EYE CONTACT: IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IMMEDIATELY. SECTION 5: FIRE-FIGHTING MEASURES SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO		THOROUGHLY WITH SOAP AND WATER. SEEK MEDICAL	
LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS. INGESTION: DO NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IMMEDIATELY. SECTION 5: FIRE-FIGHTING MEASURES SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO		ATTENTION IF IRRITATION PERSISTS.	
PERSISTS. INGESTION: D0 NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IMMEDIATELY. SECTION 5: FIRE-FIGHTING MEASURES SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO	EYE CONTACT:	IN CASE OF IRRITATION: FLUSH EYES WITH WATER FOR AT	
INGESTION: D0 NOT INDUCE VOMITING. RINSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION IMMEDIATELY. SECTION 5: FIRE-FIGHTING MEASURES SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO			
SEEK MEDICAL ATTENTION IMMEDIATELY. SECTION 5: FIRE-FIGHTING MEASURES SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO			
SECTION 5: FIRE-FIGHTING MEASURES SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO	INGESTION:		
SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO		SEEK MEDICAL ATTENTION IMMEDIATELY.	
SUITABLE EXTINGUISHING MEDIA: USE WATER SPRAY, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO	SECTION 5: FIRE-F	IGHTING MEASURES	
PRODUCT. SPECIFIC HAZARDS ARISING FROM THE CHEMICAL: MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO			
Specific Hazards arising from the chemical: May emit toxic fumes of carbon monoxide, carbon dioxide, and various hydrocarbons when heated to		DIOXIDE (CO2) TO EXTINGUISH FIRES INVOLVING THIS	
DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO		PRODUCT.	
,	SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:	MAY EMIT TOXIC FUMES OF CARBON MONOXIDE, CARBON	
DECOMPOSITION.		DIOXIDE, AND VARIOUS HYDROCARBONS WHEN HEATED TO	
		DECOMPOSITION.	
SECTION 6: ACCIDENTAL RELEASE MEASURES	SECTION 6: ACCIDENT	AL RELEASE MEASURES	
PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND WEAR APPROPRIATE PROTECTIVE EQUIPMENT (E.G., GLOVES,			
EMERGENCY PROCEDURES: GOGGLES) DURING CLEANUP. AVOID INHALATION OF DUST OR			
VAPOURS.			
METHODS AND MATERIALS FOR CONTAINMENT AND CONTAIN SPILLAGE WITH ABSORBENT MATERIALS (E.G.,	METHODS AND MATERIALS FOR CONTAINMENT AND		
CLEANING UP: SAND, VERMICULITE). DISPOSE OF IN ACCORDANCE WITH			
LOCAL REGULATIONS.			

THIS SAFETY DATA SHEET (SDS) IS PROVIDED IN ACCORDANCE WITH REGULATION (EC) NO 1907/2006 (REACH) AND REGULATION (EC) NO 1272/2008 (CLP). THE INFORMATION CONTAINED HEREIN IS ACCURATE TO THE BEST OF OUR KNOWLEDGE BUT IS PROVIDED WITHOUT WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED. USERS SHOULD ENSURE THAT THEY HAVE ALL NECESSARY INFORMATION AND EXPERTISE TO HANDLE AND DISPOSE OF THIS PRODUCT SAFELY.



SECTION 7: HANDLING AND STORAGE					
PRECAUTIONS FOR SAFE HANDLING: HANDLE WITH CARE TO PREVENT PUNCTURES OR TEARS IN					
	THE PLASTIC FILM. AVOID CONTACT WITH SHARP OBJECTS.				
CONDITIONS FOR SAFE STORAGE, INCLUDING ANY	STORE IN A COOL, DRY PLACE AWAY FROM DIRECT SUNLIGHT				
INCOMPATIBILITIES:	AND SOURCES OF HEAT. KEEP AWAY FROM OXIDIZING				
	AGENTS				

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION				
CONTROL PARAMETERS: NO SPECIFIC EXPOSURE LIMITS HAVE BEEN ESTABLISHED				
	FOR THIS PRODUCT.			
PERSONAL PROTECTIVE EQUIPMENT:	NO SPECIFIC PROTECTION HAS BEEN ESTABLISHED FOR THIS			
	PRODUCT.			

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
APPEARANCE:	WHITE PLASTIC FILM	
ODOUR:	PLASTIC/ ODOURLESS	
MELTING POINT/FREEZING POINT:	100-260°C/ >-20°C	
BOILING POINT/BOILING RANGE:	N/A	
FLASH POINT:	N/A	

SECTION 10: STABIL	ITY AND REACTIVITY
REACTIVITY:	STABLE UNDER NORMAL CONDITIONS OF USE.
CHEMICAL STABILITY:	STABLE UNDER NORMAL STORAGE CONDITIONS.
POSSIBILITY OF HAZARDOUS REACTIONS:	NONE KNOWN UNDER NORMAL CONDITIONS.

SECTION 11: TOXICOL	OGICAL INFORMATION
ACUTE TOXICITY:	NOT EXPECTED TO CAUSE ACUTE TOXICITY.
SKIN CORROSION/IRRITATION:	NOT EXPECTED TO CAUSE SKIN IRRITATION.
SERIOUS EYE DAMAGE/IRRITATION:	NOT EXPECTED TO CAUSE EYE IRRITATION

SECTION 12: ECOLOGICAL INFORMATION:			
ECOTOXICITY:	THIS PRODUCT IS NOT EXPECTED TO BE HARMFUL TO		
	AQUATIC ORGANISMS.		
PERSISTENCE AND DEGRADABILITY:	PLASTIC FILM MAY PERSIST IN THE ENVIRONMENT FOR AN		
	EXTENDED PERIOD.		

SECTION 13: DISPOSAL CONSIDERATIONS

DISPOSE OF ACCORDING TO LOCAL, REGIONAL, AND NATIONAL REGULATIONS.

SECTION 14: TRANSPORT INFORMATION NOT REGULATED FOR TRANSPORT UNDER DOT, IATA, OR IMDG

SECTION 15: REGULATORY INFORMATION NO ADDITIONAL REGULATORY INFORMATION AVAILABLE.

SECTION 16: OTHER INFORMATION NOT SUITABLE FOR CHILDREN UNDER 3 YEARS.

THIS SAFETY DATA SHEET (SDS) IS PROVIDED IN ACCORDANCE WITH REGULATION (EC) NO 1907/2006 (REACH) AND REGULATION (EC) NO 1272/2008 (CLP). THE INFORMATION CONTAINED HEREIN IS ACCURATE TO THE BEST OF OUR KNOWLEDGE BUT IS PROVIDED WITHOUT WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED. USERS SHOULD ENSURE THAT THEY HAVE ALL NECESSARY INFORMATION AND EXPERTISE TO HANDLE AND DISPOSE OF THIS PRODUCT SAFELY.



DECLARATION OF FILE STORAGE

OPTIMUM DESIGN UK WILL RETAIN A COPY OF THIS TECHNICAL FILE FOR A PERIOD OF TEN YEARS, INITIATING ON The final manufacturing date of the product.



TEST DOCUMENT

SGS					
Test Report	No. CANML2002647003	Date: 17 Mar 2020	Page	2 of 5	
Test Results : OPTIMUM BIG HI	TACKLE BUDDY - BHBRW - FBA_BHBI	RW - ASIN: BOOELPT8ZS			
Test Part Description :					
Specimen No. SGS Sam SN1 CAN20-026					
Remarks :					
(1) 1 mg/kg = 1 ppm	= 0.0001%				
(2) MDL = Method E					
(3) ND = Not Detect					
(4) "-" = Not Regulat					
Phthalate					
Test Method : With reference	to EN14372: 2004. Analysis was p	performed by GC-MS.			
Test Item(s)	CAS	S NO. Unit	MDL	001	
Dibutyl Phthalate (DBP)	84-7			ND	
Benzylbutyl Phthalate (BBP)	85-6	68-7 %(w/w)		ND	
Bis(2-ethylhexyl) Phthalate (DEI	IP) 117-	81-7 %(w/w)		ND	
Diisononyl Phthalate (DINP)	28553- 68515		0.010	ND	
Di-n-octyl Phthalate (DNOP)	117-			ND	
Diisodecyl Phthalate (DIDP)	26761- 68515		0.010	ND	
Notes :					
Annex XVII of REAC i) Shall not be used & DIBP, in concentr childcare articles. ii) Shall not be place DBP, BBP, DEHP, i In addition, DIBP sh individually or in any 0.1 % by weight of t iii) shall not be place	DIBP Reference information: Entry H Regulation (EC) No 1907/2004 Bis substances or in mixtures, indivi- tions equal to or greater than 0.1 9 d on the market in toys or childcare concentrations equal to or greater all not be placed on the market after combination of DBP, BBP, DEHP e plasticised material. d on the market after 7 July 2020 in DIBP, in concentrations equal to or s.	dually or in any combination % by weight of the plasticise or articles, individually or in a r than 0.1 % by weight of th an 0.1 % by weight of th ar 7 July 2020 in toys or chil & DIBP, in concentrations e n articles, individually or in a	n of DBP, E ad material, iny combin e plasticise dcare articl qual to or any combin	BBP, DEHP in toys and ation of d material. es, greater than ation of	
or email: CN.Doccher					
	ngzhou Economic & Technology Development District, Guangzhou, China 51 :开发区科学城科珠路198号 邮编: 51	10663 t (86-20) 82155555 f (86-20) 820			

THIS SAFETY DATA SHEET (SDS) IS PROVIDED IN ACCORDANCE WITH REGULATION (EC) NO 1907/2006 (REACH) AND REGULATION (EC) NO 1272/2008 (CLP). THE INFORMATION CONTAINED HEREIN IS ACCURATE TO THE BEST OF OUR KNOWLEDGE BUT IS PROVIDED WITHOUT WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED. USERS SHOULD ENSURE THAT THEY HAVE ALL NECESSARY INFORMATION AND EXPERTISE TO HANDLE AND DISPOSE OF THIS PRODUCT SAFELY.