

phoenix
SAFE COMPANY LIMITED



E-BROCHURE



PRODUCT GUIDE

Phoenix Safe Company where peace of mind is guaranteed

www.pmdmagnetics.com | sales@pmdmagnetics.co.uk

INDEX

LUXURY SAFES	
LS6000 SERIES	- SPECTRUM 3
LS6010 SERIES	- SPECTRUM PLUS 4
LS7000 SERIES	- NEXT LUXURY SAFE 5
FIRE SAFES & CHESTS	
FS1280 SERIES	- TITAN 6
FS1290 SERIES	- TITAN AQUA 7
FS0440 SERIES	- FIRE FIGHTER 8
FS1510 SERIES	- FIRE RANGER 9
SS1620 SERIES	- FIREFOX 10
FS1650 SERIES	- FIRECHIEF 11
FS1910 SERIES	- FIRE COMMANDER 12
FS1920 SERIES	- FIRE COMMANDER PRO 13
FIRE FILES	
FS2230 SERIES	- ARCHIVO FIRE FILE 14
FS2250/FS2260 SERIES	- WORLD CLASS VERTICAL FIRE FILE 15
FS2270 SERIES	- WORLD CLASS VERTICAL FIRE FILE 16
FS2410 SERIES	- WORLD CLASS LATERAL FIRE FILE 17
DATA SAFES	
DS2000 SERIES	- DATACARE 18
DS2500 SERIES	- DATA COMBI 19
DS4620 SERIES	- DATA COMMANDER 20
DS4650 SERIES	- MILLENNIUM DUPLEX 21
SECURITY SAFES	
SS0721 SERIES	- COMPACT HOME & OFFICE SAFES 22
SS0800 SERIES	- VELA HOME & OFFICE SAFES 23
SS0100 SERIES	- RHEA ELECTRONIC SAFES 24
SS0300 SERIES	- DIONE HOTEL & LAPTOP SAFES 25
SS1160 SERIES	- SECURSTORE 26
SS1170 SERIES	- LYNX 27
SS1180 SERIES	- FORTRESS 28
SS1190 SERIES	- CITADEL 29
HIGH SECURITY SAFES	
HS0650/HS1050 SERIES	- VENUS/NEPTUNE 30
HS2050/HS3550 SERIES	- MERCURY/ELARA 31
HS6070/HS9070 SERIES	- PLANET/COSMOS 32
SL0020 SERIES	- STORAGE LOCKERS 33
VAULTS	
HYPERION SERIES	- DEMOUNTABLE STRONG-ROOMS & VAULT DOORS ... 34
SAFETY DEPOSIT LOCKERS	
PANDORA SERIES	- SAFETY DEPOSIT LOCKERS 35
DEPOSIT SAFES	
SS0800 SERIES	- VELA DEPOSIT HOME & OFFICE SAFES 36
SS0991	- UNDER COUNTER NOTE DEPOSIT SAFE 37
SS0992	- CASHIER DAY DEPOSIT SAFE 37
SS0990 SERIES	- CASHIER DEPOSIT 38
HS1090 SERIES	- DIAMOND DEPOSIT 39
UNDERFLOOR SAFES	
UF0600 SERIES	- TARVOS - UNDERFLOOR SAFES (SQUARE DOOR) 40
UF0900 SERIES	- CHARON - UNDERFLOOR SAFES (ROUND DOOR) 41
GUN SAFES	
GS8000 SERIES	- LACERTA GUN SAFES 42
GS8015 SERIES	- TUCANA GUN SAFES 43
KEY & CASH BOXES	
CB0100 SERIES	- CASH BOXES 44
KC0020 SERIES	- KEY BOXES 44
KS SERIES	- KEY STORE 45
KC0040 SERIES	- CAJA KEY BOXES 45
KS0030 SERIES	- CYGNUS KEY DEPOSIT SAFES 46
KC0600 SERIES	- COMMERCIAL KEY CABINETS 47
KC0300 SERIES	- DEEP KEY CABINETS 48
KC0500 SERIES	- DEEP PLUS KEY & PADLOCK CABINETS 48
LETTER BOXES	
MB0120 SERIES	- ESTILO LETTER BOXES 49
MB SERIES	- TOP-LOADING LETTER BOXES 50
MB SERIES	- FRONT-LOADING LETTER BOXES 50
LAPTOP & TABLET SECURITY	
SC0062/SC0071	- LAPTOP SECURITY CASES 51

TEST SPECIFICATIONS

FIRE TEST STANDARDS – The fire test standards below require that the critical maximum temperature of the following media cannot be exceeded (a) Paper Records – 175°C (b) Digital Media – 120°C (c) Computer Data – 52°C.

NT FIRE 017-60 Paper – Requires safe to be heated to 945°C for 1 hour. The maximum temperature inside the cabinet shall not exceed 175°C.

NT FIRE 017-90 Paper – Requires safe to be heated to 1050°C for 90 minutes. The maximum temperature inside the cabinet shall not exceed 175°C.

NT FIRE 017-120 Dis – Requires safe to be heated to 1090°C for 2 hours. The maximum temperature inside the cabinet shall not exceed 52°C.

NT FIRE 017-120 Paper – Requires safe to be heated to 1090°C for 2 hours. The maximum temperature inside the cabinet shall not exceed 175°C.

EN1047-120 Dis – Requires safe to be heated to over 1100°C for 2 hours. Internal temperature shall not exceed 52°C.

EN1143-1 – The European norm for resistance to burglary attack with various resistance grades up to Grade 10.

EN14450-S1 – The European norm for resistance to burglary attack. Grade S1.

EN14450-S2 – The European norm for resistance to burglary attack. Grade S2.

LFS 30P, LFS 60P-EN 15659 – Light Fire Resistance where the internal temperature will not exceed 175°C.

MTC DIP 120-60DM (Grade B) – Digital Media fire protection where the internal temperature will not exceed 120°C.

WARRANTY/INSURANCE

All phoenix Fire safes come with a free lifetime 'after the fire' replacement warranty and a full 2 year onsite materials and labour warranty. A lifetime warranty applies to KS Series Key Stores. All letter boxes have a 5 year guarantee. A 1 year onsite materials and labour warranty applies to the UF Series. A 2 year onsite materials and labour warranty applies to SS1160/70/80, SS0990, HS & SL Series. A 2 year back to base warranty applies to SC Series. All other products have a 1 year back to base warranty.

Insurance cover against burglary attack will vary due to location and circumstances. Please check with your underwriter.

KEY



RECOMMENDED INSURANCE RATINGS
Cash rating shown - multiply by 10 for valuables



ELECTRONIC LOCK



KEYLOCK



FINGERPRINT LOCK



MECHANICAL LOCK



COMBINATION LOCK



ALARM



SUITABLE FOR 17" LAPTOP



WATER RESISTANT



DROP TESTED



LIFETIME AFTER FIRE REPLACEMENT WARRANTY

LS6000 SERIES SPECTRUM



LS6001ER

9 COLOUR OPTIONS



THE PHOENIX SPECTRUM is an ultra-modern safe designed to protect documents and valuables from fire and theft. The Spectrum's effortlessly attractive design is available with a range of changeable coloured door panels, allowing you to choose a colour to compliment any interior.

- **FIRE PROTECTION (PAPER)** – Tested to the International NT Fire 017-60 fire test standard, at the Swedish SP Testing Centre providing 60 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **LOCKING** – Fitted with an advanced user friendly motorised electronic lock with dual control, multi user control and scrambled code features.
- **SECURITY PROTECTION** – Recommended overnight cash risk of £2,000 or £20,000 valuables*.
- **DROP TEST** – Drop tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building or the collapse of the building.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **LIGHTING** – Fitted with a bright LED interior light so the contents can be easily seen.
- **SPECIAL FEATURES** – Supplied with four internal key hooks, a pull out drawer and a height adjustable shelf.
- **COLOUR** – The Spectrum is finished in a high quality scratch resistant Dark Grey, with interchangeable door panels available in 9 colours.



MODEL NUMBER	PANEL COLOUR	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES / DRAWERS / INTERNAL KEY HOOKS
LS6001E	 R O Y G B P DG LG C	515 x 405 x 470mm	410 x 300 x 300mm ⁺	410mm	60kg	36 Litres	1/1/4

⁺ Internal drawer reduces internal height by 50mm



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

Phoenix Safe Company where peace of mind is guaranteed

www.pmdmagnetics.com | sales@pmdmagnetics.co.uk



4 COLOUR OPTIONS



THE PHOENIX SPECTRUM PLUS LS6010 SERIES is an ultra-modern safe designed to protect documents and valuables from fire and theft. The Spectrum Plus's effortlessly attractive design is available with a range of coloured, brushed stainless steel door panels, allowing you to choose a colour to compliment any interior.


- **FIRE PROTECTION (PAPER)** – Tested to the Swedish NT Fire 017-60 Paper (LS6011F), NT Fire 017-90 Paper (LS6012F) providing up to 90 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **LOCKING** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, dual control, multi-user control, hidden code and scrambled code that can be programmed as standard with up to 32 fingerprints.
- **SECURITY PROTECTION** – Recommended overnight cash risk of £2,000 or £20,000 valuables*.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **DROP TEST** – Drop tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building or the collapse of the building.
- **LIGHTING** – Fitted with a bright LED interior light so the contents can be easily seen.
- **SPECIAL FEATURES** – Supplied with four internal key hooks, a pull out drawer and a height adjustable shelf.
- **COLOUR** – The Spectrum is finished in a high quality scratch resistant Dark Grey, with interchangeable Stainless Steel door panels available in 4 colours.

CHANGEABLE DOOR PANELS



MODEL NUMBER	PANEL COLOUR	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES / DRAWER / INTERNAL KEY HOOKS
LS6011F	● ● ● ●	515 x 405 x 470mm	410 x 300 x 300mm ⁺	410mm	60kg	36 Litres	1/1/4
LS6012F	G S R B	640 x 500 x 530mm	515 x 380 x 330mm ⁺	505mm	100kg	64 Litres	1/1/4

⁺ Internal drawer reduces internal height by 50mm (LS6011F) and 95mm (LS6012F)



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

LS7000 SERIES NEXT LUXURY SAFE



LS7001FW



LS7002FO



LS7003FC



LS7001FB



THE PHOENIX NEXT SERIES is a masterpiece in Design, Security and Fire Protection. Available in a range of stylish modern Oak, Cherry, Black and White finishes. It also features a slide and hide lock panel for extra security. The safe is ideal for modern office and homes when the need for discreet protection is required.

- **FIRE PROTECTION (PAPER)** – Tested to the International NT Fire 017-60 Paper standard, providing 60 minutes fire protection for paper documents.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £3,000 or £30,000 valuables*.
- **LOCKING** – Fitted with an advanced high security fingerprint and touch panel lock. The lock can store up to 128 different fingerprints. The clear LED display also makes operating the lock extremely easy. To further enhance security the lock also features tamper lockout, internal alarm, dual control, hidden code and unlimited scrambled code as standard.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **FITTINGS** – Fitted with luxury wooden drawers, with fully lined base to protect your valuables. Additional drawers available on request to suit your own requirements.
- **SECURITY CONSTRUCTION** – The safe is locked by 3 way live locking bolts, each bolt 32mm in diameter for extra strength. Strategic points like the lock and bolts are further protected by anti-drill plates.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **COLOUR/FINISH** – Stylish door panels available in Oak, Cherry, Black & White, plus slide and hide lock panel. Body finished in a high gloss Black.


MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY	SHELVES/ DRAWER	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
						(H320xW75x290mm) Total no. of file per unit	(H350xW80xD285mm) Total no. of file per unit	(H370xW75xD245mm) Total no. of file per unit
LS7001 FC/FO/FB/FW	580 x 500 x 550mm	425 x 375 x 305mm**	107kg	47 Litres	1/1	4	4	4
LS7002 FC/FO/FB/FW	780 x 500 x 550mm	625 x 375 x 305mm**	130kg	72 Litres	2/2	5	4	5
LS7003 FC/FO/FB/FW	880 x 500 x 550mm	725 x 375 x 305mm**	145kg	82 Litres	2/2	10	8	5

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.

FC = Cherry, FO = Oak, FB = Black, FW = White

**LS7001 – the internal drawer reduces the internal height by 124mm.

LS7002 and LS7003 – the internal drawer reduces the internal height by 200mm.



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

Phoenix Safe Company where peace of mind is guaranteed

www.pmdmagnetics.com | sales@pmdmagnetics.co.uk

FS1280 SERIES TITAN FIRE AND SECURITY SAFE



FS1280F



FS1281K



FS1283



FS1282E

THE PHOENIX TITAN is a modern, compact, fire and security resistant safe designed to meet the need for residential and business use.

- **FIRE PROTECTION (PAPER)** – Tested to the International NT Fire 017-60 fire test standard, at the Swedish SP Testing Centre providing 60 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **LOCKING** – **FS1280K** – Fitted with a high quality key lock supplied with two keys. **FS1280E** – Fitted with an advanced high security electronic lock with scrambled code as standard. **FS1280F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £2,000 or £20,000 valuables*.
- **DROP TEST** – Drop tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building or the collapse of the building.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **SPECIAL FEATURES** – All models are supplied with four internal key hooks and a pull out drawer. Models FS1282 & FS1283 also have the added advantage of a height adjustable shelf.
- **OPTIONAL** – Bright internal LED light to illuminate the interior of the safe (FS1280E only).
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES/ DRAWER/ INTERNAL KEY HOOKS
FS1281K/E/F	360 x 410 x 365mm	260 x 320 x 235mm	350mm/40mm	28kg	19 Litres	0/1/4
FS1282K/E/F	410 x 350 x 430mm	320 x 260 x 305mm	325mm/40mm	34kg	25 Litres	1/1/4
FS1283K/E/F	515 x 400 x 440mm	410 x 300 x 300mm	375mm/40mm	53kg	36 Litres	1/1/4

The internal drawer reduces internal height by 50mm



Optional LED Light
(FS1280E only)



FS1280K



FS1280E



FS1280F



FS1280F



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

FS1290 SERIES TITAN AQUA



FS1291E



FS1293E



FS1292E

THE PHOENIX TITAN AQUA is an ultra-modern and compact range of safes, designed to protect documents, digital media & valuables from fire, water and theft, ideal for residential and business use.

- **FIRE PROTECTION (PAPER)** – 1hr fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – 1hr fire protection for digital media (DVD's, USB sticks & Hard Drives).
- **WATER RESISTANT** – Up to 200mm of water for 24 hours.
- **LOCKING** – Fitted with an advanced user friendly electronic lock with illuminating keypad, built-in alarm and key override facility (2 keys supplied).
- **SECURITY PROTECTION** – Recommended overnight cash risk of £2,000 or £20,000 valuables*.
- **CONSTRUCTION** – Large 25mm live locking bolts for added protection against attack.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **LIGHTING** – Fitted with a bright LED interior light so the contents can easily be seen, even in the most dimly lit cupboards.
- **SPECIAL FEATURES** – All models are supplied with a height adjustable shelf, internal door pocket and have automatic slam shut door locking. **FS1292E** and **FS1293E** are fitted with 5 internal key hooks.
- **COLOUR** – Finished in a high quality scratch resistant Black paint.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES/ DRAWER/ INTERNAL KEY HOOKS
FS1291E	355 x 470 x 480mm	220 x 330 x 325mm	305mm/47mm	36kg	24 Litres	1/0/0
FS1292E	460 x 470 x 480mm	330 x 330 x 325mm	410mm/47mm	45kg	35 Litres	1/0/5
FS1293E	610 x 530 x 480mm	475+ x 385 x 325mm	550mm/47mm	62kg	60 Litres	1/1/5

+ The internal drawer reduces internal height by 50mm



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

Phoenix Safe Company where peace of mind is guaranteed



FS0441K



FS0443



FS0442E

THE PHOENIX FIRE FIGHTER sets new standards for fire and security protection and is an ideal safe for small to medium sized enterprises.

- **FIRE PROTECTION (PAPER)** – Tested to Swedish NT Fire 017-90 Paper (FS0441 & FS0442), NT Fire 017-120 Paper (FS0443), providing up to 120 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £2,500 or £25,000 valuables*.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **FITTINGS** – Each safe comes complete with height adjustable shelf and lockable cash/valuables drawer.
- **LOCKING** – **FS0440K** – Fitted with a high quality key lock supplied with two keys. **FS0440E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard.
- **FS0440F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **SPECIAL FEATURES** – Fitted with automatic slam shut door locking.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.




Internal Key Hooks

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES / DRAWERS / INTERNAL KEY HOOKS	LEVER ARCH FOLDER (H320xW75x290mm)	FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm)	FOOLSCAP BOX FILE (H370xW75xD245mm)
						Total no.of file per unit	Total no.of file per unit	Total no.of file per unit	
FS0441K/E/F	640 x 500 x 500mm	510 ⁺ x 375 x 330mm	440mm/40mm	93kg	63 Litres	1/1/3	5	4	5
FS0442K/E/F	820 x 520 x 520mm	670 ⁺ x 380 x 330mm	460mm/40mm	120kg	84 Litres	1/1/3	10	4	5
FS0443K/E/F	1065 x 655 x 560mm	880 ⁺ x 475 x 350mm	570mm/40mm	218kg	145 Litres	1/1/5	12	10	12

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.

* The internal drawer reduces internal height by 95mm




* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

FS1510 SERIES FIRE RANGER



THE PHOENIX FIRE RANGER sets new standards for protection against fire and burglary attack in an economic, convenient and attractive format.

- **FIRE PROTECTION** – Provides 30 minutes fire protection for paper records at 500°C.
- **LOCKING** – **FS1510K** – Fitted with a high security VdS class I key lock supplied with two keys. **FS1510E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **FS1510F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **SECURITY PROTECTION** – The safe is recommended for overnight cash cover of £1,500 or valuables cover of £15,000*.
- **DOOR CONSTRUCTION** – High security 3 way espagnolette boltwork provides great strength and attack resistance.
- **SPECIAL FEATURES** – Supplied with height adjustable shelves that also includes hanging rails for lateral files as standard.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.



Optional Coffe**
(FS1512/13/14 only)

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES / DOORS	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
							(H320xW75xD290mm) Total no.of file per unit	(H350xW80xD285mm) Total no.of file per unit	(H370xW75xD245mm) Total no.of file per unit
FS1511K/E/F	1225 x 600 x 520mm	1080 x 505 x 410mm	575mm/50mm	66kg	224 Litres	2/1	18	18	12
FS1512K/E/F	1225 x 930 x 520mm	1080 x 815 x 410mm	415mm/50mm	87kg	361 Litres	2/2	30	30	20
FS1513K/E/F	1950 x 930 x 520mm	1810 x 815 x 410mm	455mm/50mm	133kg	605 Litres	4/2	50	50	40
FS1514K/E/F	1950 x 1250 x 520mm	1810 x 1135 x 410mm	595mm/50mm	190kg	843 Litres	4/2	75	70	60
Data Protection Insert – FSDPI03 (FS1512, FS1513 & FS1514 only)									
	300 x 515 x 360mm	170 x 370 x 230mm	-	20kg	14 Litres	-			

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.

**Optional coffer reduces internal height by 385mm.



FS1510K



FS1510E



FS1510F



FS1510F



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

Phoenix Safe Company where peace of mind is guaranteed

www.pmdmagnetics.com | sales@pmdmagnetics.co.uk



SS1622K



SS1623



SS1621E

THE PHOENIX FIREFOX SS1620 series is designed and tested to the latest and prestigious European test standards for both Fire and Security Protection.

- **SECURITY PROTECTION** – Tested to the prestigious European S2 Security standard (EN14450 ECB.S Certified) giving cash cover of £4,000 or valuables cover of £40,000*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AIS).
- **FIRE PROTECTION (PAPER)** – Tested to the Swedish NT Fire O17-120 Paper standard, providing 120 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **FEATURES** – Internal lockable steel drawer unit in each model.
- **LOCKING** – **SS1620K** – Fitted with a high security double bitting VdS class I key lock. **SS1620E** – Fitted with a high security VdS class II electronic lock.

- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **CONSTRUCTION** – Double wall construction with high grade concrete infill to provide both fire and burglary protection.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete supplied.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.
- Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.



Internal Key Hooks

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	DRAWERS / SHELVES / KEY HOOKS	LEVER ARCH FOLDER (H320xW75x290mm) Total no. of file per unit	FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no. of file per unit	FOOLSCAP BOX FILE (H370xW75xD245mm) Total no. of file per unit
SS1621K/E	960 x 655 x 560mm	780 ⁺ x 475 x 350mm	600mm/50mm	188kg	128 Litres	1/2/5	12	10	12
SS1622K/E	1160 x 655 x 560mm	980 ⁺ x 475 x 350mm	600mm/50mm	217kg	162 Litres	1/2/5	18	10	12
SS1623K/E	1385 x 775 x 650mm	1205 ⁺ x 595 x 440mm	720mm/50mm	330kg	315 Litres	1/3/0	21	21	21
Data Protection Insert – FSDPI03 (SS1623 only)									
	300 x 515 x 360mm	170 x 370 x 230mm	-	20kg	14 Litres	-	-	-	-

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.

+ Drawer reduces internal height by 105mm.



SS1620K



SS1620E



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

FS1650 SERIES FIRECHIEF



THE PHOENIX FIRECHIEF FS1650 SERIES sets new standards for protection against fire and burglary attack in an economic, convenient and attractive format. Ideal for large quantities of documents, records & exam papers.

- **FIRE PROTECTION** – Provides 30 minutes fire protection for paper records.
- **LOCKING OPTIONS** – **FS1650K** – Fitted with high security double bitted VdS class I key lock. **FS1650E** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- **SECURITY PROTECTION** – Tested to the prestigious European S1 security standard EN14450, giving cash cover of £2,000 or valuables cover of £20,000.
- **JCQ COMPLIANT** – Complies with the requirements set out by the Joint Council for Qualifications (JCQ) for the secure storage of question papers and any other confidential materials distributed to centres in advance of the examinations. (Applies to FS1650K only).
- **CONSTRUCTION** – High security 3 way boltwork provides great strength and attack resistance.
- **SPECIAL FEATURES** – Supplied with height adjustable shelves that also includes hanging rails for lateral files as standard. Optional pull out cradles also available but only suitable if the unit is base fixed.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete supplied.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.

✚ Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.



Optional Coffe**
(FS1652/53/54 only)



Optional Pull Out Cradle



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES / DOORS	LEVER ARCH FOLDER (H320xW75x290mm) Total no. of file per unit	FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no. of file per unit	FOOLSCAP BOX FILE (H370xW75xD245mm) Total no. of file per unit
FS1651KE	1225 x 600 x 520mm	1080 x 505 x 410mm	575mm/50mm	66kg	224 Litres	2/1	18	18	12
FS1652KE	1225 x 930 x 520mm	1080 x 815 x 410mm	415mm/50mm	87kg	361 Litres	2/2	30	30	20
FS1653KE	1950 x 930 x 520mm	1810 x 815 x 410mm	455mm/50mm	133kg	605 Litres	4/2	50	50	40
FS1654KE	1950 x 1250 x 520mm	1810 x 1135 x 410mm	595mm/50mm	190kg	843 Litres	4/2	70	75	60
Data Protection Insert – FSDPI03 (FS1652, FS1653 & FS1654 only)									
	300 x 515 x 360mm	170 x 370 x 230mm	-	20kg	14 Litres	-			

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.

**Optional coffer reduces internal height by 385mm.



FS1650K



FS1650E



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

Phoenix Safe Company where peace of mind is guaranteed

www.pmdmagnetics.com | sales@pmdmagnetics.co.uk



FS1911E



FS1912K



FS1913K



Shown with optional lateral filing frame – Available for all models.

FS1914

Shown with optional Data protection insert (FSDPI03) for models FS1913 & FS1914

THE PHOENIX FIRE COMMANDER FS1910 SERIES offers unrivalled protection for documents, digital media, data (with FSDPI03) and cash.

- **FIRE PROTECTION (PAPER)** – Tested to the Swedish NT Fire 017-120 Paper standard, providing 120 minutes fire protection for paper documents.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM Fire Test standard providing up to 60 minutes fire protection for DVDs, memory sticks and hard drives.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £2,500 or £25,000 valuables.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **LOCKING – FS1910K** – Fitted with a high quality key lock supplied with two keys. **FS1910E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard.
- **FS1910F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **SPECIAL FEATURES** – Supplied with height adjustable shelves that also includes hanging rails for lateral files as standard. Optional pull out shelves & drawers available.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES / DOORS	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE	
							(H320xW75x290mm) Total no. of file per unit	(H350xW80xD285mm) Total no. of file per unit	(H370xW75xD245mm) Total no. of file per unit	
FS1911K/E/F	1160 x 690 x 650mm	980 x 510 x 440mm	650mm/40mm	260kg	220 Litres	2/1	18	12	12	
FS1912K/E/F	1685 x 690 x 650mm	1505 x 510 x 440mm	470mm/40mm	340kg	338 Litres	3/1	24	24	24	
FS1913K/E/F	1160 x 950 x 650mm	980 x 770 x 440mm	650mm/40mm	358kg	332 Litres	2/2	30	18	20	
FS1914K/E/F	1685 x 1125 x 650mm	1505 x 945 x 440mm	560mm/40mm	554kg	626 Litres	3/2	48	44	48	
Data Protection Insert – FSDPI03 (FS1913 & FS1914)										
	300 x 515 x 360mm	170 x 370 x 230mm	-	20kg	14 Litres	-				

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.



FS1910K



FS1910E



FS1910F



FS1910F



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

FS1920 SERIES FIRE COMMANDER PRO



FS1922E



FS1923



Shown with optional Data protection insert (FSDPI03). Available for all models.

FS1921

THE PHOENIX FS1920 FIRE COMMANDER PRO series offers unrivalled protection for documents, data (with FSDPI03) and cash.

- **FIRE PROTECTION (PAPER)** – Tested to the European LFS 60P Fire protection standard (EN15659 ECB.S Certified) giving 60 minutes fire protection for paper documents.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **SECURITY PROTECTION** – Tested to the prestigious European S2 Security Standard (EN14450 – ECB.S Certified) giving cash cover of £4,000 or valuables cover of £40,000.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **LOCKING** – **FS1920K** – Fitted with high security double bitted VdS class I key lock. **FS1920E** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- **SPECIAL FEATURES** – Supplied with height adjustable shelves that also includes hanging rails for lateral files as standard. Optional pull out cradles also available.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.
- ✚ Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
							(H320xW75x290mm) Total no. of file per unit	(H350xW80xD285mm) Total no. of file per unit	(H370xW75xD245mm) Total no. of file per unit
FS1921K/E	1200 x 1250 x 585mm	1030 x 1110 x 390mm	570mm/40mm	440kg	445 Litres	2	42	26	28
FS1922K/E	1950 x 940 x 585mm	1760 x 800 x 390mm	690mm/40mm	457kg	549 Litres	4	50	50	40
FS1923K/E	1950 x 1250 x 585mm	1785 x 1110 x 390mm	520mm/40mm	650kg	772 Litres	4	70	65	56
Data Protection Insert – FSDPI03									
	300 x 515 x 360mm	170 x 370 x 230mm	-	20kg	14 Litres	-			

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.



FS1920K

FS1920E

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

Phoenix Safe Company where peace of mind is guaranteed

www.pmdmagnetics.com | sales@pmdmagnetics.co.uk



THE PHOENIX ARCHIVO FIRE FILE series offers unrivalled protection for documents and data† in a stylish modern filing cabinet format. Ultra lightweight insulation materials also mean the cabinet can be used on most standard floors without the need for supporting.


- **FIRE PROTECTION (PAPER)** – Tested to the international NT Fire 017-60 paper standard, providing 60 minutes fire protection for paper documents.
- **FIRE PROTECTION (DATA)** – 60 minutes fire protection for Computer tapes and data when optional FSDPI08 is specified.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, USB's, memory sticks and hard drives.
- **WATER RESISTANCE** – Water resistant seals prevent water damage to contents when cabinet is subjected to sprinklers systems or fire hoses.***
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **LOCKING** – Fitted with a high security plunger lock that operates independently on each drawer. This allows for any combination of open or locked drawers.
- **CAPACITY** – Able to accommodate Foolscap, A4 and A5 files on width adjustable rails. Each drawer also accommodates a filing depth of 505mm.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY PER DRAWER	TOTAL CAPACITY	DRAWERS
FS2232K	720 x 530 x 675mm	255 x 385 x 505mm**	132kg	51 Litres	102 Litres	2
FS2234K	1405 x 530 x 675mm	255 x 385 x 505mm**	253kg	51 Litres	204 Litres	4
Data Protection Insert – FSDPI08						
	260 x 380 x 500mm	165 x 282 x 402mm	20kg	19 Litres	-	

*** Does not protect against water submersion

** Internal dimensions for the drawers

† When using Phoenix FSDPI08



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

FS2250/FS2260 SERIES WORLD CLASS VERTICAL FIRE FILE



FS2254E



FS2252K

FS2250 Series = 25 inch deep
FS2260 Series = 31 inch deep



FS2250/60F



Data protection insert (FSDPI08)

THE PHOENIX WORLD CLASS VERTICAL FIRE FILE series offers unrivalled protection for documents and data† in a stylish modern filing cabinet format. Ultra lightweight insulation materials mean the cabinet can be used on most floors without the need for supporting.

- **FIRE PROTECTION (PAPER)** – 90 minutes fire protection for paper documents.
- **FIRE PROTECTION (DATA)** – 90 minutes fire protection for Computer tapes and data if optional FSDPI08 is used.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, USB's, memory sticks and hard drives.
- **WATER RESISTANCE** – Water resistant seals prevent water damage to contents when cabinet is subjected to sprinklers systems or fire hoses.***
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **LOCKING – FS2250K/60K** – Fitted with a high quality key lock supplied with two keys. **FS2250E/60E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **FS2250F/60F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **CAPACITY** – Able to accommodate Foolscap, A4 and A5 files on width adjustable rails. Compression plates are also supplied to maximise useable space.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY PER DRAWER	TOTAL CAPACITY	DRAWERS
FS2252K/E/F	720 x 530 x 675mm	255 x 385 x 505mm**	140kg	49 Litres	98	2
FS2254K/E/F	1405 x 530 x 675mm	255 x 385 x 505mm**	266kg	49 Litres	196	4
FS2262K/E/F	720 x 530 x 805mm	255 x 385 x 635mm**	150kg	62 Litres	124	2
FS2264K/E/F	1405 x 530 x 805mm	255 x 385 x 635mm**	268kg	62 Litres	248	4
Data Protection Insert – FSDPI08 (FS2250 only)						
	260 x 380 x 500mm	165 x 282 x 402mm	20kg	19 Litres	-	

*** Does not protect against water submersion ** Internal dimensions for the drawers † When using Phoenix FSDPI08



FS2250K/60K

FS2250E/60E

FS2250F/60F

FS2250F/60F

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

FS2270 SERIES WORLD CLASS VERTICAL FIRE FILE



FS2274E



FS2272K



Data protection insert (FSDPI08)



FS2270F

THE PHOENIX WORLD CLASS VERTICAL FIRE FILE series offers unrivalled protection for documents and data in a stylish modern filing cabinet format. Ultra lightweight insulation materials also mean the cabinet can be used on most standard floors without the need for supporting.

- **FIRE PROTECTION (PAPER)** – 120 minutes fire protection for paper documents.
- **FIRE PROTECTION (DATA)** – 120 minutes fire protection for Computer tapes and data if optional FSDPI08 is used.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, USB's, memory sticks and hard drives.
- **WATER RESISTANCE** – Water resistant seals prevent water damage to contents when cabinet is subjected to sprinklers systems or fire hoses.***
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **LOCKING – FS2270K** – Fitted with a high quality key lock supplied with two keys. **FS2270E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **FS2270F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **CAPACITY** – Able to accommodate Foolscap, A4 and A5 files on width adjustable rails. Compression plates are also supplied to maximise useable space.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY PER DRAWER	TOTAL CAPACITY	DRAWERS
FS2272K/E/F	765 x 570 x 700mm	265 x 385 x 505mm**	180kg	51 Litres	102	2
FS2274K/E/F	1450 x 570 x 700mm	265 x 385 x 505mm**	330kg	51 Litres	204	4
Data Protection Insert – FSDPI08						
	260 x 380 x 500mm	165 x 282 x 402mm	20kg	19 Litres	-	

*** Does not protect against water submersion ** Internal dimensions for the drawers



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

FS2410 SERIES WORLD CLASS LATERAL FIRE FILE



FS2414E



FS2412K



FSDPI09

● **KEY FEATURE** – Cheaper per mm of filing compared to standard vertical file**.



FS2410F

THE PHOENIX WORLD CLASS LATERAL FIRE FILE FS2410 series offers unrivalled protection and capacity for documents and data[†] in a stylish modern lateral filing cabinet format. Ultra lightweight insulation materials also mean the cabinet can be used on most standard floors without the need for supporting.

- **FIRE PROTECTION (PAPER)** – Tested to the Swedish NT Fire 017- 60 Paper standard, providing 60 minutes fire protection for paper documents.
- **FIRE PROTECTION (DATA)** – 60 minutes protection for computer tapes and digital media when stored in optional FSDPI09.
- **WATER RESISTANCE** – Water resistant seals prevent water damage to contents when cabinet is subjected to sprinkler systems or fire hoses***.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **CAPACITY** – Able to accommodate foolscap, A4 and A5 files on width adjustable rails.
- **LOCKING – FS2410K** – Fitted with a high quality key lock supplied with two keys. **FS2410E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **FS2410F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY PER DRAWER	TOTAL CAPACITY	DRAWERS
FS2412K/E/F	730 x 985 x 600mm	265 x 830 x 385mm ^{††}	209kg	84 Litres	168 Litres	2 (lateral foolscap - complete with filing cradles)
FS2414K/E/F	1390 x 985 x 600mm	265 x 830 x 385mm ^{††}	342kg	84 Litres	336 Litres	4 (lateral foolscap - complete with filing cradles)
Data Protection Insert – FSDPI09						
	259 x 400 x 375mm	165 x 282 x 277mm	20kg	-	13 Litres	-

[†] When using Phoenix FSDPI09

^{††} Internal dimensions for the drawers

** When compared against the Phoenix FS2254 Vertical Fire File retail price

*** Does not protect against water submersion



FS2410K



FS2410E



FS2410F



FS2410F



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



Internal Key Hooks



DS2000F



DS2002K



DS2003K
Shown with optional extra
multimedia trays



DS2001E

Designed to meet the requirement of a large capacity fire protection unit for computer backup tapes and digital media such as CD's, DVD's and memory sticks. Suitable for use in residential or business premises.

- **FIRE PROTECTION (DATA)** – Tested to Swedish NT Fire 017.
 - DS2001 – 60dis standard, providing 60 minutes fire protection for computer backup tapes.
 - DS2002 – 90dis standard, providing 90 minutes fire protection for computer backup tapes.
 - DS2003 – 120dis standard, providing 120 minutes fire protection for computer backup tapes.
- **WATER RESISTANCE** – Twin water resistant seals provide an airtight water resistant inner compartment for your computer media.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **SPECIAL FEATURES** – DS2002 and DS2003 are fitted with automatic slam shut locking.
- **LOCKING** – **DS2000K** – Fitted with a high quality key lock supplied with two keys. **DS2000E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard.

DS2000F – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.

- **FITTINGS** – DS2003 can also be fitted with pull out media trays as an optional extra.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES/ KEY HOOKS	DATA CAPACITY			
							LTO	DAT	DLT	CD-ROM
DS2001K/E/F	420 x 350 x 430mm	240 x 150 x 195mm	305mm/30mm	43kg	7 Litres	1/4	14	96	14	30
DS2002K/E/F	600 x 470 x 470mm	380 x 245 x 195mm	440mm/30mm	93kg	18 Litres	2/3	27	225	27	57
DS2003K/E/F	770 x 690 x 720mm	485 x 395 x 405mm	609mm/30mm	222kg	77 Litres	2/0	189	990	189	372
MEDIA DRAWERS	-	60 x 370 x 397mm	-	3kg	-	-	42	116	42	94



DS2000K



DS2000E



DS2000F



DS2000F



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

DS2500 SERIES DATA COMBI



DS2502K



DS2503



DS2501E



DS2500F


FOUR SAFES IN ONE – this safe provides fire protection for paper documents, computer diskettes, tapes and all forms of data storage and security for cash and valuables all in one unit. Suitable for use in residential or business premises.

- **FIRE PROTECTION (PAPER)** – Tested to Swedish NT Fire 017-90 Paper (DS2501/DS2502), NT Fire 017-120 Paper (DS2503), providing up to 120 minutes fire protection for paper documents.
- **FIRE PROTECTION (DATA)** – Tested to Swedish NT Fire 017-90dis (DS2501/DS2502), NT Fire 017-120 data (DS2503), providing up to 120 minutes Fire protection for computer diskettes, tapes and all forms of data storage.
- **FIRE PROTECTION (DIGITAL MEDIA)** – Tested to MTC DIP120-60DM fire test standard, providing 60 minutes fire protection for digital media, DVD's, USB's, memory sticks and hard drives.
- **SECURITY PROTECTION** – The safe is recommended for an overnight cash risk of £2,500 or £25,000 valuables*.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **LOCKING** – **DS2500K** – Fitted with a high quality key lock supplied with two keys. **DS2500E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **DS2500F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **FITTINGS** – Each safe comes complete with height adjustable shelf and lockable drawer.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **SPECIAL FEATURES** – Fitted with automatic slam shut locking.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES / DRAWERS / INTERNAL KEY HOOKS
DS2501K/E/F	640 x 500 x 500mm	510 ⁺ x 375 x 330mm	440mm/40mm	103kg	63 Litres Main Safe / 6 Litres Data Compartment	1/1/3
DS2502K/E/F	820 x 520 x 520mm	670 ⁺ x 380 x 330mm	460mm/40mm	134kg	84 Litres Main Safe / 6 Litres Data Compartment	1/1/3
DS2503K/E/F	1065 x 655 x 560mm	880 ⁺ x 475 x 350mm	570mm/40mm	227kg	145 Litres Main Safe / 14 Litres Data Compartment	1/1/5



⁺ Internal drawer and data box reduces internal height by 305mm on DS2501E & DS2502E and 380mm on DS2503E



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



Designed to meet the requirement of a large capacity fire protection unit for computer diskettes, tapes and all forms of data storage. Suitable for use in commercial business premises for large volume storage.

- **FIRE PROTECTION (DATA)** – Tested to Swedish NT Fire 017-120dis standard, providing 120 minutes fire protection for computer backup tapes.
- **WATER RESISTANCE** – Twin water resistant seals provide an airtight water resistant inner compartment for your computer media.
- **LOCKING** – **DS4620K** – Fitted with a high quality key lock supplied with two keys. **DS4620E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **DS4620F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **SPECIAL FEATURES** – DS4621 and DS4622 are fitted with automatic slam shut locking.
- **FITTINGS** – Each unit comes complete with height adjustable shelves and pull out media trays.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES / DRAWERS	LTO	DAT	DLT	CD-ROM
DS4621K/E/F	1160 x 690 x 720mm	885 x 400 x 405mm	595mm/40mm	340kg	143 Litres	2/3	294	1276	294	564
DS4622K/E/F	1685 x 690 x 720mm	1410 x 400 x 405mm	595mm/40mm	480kg	228 Litres	2/5	462	1972	462	940
DS4623K/E/F	1685 x 1200 x 720mm	1410 x 800** x 405mm	595mm/40mm	753kg	457 Litres	3/10	924	3944	924	1880
MEDIA DRAWERS	-	60 x 370 x 397mm	-	3kg	-	-	42	116	42	94

** width comprises of two compartments each 395mm wide.



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

DS4650 SERIES MILLENNIUM DUPLEX



DS4651



DS4652E



DS4653E

THE PHOENIX MILLENNIUM DUPLEX DS4650 SERIES is designed to meet the requirement of a large capacity fire protection unit for computer backup tapes and digital media such as CD's, DVD's and memory sticks. Suitable for use in commercial business premises for large volume storage.

- **FIRE PROTECTION (DATA)** – Tested to EN 1047-1 S120dis standard, providing 120 minutes fire protection for computer backup tapes.
- **WATER RESISTANT** – Water resistant seals provide an airtight water resistant inner compartment for your computer media.
- **DROP TEST** – Fire and impact tested from 9.1 metres for resistance to the impact of falling through the burning floors of a building.
- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Grade 1 Security standard. Recommended Insurance rating of £10,000 cash or £100,000 valuables*.
- **LOCKING** – **DS4650K** – Fitted with a high security double bitted VdS class I key lock (2 keys supplied) – **DS4650E** – Fitted with a high security VdS class I electronic lock.
- **FITTINGS** – Each unit comes complete with height adjustable shelves and pull out media drawers.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete supplied.
- **COLOUR** – Finished in a high quality scratch resistant Light Grey paint RAL7035.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	HANDLE DEPTH	DOOR SWING	WEIGHT	CAPACITY	SHELVES/ DRAWERS	LTO	DAT	DLT	CD-ROM
DS4651K/E	1140 x 800 x 730mm	885 x 580 x 455mm	42mm	720mm	530kg	234 Litres	2/2	516	1140	276	1848
DS4652K/E	1300 x 800 x 730mm	1045 x 580 x 455mm	42mm	720mm	600kg	275 Litres	3/2	602	1330	322	2156
DS4653K/E	1455 x 885 x 800mm	1200 x 665 x 425mm	42mm	800mm	755kg	418 Litres	3/3	800	1984	536	2856
Media Drawers (DS4651/2)		65 x 525 x 445 mm	-	-	3kg	-	-	86	190	46	308
Media Drawers (DS4653)		65 x 610 x 510 mm	-	-	3kg	-	-	100	248	67	357



DS4650K



DS4650E



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

SS0721 SERIES COMPACT HOME & OFFICE SAFES



SS0721EBD



SS0721EPD



SS0721K



SS0721E



OVERRIDE KEYS

THE SS0721 SECURITY SAFES are ideal for use at home or in the office for storage of valuables and cash.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,000 cash or £10,000 valuables*.
- **LOCKING** – SS0721E – Simple to use with their advanced ‘user-friendly’ digital lock. SS0721K fitted with a high quality key-lock and supplied with two keys.
- **CONSTRUCTION** – Twin live locking bolts and concealed internal hinges for increased security.
- **DEPOSIT SLOT** – Ideal for depositing coins & notes (SS0721EBD/EPD only).
- **SPECIAL FEATURES** – All electronic locking models are fitted with three internal key hooks.
- **FIXING** – Ready prepared for floor or wall fixing, supplied with bolts suitable for brick walls and concrete floors.
- **COLOUR** – Finished in a high quality scratch resistant paint. Available in a choice of black, blue or pink.

MODEL NUMBER	COLOUR	DEPOSIT SLOT	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY
SS0721E	Black	No	170 x 230 x 170mm	168 x 228 x 120mm	160mm	3kg	5 Litres
SS0721K	Black	No	170 x 230 x 170mm	168 x 228 x 120mm	160mm	3kg	5 Litres
SS0721EBD	Blue	Yes	170 x 230 x 170mm	168 x 228 x 120mm	160mm	3kg	5 Litres
SS0721EPD	Pink	Yes	170 x 230 x 170mm	168 x 228 x 120mm	160mm	3kg	5 Litres
Deposit slot	-	-	-	3 x 80 x 5mm	-	-	-


Door aperture is reduced by 5mm due to frame.



SS0721K



SS0721E



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

SS0800 SERIES VELA HOME & OFFICE SAFES



LED INTERNAL LIGHT
(E LOCK VERSION ONLY)



OVERRIDE KEYS



SS0801K

SS0804E

SS0805

SS0803K

SS0802E

THE PHOENIX VELA SERIES is designed for use at home or in the office for storage of valuables, cash and important documents.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,000 cash or £10,000 valuables.*
- **LOCKING** – **SS0800K** fitted with a high quality key-lock and comes complete with two keys. **SS0800E** has advanced ‘user friendly’ electronic locking with high quality anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility (2 keys supplied).
- **SPECIAL FEATURES** – Internal width of SS0803 makes it ideal for the storage of laptops up to 17”.
- **LIGHTING** – The electronic locking versions all come fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards.
- **CONSTRUCTION** – Twin live locking bolts and concealed internal hinges for increased security.
- **FIXING** – Ready prepared for fixing to the floor or wall, bolts supplied for brick walls or concrete floors.
- **COLOUR** – Finished in a high quality scratch resistant Metallic Graphite paint.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES
SS0801K/E	200 x 310 x 200mm	195 x 305 x 160mm	215mm	4.5kg	10 Litres	0
SS0802K/E	250 x 350 x 250mm	240 x 340 x 210mm	260mm	6kg	17 Litres	1
SS0803K/E	250 x 450 x 365mm	240 x 440 x 325mm	355mm	12kg	34 Litres	1
SS0804K/E	500 x 350 x 310mm	495 x 345 x 300mm	260mm	19kg	51 Litres	1
SS0805K/E	560 x 370 x 445mm	555 x 365 x 435mm	290mm	23kg	88 Litres	1



SS0800K



SS0800E



SS0803

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



LED INTERNAL LIGHT



OVERRIDE KEYS



THE RHEA SECURITY SAFE RANGE is ideal for use at home or in the office for storage of cash and valuables. The SS0103E is suitable for a 17" Laptop.

- **SECURITY PROTECTION** – Recommended for £1,000 cash or £10,000 valuables storage*.
- **LOCKING** – Fitted with a high quality electronic lock programmable with user and master codes. An LCD display shows time, date and lock status. The lock can also display the last 45 openings of the safe for extra security.
These safes are fitted with an override key-lock system should the user lock the safe out or forget the codes. Two radial pin tumbler keys for the override system supplied.
- **SPECIAL FEATURES** – Internal width of SS0103E makes it ideal for the storage of laptops up to 17".
- **LIGHTING** – Fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards.
- **FIXING** – Ready prepared for floor or wall mounting (supplied with bolts suitable for brick walls or concrete floors).
- **FITTINGS** – Supplied with fitted shelf unit (except SS0101E) allowing you to better organise your contents.
- **COLOUR** – Finished in a high quality scratch resistant colour Graphite Grey.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES
SS0101E	200 x 310 x 200mm	195 x 305 x 160mm	215mm	5kg	10 Litres	0
SS0102E	250 x 350 x 250mm	240 x 340 x 210mm	260mm	7kg	17 Litres	1
SS0103E	250 x 450 x 365mm	240 x 440 x 325mm	355mm	12kg	34 Litres	1
SS0104E	500 x 350 x 310mm	495 x 345 x 300mm	262mm	19kg	51 Litres	1
SS0105E	560 x 370 x 445mm	555 x 365 x 435mm	290mm	23kg	88 Litres	1



SS0103E



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

SS0300 SERIES DIONE HOTEL & LAPTOP SAFES



SS0301E



SS0302E



SS0311E



SS0312E

THE PHOENIX DIONE SERIES are ideal for hotel, residential or business use, for the storage of tablets, laptops, cash and valuables.

- **SECURITY PROTECTION** - Recommended for £1,000 cash or £10,000 valuables storage*.
- **LOCKING** – **SS0301E & 2E** are fitted with an advanced 'user friendly' electronic lock with high security anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility and Master code facility.
SS0311E & 12E are fitted with a high security motorized electronic lock, programmable with user and mastercodes. An LED display shows lock status. The lock can also be specified with an optional audit trail reader that can display or print the last 200 openings of the safe. This provides extra security in hotel and office use. For added peace of mind these safes are fitted with a key override facility.
- **SPECIAL FEATURES** – Fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards. The internal width of these (excluding SS0301E) makes it ideal for the storage of widescreen laptops.
- **FIXING** – Ready prepared for floor or wall mounting (supplied with bolts suitable for brick walls or concrete floors).
- **OPTIONAL** – Internal USB & plug charging facility. Call for further details.*
- **COLOUR** – Finished in a high quality scratch resistant Metallic Graphite paint.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES
SS0301E	250 x 350 x 250mm	245 x 345 x 190mm	310mm	6kg	16 Litres	1
SS0302E	250 x 450 x 365mm	245 x 445 x 305mm	410mm	12kg	33 Litres	1
SS0311E	200 x 520 x 405mm	195 x 515 x 345mm	473mm	13kg	35 Litres	0
SS0312E	250 x 450 x 365mm	245 x 445 x 305mm	403mm	12.5kg	33 Litres	1



INTERNAL USB & PLUG



OVERRIDE KEYS

*Only available on factory orders.



(Excludes SS0301E)

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



SS1160F



SS1161K



SS1163



SS1164E



SS1162K

THE PHOENIX SECURSTORE SS1160 Series is ideal for any retail environment, providing secure storage of stock, till drawers, cash boxes, mobile phones, cigarettes, weapons etc.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £3,000 cash or £30,000 valuables.
- **LOCKING** – **SS1160K** – Fitted with a high security double bitted VDS class 1 key lock supplied with 2 keys. **SS1160E** – Fitted with an advanced high security electronic lock with clear LED display, dual control, hidden code & scrambled code that can be programmed as standard. **SS1160F** – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **CONSTRUCTION** – 4mm steel body and door, 3 way boltwork protected by anti-drill plates.
- **SPECIAL FEATURES** – High capacity lightweight secure storage. Internal width allows for easy storage of till drawers.
- **FIXING** – Ready prepared for fixing to the floor or wall, with fixing bolts supplied for brick walls or concrete floors.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY	DOOR SWING	HANDLE DEPTH	SHELVES
SS1161K/E/F	500 x 570 x 500mm	490 x 560 x 430mm	70kg	119 Litres	500mm	43mm	1
SS1162K/E/F	1000 x 570 x 500mm	990 x 560 x 430mm	124kg	240 Litres	500mm	43mm	2
SS1163K/E/F	1600 x 570 x 500mm	1590 x 560 x 430mm	181kg	385 Litres	500mm	43mm	3
SS1164K/E/F	1900 x 570 x 500mm	1890 x 560 x 430mm	212kg	457 Litres	500mm	43mm	4



SS1160K



SS1160E



SS1160F



SS1160F



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

SS1170 SERIES LYNX



SS1171E

SS1173

SS1172K

THE PHOENIX LYNX SERIES is designed for use in domestic and commercial premises for the protection of cash, valuables and documents.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £3,000 cash or £30,000 valuables.* Designed to conform to the prestigious German VDMA 24992 standard.
- **LOCKING** – **SS1170K** – Fitted with a high security double bitted VdS class I key lock. **SS1170E** – Fitted with high security VdS class II electronic lock with dual control.
- **CONSTRUCTION** – Double wall construction with anti-drill plates and re-locker protection for the door provide a safe of great strength. The door is secured by twin live locking bolts and concealed internal hinges for added security.
- **FIXING** – Ready prepared for floor and wall fixing, with fixing bolts for brick walls and concrete floors supplied.
- **COLOUR** – Finished in a high quality scratch resistant Metallic Graphite paint.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES
SS1171K/E	280 x 350 x 300mm	200 x 275 x 210mm	295mm	20kg	11 Litres	1
SS1172K/E	300 x 420 x 380mm	225 x 345 x 290mm	365mm	29kg	22 Litres	1
SS1173K/E	605 x 420 x 380mm	530 x 345 x 285mm	365mm	48kg	52 Litres	1



SS1170K

SS1170E

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



THE PHOENIX FORTRESS SS1180 series is designed and tested to the latest and prestigious European test standards for Security Protection.

- **SECURITY PROTECTION** – Tested to the prestigious European S2 Security standard (EN14450 – ECB.S Certified) giving cash cover of £4,000 or valuables cover of £40,000*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **LOCKING** – **SS1180K** – Fitted with a high security double bitting VdS class I key lock. **SS1180E** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- **CONSTRUCTION** – Double wall construction with anti-drill plates and re-locker protection for the door provide a safe of great strength.
- **FIXING** – Ready prepared for floor or wall fixing, with fixing bolts for concrete floors or brick walls supplied.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.



Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.


MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
							(H320xW75x290mm) Total no. of file per unit	(H350xW80xD285mm) Total no. of file per unit	(H370xW75xD245mm) Total no. of file per unit
SS1181K/E	220 x 350 x 300mm	140 x 270 x 190mm	283mm	15kg	7 Litres	1	0	0	0
SS1182K/E	350 x 450 x 350mm	270 x 365 x 240mm	382mm	25kg	24 Litres	1	0	0	0
SS1183K/E	550 x 450 x 350mm	470 x 365 x 240mm	382mm	37kg	42 Litres	2	4	4	4
SS1184K/E	805 x 445 x 400mm	715 x 360 x 290mm	382mm	54kg	74 Litres	2	8	8	4
SS1185K/E	1000 x 440 x 400mm	915 x 360 x 300mm	382mm	65kg	99 Litres	2	8	8	8

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.



SS1180K

SS1180E



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

SS1190 SERIES CITADEL



THE PHOENIX CITADEL SS1190 series is designed and tested to the latest and prestigious European test standards for both Fire and Security Protection.

- **SECURITY PROTECTION** – Tested to the prestigious European S2 Security standard (EN14450 ECB.S Certified) giving cash cover of £4,000 or valuables cover of £40,000*.
 - **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
 - **FIRE PROTECTION** – Tested to the European LFS 30P Fire protection standard (EN15659 ECB.S Certified) giving 30 minutes fire protection for paper documents.
 - **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete supplied.
 - **LOCKING** – **SS1190K** – Fitted with a high security double bitted VdS class I key lock. **SS1190E** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
 - **CONSTRUCTION** – Double wall construction with high grade concrete infill to provide both fire and burglary protection. Wall thickness of 56mm, door thickness 92mm with anti-drill plates.
 - **COLOR** – Finished in a high quality scratch resistant White paint RAL9003.
- ✚ Suitable for storage of controlled drugs whose active ingredients do not exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES	LEVER ARCH FOLDER	FOOLSCAP LEVER ARCH FOLDER	FOOLSCAP BOX FILE
							(H320xW75x290mm) Total no. of file per unit	(H350xW80xD285mm) Total no. of file per unit	(H370xW75xD245mm) Total no. of file per unit
SS1191K/E	315 x 440 x 450mm	185 x 335 x 290mm	395mm	55kg	18 Litres	1	0	0	0
SS1192K/E	460 x 440 x 450mm	330 x 330 x 290mm	395mm	71kg	31 Litres	1	4	0	0
SS1193K/E	950 x 440 x 450mm	820 x 330 x 290mm	395mm	126kg	78 Litres	2	8	8	8

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.



SS1190K

SS1190E

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

Phoenix Safe Company where peace of mind is guaranteed



HS0651E / HS1051E

HS0654K / HS1054K

HS0655 / HS1055

HS0656 / HS1056

HS0653K / HS1053K

HS0652E / HS1052E

THE PHOENIX VENUS HS0650 & NEPTUNE HS1050 SERIES are designed to provide extreme security protection for domestic and business use.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade 0 & I. **VENUS** – (Grade 0) has a recommended Insurance rating of £6,000 cash or £60,000 valuables*. **NEPTUNE** – (Grade I) has a recommended Insurance rating of £10,000 cash or £100,000 valuables*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **FIRE PROTECTION** – Tested to the European LFS 30P fire protection standard (EN15659) giving 30 minutes fire protection for paper records. **HS0656 & HS1056** – Tested to the European LFS 60P fire protection standard (EN15659 ECB.S Certified) giving 60 minutes fire protection for paper records.
- **KEY LOCKING** – Fitted with high security double bitted VdS class I key lock.
- **ELECTRONIC LOCKING** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete supplied.
- **CONSTRUCTION** – 3 way 24mm diameter locking bolts, double wall construction with specially formulated concrete infill, anti-drill plates and re-locker protection, provide a safe of great strength.
- **COLOUR** – Finished in a high quality scratch resistant Graphite Grey paint RAL7024.

+ Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES		
						LEVER ARCH FOLDER (H320xW75x290mm)	FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm)	FOOLSCAP BOX FILE (H370xW75xD245mm)
						Total no.of file per unit	Total no.of file per unit	Total no.of file per unit
HS0651K/E HS1051K/E	340 x 500 x 345mm	260 x 425 x 215mm	475/40mm	105kg	24 Litres	1	0	0
HS0652K/E HS1052K/E	440 x 500 x 430mm	360 x 425 x 300mm	475/40mm	140kg	46 Litres	1	5	0
HS0653K/E HS1053K/E	900 x 440 x 430mm	820 x 365 x 300mm	415/40mm	230kg	90 Litres	2	8	8
HS0654K/E HS1054K/E	840 x 650 x 550mm	765 x 575 x 420mm	625/40mm	320kg	184 Litres	2	14	14
HS0655K/E HS1055K/E	1240 x 650 x 555mm	1165 x 575 x 425mm	625/40mm	452kg	283 Litres	2	21	21
HS0656K/E HS1056K/E	1950 x 940 x 585mm	1760 x 800 x 390mm	615/40mm	658kg	553 Litres	4	50	40

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.



HS0650



HS1050



HS0650K
HS1050K



HS0650E
HS1050E



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

HS2050/HS3550 SERIES MERCURY/ELARA



HS2051E / HS3551E

HS2054K / HS3554K

HS2055E / HS3555E

HS2056 / HS3556

HS2053K / HS3553K

HS2052E / HS3552E

THE PHOENIX MERCURY HS2050 & ELARA HS3550 SERIES are designed to provide extreme security protection for domestic and business use.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade II & III. **MERCURY** – (Grade II) has a recommended Insurance rating of £17,500 cash or £175,000 valuables*. **ELARA** – (Grade III) has a recommended Insurance rating of £35,000 cash or £350,000 valuables*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **FIRE PROTECTION** – Tested to the European LFS 30P fire protection standard (EN15659) giving 30 minutes fire protection for paper records.
- **KEY LOCKING** – Fitted with high security double bitted VdS class II key lock.
- **ELECTRONIC LOCKING** – Fitted with high security VdS class II electronic lock with dual control, master code & time delay.
- **FIXING** – Ready prepared for floor or wall fixing, with fixing bolts supplied for concrete floors or brick walls.
- **SPECIAL FEATURE** – Pre-prepared for alarm or power cable.
- **CONSTRUCTION** – 3 way angular locking bolts, double wall construction with specially formulated concrete infill, anti-drill plates and re-locker protection, provide a safe of great strength.
- **COLOUR** – Finished in a high quality scratch resistant Graphite Grey paint RAL7024.



Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	LEVER ARCH FOLDER		FOOLSCAP LEVER ARCH FOLDER		FOOLSCAP BOX FILE	
						(H320xW75x290mm)	(H350xW80x285mm)	(H370xW75x245mm)	(H370xW75x245mm)	(H370xW75x245mm)	(H370xW75x245mm)
HS2051K/E HS3551K/E	550 x 520 x 500mm	440 x 405 x 300mm	485mm/40mm	230/245kg	56 Litres	1	5	5	5	5	5
HS2052K/E HS3552K/E	650 x 520 x 500mm	540 x 405 x 300mm	485mm/40mm	260/280kg	69 Litres	1	5	5	5	5	5
HS2053K/E HS3553K/E	970 x 520 x 500mm	860 x 405 x 300mm	485mm/40mm	357/383kg	110 Litres	2	10	10	10	10	10
HS2054K/E HS3554K/E	1280 x 650 x 500mm	1170 x 535 x 300mm	615mm/40mm	527/567kg	197 Litres	3	21	18	18	21	21
HS2055K/E HS3555K/E	1630 x 860 x 500mm	1500 x 725 x 300mm	815mm/40mm	855/920kg	330 Litres	4	36	36	36	36	36
HS2056K/E HS3556K/E	1490 x 860 x 620mm	1360 x 725 x 425mm	815mm/40mm	875/957kg	417 Litres	3	36	27	27	27	27

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

Phoenix Safe Company where peace of mind is guaranteed

www.pmdmagnetics.com | sales@pmdmagnetics.co.uk



HS6071E

HS6073K

HS6076E

HS9075K

HS9074E

HS9072K

THE PHOENIX PLANET HS6070 & COSMOS HS9070 SERIES are designed to provide extreme security protection for domestic and business use.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-1 Security standard. ECB.S Certified Grade IV & V.
PLANET – (Grade IV) has a recommended Insurance rating of £60,000 cash or £600,000 valuables*. **COSMOS** – (Grade V) has a recommended Insurance rating of £100,000 cash or £1,000,000 valuables*.
- **APPROVALS** – UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AIS).
- **FIRE PROTECTION** – Tested to the European LFS 30P fire protection standard (EN15659) giving 30 minutes fire protection for paper documents.
- **KEY LOCKING** – Fitted with 2 high security double bitted VdS Class II key locks.
- **ELECTRONIC LOCKING** – Fitted with a high security VdS Class II electronic lock with dual control, master code & time delay and a high security double bitted VdS Class II key lock.
- **FIXING** – Ready prepared for wall fixing, with fixing bolts for brick walls supplied.
- **SPECIAL FEATURE** – Pre-prepared for alarm or power cable.
- **CONSTRUCTION** – 3 way angular locking bolts, double wall construction with specially formulated concrete infill, anti-drill plates and re-locker protection, provide a safe of great strength.
- **COLOUR** – Finished in a high quality scratch resistant Grey paint RAL7024.



Suitable for storage of controlled drugs whose active ingredients exceed 500 grams.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING / HANDLE DEPTH	WEIGHT	CAPACITY	SHELVES			
						LEVER ARCH FOLDER (H320xW75x290mm) Total no. of file per unit	FOOLSCAP LEVER ARCH FOLDER (H350xW80xD285mm) Total no. of file per unit	FOOLSCAP BOX FILE (H370xW75xD245mm) Total no. of file per unit	
HS6071K/E	580 x 580 x 545mm	470 x 465 x 360mm	545mm/50mm	328kg	80 Litres	1	6	5	6
HS6072K/E	680 x 580 x 545mm	570 x 465 x 360mm	545mm/50mm	372kg	100 Litres	1	6	5	6
HS6073K/E	850 x 580 x 545mm	740 x 465 x 360mm	545mm/50mm	445kg	129 Litres	1	12	10	6
HS6074K/E	1210 x 580 x 545mm	1100 x 465 x 360mm	545mm/50mm	595kg	190 Litres	2	18	15	12
HS6075K/E	1310 x 670 x 545mm	1195 x 555 x 360mm	625mm/50mm	695kg	246 Litres	3	21	18	21
HS6076K/E	1210 x 860 x 655mm	1095 x 745 x 470mm	815mm/50mm	855kg	395 Litres	2	27	27	18
HS9071K/E	690 x 690 x 690mm	530 x 525 x 425mm	635mm/50mm	645kg	121 Litres	1	7	6	7
HS9072K/E	850 x 690 x 690mm	690 x 525 x 425mm	635mm/50mm	757kg	154 Litres	1	14	6	7
HS9073K/E	1020 x 690 x 690mm	860 x 525 x 425mm	635mm/50mm	875kg	218 Litres	2	14	12	14
HS9074K/E	1330 x 690 x 690mm	1170 x 525 x 425mm	635mm/50mm	1094kg	295 Litres	3	21	18	21
HS9075K/E	1520 x 690 x 690mm	1360 x 525 x 425mm	635mm/50mm	1250kg	342 Litres	3	28	18	21

This information is provided as a guide only. Actual capacities may vary depending on the storage method or shelving used.



PLANET





COSMOS



HS6070K
HS9070K



HS6070E
HS9070E



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

SL0020 SERIES STORAGE LOCKERS



SL0024E



SL0024E



SL0024E



SL0026

THE PHOENIX STORAGE LOCKERS are designed to provide multiple storage facilities in a single unit. Each locker is controlled via the keypad or with a proximity card reader. Ideal for offices, hotels and public places for the storage of mobile phones, tablets etc.

- **SL0024E** – The master unit with the electronic control panel and 24 storage lockers.
- **SL0026** – An accessory unit that can be connected to the SL0024E to provide an additional 26 storage lockers.
- **LOCKING** – Each numbered locker is equipped with an electro-mechanic latch lock, controlled from the terminal on the SL0024E which has a clear LCD display and operated by a 4 digit pin code or RFID (Radio Frequency Identification) card. Fitted with a central locking bar (2 keys supplied) for technical access and locker management.
- **SPECIAL FEATURES** – Supplied with a mains power cable and a built-in battery providing up to 8 hours working time.
- **INTERNAL CHARGING** – Optional (SP0020 USB) internal charging facility via 2 USB ports. Ideal for mobile phones & tablets.
- **LOCKERS** – **SL0024E** – has 24 deposit lockers. **SL0026** – has 26 deposit lockers. The main deposit lockers are 105H x 320W x 430Dmm. The lower two deposit lockers can be used for storing larger items such as parcels or laptops and are 375H x 320W x 430Dmm.
- **CONSTRUCTION** – 1.2mm thick front panel and body.
- **COLOUR** – Available in a colour of your choice. RAL Code required.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	LOCKER DIMENSIONS H x W x D	DIMENSIONS OF LOWER LOCKERS	NUMBER OF LOCKERS	WEIGHT
SL0024E with terminal	1930 x 800 x 450mm	105 x 320 x 430mm	375 x 320 x 430mm	24	125kg
SL0026 additional section	1930 x 800 x 450mm	105 x 320 x 430mm	375 x 320 x 430mm	26	122kg



Suitable for:

- Airports
- Supermarkets
- Shopping malls
- Transport hubs
- Self Storage Centres
- Hotels
- Libraries
- Banks
- Building Societies
- Offices



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

HYPERION SERIES DEMOUNTABLE STRONGROOMS & VAULT DOORS




**Approved for Storage
of Controlled Drugs**

Home Office



THE PHOENIX HYPERION SERIES is designed to meet the exacting standards of customers demanding the best in secure protection. Suitable for use by the banking industry, bullion dealers, jewellers, safety deposit centres and the pharmaceutical industry. We can design a solution to meet customers specific requirements.

- **SECURITY PROTECTION** – Tested to EN1141-1 EFSG, with grading ranging from Grade II through Grade XI, providing Core Drill (CD) and Explosive (EX) protection.
- **CONSTRUCTION** – Composed of precast sections of steel that are typically 500mm wide. The vaults are securely constructed on site either by welding or bolting, for fast and tidy construction. The vaults and doors can be designed and manufactured to suit specific requirements, including to accommodate fork lift trucks. The external fascia is finished with concrete that can be boarded.
- **LOCKING** – Hyperion vaults can be secured with a keylock combination or digital locking, complete with time lock and delay features. The vaults can also be fitted with a grille gate, suitable for daytime use.
- **COLOUR** – The steel internals of the vaults are finished in a high quality, scratch resistant cream coloured primer paint.
- **INSTALLATION** – Phoenix Safe offer a custom design and installation service, allowing us to meet our customers exact requirements, providing expert support at every stage of the process.



PANDORA SERIES SAFETY DEPOSIT LOCKERS



THE PHOENIX PANDORA SERIES is designed to provide deposit solutions for a resurgent security deposit industry. The Pandora series can be scaled to a solution that meets your exact requirements.

Deposit lockers are a popular option for those looking to store valuable, important or expensive small items such as bullion, jewellery, documents such as birth certificates and deeds, or cash and rare coins.

- **SECURITY PROTECTION** – The doors on each locker are tested to meet the Swedish SSF1048-2 certification. The Pandora Series is designed to be accommodated within our Hyperion Demountable strongrooms, which offer a minimum of EN 1143-1 Grade VIII EX CD European test certification.
- **LOCKING** – Each locker has its own unique, mechanical key lock which is exclusive to the user of the locker and is replaced for every successor to ensure complete peace of mind for customers. The Pandora series also offers optional electronic computer-controlled locking with biometric, proximity card or PIN code entry.
- **FINISH** – The columns are finished with attractive solid aluminium forged doors, surrounded by a grey painted steel frame.
- **SPECIAL FEATURES** – Electronically controlled doors allow customers to access their lockers without the need for staff presence. The systems software allows you to manage the installation to Financial Conduct Authority (FCA) guidelines. The system also includes an alarm that will sound if somebody tries to tamper with the units.



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

Phoenix Safe Company where peace of mind is guaranteed


SS0800 SERIES VELA DEPOSIT HOME & OFFICE SAFES



THE PHOENIX VELA DEPOSIT SERIES is designed for use at home or in the office for storage of valuables, cash and important documents. With its high quality key-lock or user friendly electronic lock it is ideal for multiple applications.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,000 cash or £10,000 valuables.*
- **LOCKING** – **SS0800KD** fitted with a high quality key-lock and comes complete with two keys. **SS0800ED** has advanced ‘user friendly’ electronic locking with high security anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility (2 keys supplied).
- **SPECIAL FEATURES** – Internal width of SS0803 makes it ideal for the storage of laptops up to 17”.
- **LIGHTING** – The electronic locking versions of the Vela range all come fitted with a bright LED interior light so that contents can easily be seen, even in the most dimly lit cupboards.
- **CONSTRUCTION** – Twin live locking bolts and concealed internal hinges for increased security.
- **DEPOSIT SLOT** – Fitted with a deposit slot with anti-fish baffle plate to ensure that the contents cannot be ‘fished out’. Dimension 150 x 12mm.
- **FIXING** – Ready prepared for fixing to the floor or wall, with fixing bolts supplied for brick walls or concrete floors.
- **COLOUR** – Finished in a high quality scratch resistant Metallic Graphite paint.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	SHELVES
SS0801KD/ED	200 x 310 x 200mm	195 x 305 x 160mm	215mm	4.5kg	10 Litres	0
SS0802KD/ED	250 x 350 x 250mm	240 x 340 x 210mm	260mm	6kg	17 Litres	1
SS0803KD/ED	250 x 450 x 365mm	240 x 440 x 325mm	355mm	12kg	34 Litres	1
SS0804KD/ED	500 x 350 x 310mm	495 x 345 x 300mm	260mm	19kg	51 Litres	1
SS0805KD/ED	560 x 370 x 445mm	555 x 365 x 435mm	290mm	23kg	88 Litres	1



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

PHOENIX SS0991 UNDER COUNTER NOTE DEPOSIT SAFE

The **SS0991KD** is ideal for retail environments where there is a need to safely store notes from the till drawer, without staff having access. The unit is also portable so that it can be unlocked from the counter and taken to the cash office for secure sorting.

- **LOCKING** – Fitted with two key locks each and supplied with two keys. One lock secures the unit to the base tray, the second lock releases the stored notes.
- **DEPOSIT FACILITY** – Note deposit facility (Not suitable for coins).
- **SPECIAL FEATURES** – Under counter mounting plate with key release. Allows unit to be removed from the counter and emptied in a secure cash room.
- **CONSTRUCTION** – Constructed of solid steel plate.
- **FIXING** – Supplied with a fixing plate and fixings to secure under a counter.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.



SS0991KD

PHOENIX SS0992 CASHIER DAY DEPOSIT SAFE

Front loading day deposit safe for cash management. Ideal for under counter locations, allowing the safe deposit of cash from a till drawer.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £1,000 cash or £10,000 valuables.
- **LOCKING** – **SS0992KD** – Fitted with a high security double bitted lock supplied with two keys. **SS0992ED** – Fitted with a high security VdS class II electronic lock.
- **DEPOSIT FACILITY** – Fitted with a lockable deposit (2 keys supplied) with Phoenix tilting baffle plate to ensure that the contents cannot be 'fished out'.
- **CONSTRUCTION** – Constructed of 6mm steel plate door and 2mm body.
- **FIXING** – Ready prepared for floor and wall fixing with bolts supplied.
- **COLOUR** – Finished in a high quality scratch resistant Metallic Graphite paint.



SS0992KD

SS0992ED

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DEPOSIT SLOT DIMENSIONS H x W x D	WEIGHT	CAPACITY
SS0991KD	225 x 100 x 195mm	175 x 95 x 120mm	10 x 100 x 160mm	2kg	2 Litres
SS0992KD/ED	600 x 250 x 250mm	380 x 240 x 210mm	95 x 185 x 200mm	17kg	19 Litres



SS0992KD



SS0992ED

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



SS0990FD



SS0996ED

Internal
Coffer



SS0998ED



SS0997KD

Overnight
Lockout Plate

FRONT LOADING CASHIER DEPOSIT SAFE for 24 hour cash management.

- **SECURITY PROTECTION** – Recommended for overnight cash cover of £3,000 cash or £30,000 valuables*.
- **LOCKING** – **SS0990KD** – Fitted with a high security VdS Class I key lock supplied with two keys. **SS0990ED** – Fitted with a high security VdS class II electronic lock.
SS0990FD – Fitted with an advanced high security touchscreen keypad & fingerprint lock with clear LED display, internal alarm, dual control, hidden code and scrambled code that can be programmed as standard with up to 128 fingerprints.
- **DEPOSIT FACILITY** – Fitted with a special Phoenix baffle plate to ensure the contents cannot be fished out. Also features a night lockout plate for increased security during out of hours.
- **SPECIAL FEATURES** – SS0998 fitted with separate lockable coffer for added security.
- **CONSTRUCTION** – Constructed of 12mm steel plate door and 6mm body with anti-drill plates.
- **FIXING** – Ready prepared for floor fixing with fixing bolts for concrete supplied.
- **COLOUR** – Finished in a high quality scratch resistant Graphite Grey paint RAL7024.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY	HANDLE DEPTH
SS0996KD/ED/FD	480 x 340 x 380mm	448 x 328 x 323mm	275mm	54kg	47 Litres	50mm
DEPOSIT SLOT	-	80 x 265 x 200mm	-	-	-	-
SS0997KD/ED/FD	700 x 340 x 380mm	646 x 328 x 323mm	275mm	68kg	68 Litres	50mm
DEPOSIT SLOT	-	80 x 265 x 200mm	-	-	-	-
SS0998KD/ED/FD	760 x 510 x 510mm	315 x 495 x 415mm Main compartment 145 x 495 x 395mm Internal Coffer	440mm	130kg	64 Litres Main Compartment 28 Litres Internal Coffer	50mm
DEPOSIT SLOT SS0998	-	100 x 415 x 220mm	-	-	-	-

Door aperture of SS0996ED and SS0997ED is reduced by 10mm due to frame and SS0998ED is reduced by 6mm.




SS0990KD

SS0990ED

SS0990FD

SS0990FD



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

HS1090 SERIES DIAMOND DEPOSIT



Secured by Design



Official Police Security Initiative



HS1090KD



HS1092KD



HS1093



HS1091ED

THE PHOENIX DIAMOND DEPOSIT SERIES are designed for the safe deposit of large quantities of cash, without the normal reduction in security protection that can be associated with deposit safes. Ideal for retail stores, garage forecourts, banks and financial institutes.

- **SECURITY PROTECTION** – Tested to the prestigious European EN1143-2:2014 Security standard, Grade D1 (ECB.S Certified) giving cash cover of £10,000 or valuables cover of £100,000.
- **APPROVALS:** UK Police approved (Secured by Design scheme) and the Association of Insurance Surveyors (AiS).
- **SAFE DOOR LOCKING** – **HS1090KD** - Fitted with a high security double bitted VdS class I key lock. **HS1090ED** – Fitted with a high security VdS class II electronic lock.
- **DRAWER DEPOSIT** – High security pull out drawer deposit with special baffle drop system, for maximum security. Maximum deposit size H65mm x W205mm x D65mm. (Except HS1090).
- **CONSTRUCTION** – Double wall composite construction, anti-drill plates and re-locker protection for the door provide a safe of great strength.
- **FIXING** – Ready prepared for floor fixing, with fixing bolts for concrete floors supplied.
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	HANDLE DEPTH	CAPACITY	DEPOSIT DRAWER	SHELVES
HS1090KD/ED	670 x 440 x 550mm	455 x 365 x 425mm	272mm	195kg	45mm	44 Litres	104 x 289 x 121mm	0
HS1091KD/ED	670 x 650 x 550mm	455 x 575 x 425mm	615mm	264kg	45mm	112 Litres	104 x 517 x 124mm	0
HS1092KD/ED	840 x 650 x 550mm	615 x 575 x 425mm	615mm	293kg	45mm	149 Litres	104 x 517 x 124mm	1
HS1093KD/ED	1040 x 650 x 550mm	815 x 575 x 425mm	615mm	350kg	45mm	199 Litres	104 x 517 x 124mm	2



* The internal drawer reduces the internal height by 200mm.



HS1090KD



HS1090ED

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

Phoenix Safe Company where peace of mind is guaranteed

www.pmdmagnetics.com | sales@pmdmagnetics.co.uk

UF0600 SERIES TARVOS UNDERFLOOR SAFES (SQUARE DOOR)



THE PHOENIX TARVOS (SQUARE DOOR) UF0600 SERIES underfloor security safes has been designed to meet the requirements for a secure yet hidden safe, and comes with 4 different cash cover options.

- **SECURITY PROTECTION** – The UF0600 Series come in two sizes, 9 inch and 12 inch cubes, providing cover from £2,000 cash up to £100,000 for valuables.
- **LOCKING** – **UF0620** - Supplied with a high security 7 lever key lock. **UF0640, UF0660 & UF0610** – Supplied with a high security double-bitted VdS Class I key-lock. Each unit is supplied with 2 keys.
- **DOOR CONSTRUCTION** – **UF0620** – Hardened plate with an angled dead bolt. **UF0640** – hardened 6mm thick plate and 25mm diameter spring loaded front bolt and 25mm diameter dead bolt. **UF0660** – hardened 6mm thick plate and two 25mm diameter spring loaded front bolts, two 20mm diameter spring loaded re-lockers that will be set off if the lock is tampered with and a 25mm diameter dead bolt. **UF0610** – hardened 6mm thick plate and copper laminate between two 10mm mild steel plates to give ABP protection, two 25mm diameter spring loaded front bolts, two 20mm diameter spring loaded re-lockers that will be set off if the lock is tampered with and a 25mm diameter dead bolt.
- **BODY CONSTRUCTION** – The neck is constructed of 5mm mild steel tube 4" high. 10mm thick mild steel top plate, 2mm thick mild steel body and 3mm thick mild steel base all with continuously welded seams.
- **SPECIAL FEATURES** – **UD0600KD** comes complete with a deposit facility that incorporates an anti-fish device to prevent retrieval through the deposit tube and supplied with a selection of deposit capsules.
- **INTERIOR** – The Tarvos has a fully flocked interior to protect valuables from damage.
- **FIXING** – Fixing instructions are available to fit the unit into a solid concrete floor.
- **COLOUR** – Finished in attractive Gold Hammer paint.

MODEL NUMBER	CASH COVER	WEIGHT	BODY HEIGHT	NECK HEIGHT	EXTERNAL HEIGHT	EXTERNAL WIDTH (WITH LIP)	EXTERNAL DEPTH (WITH LIP)	EXTERNAL BODY (WITHOUT LIP)	INTERNAL CUBE	CAPACITY	DOOR OPENING
UF0621K	£2k	14.5kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm ³	11 Litres	168x168mm
UF0622K	£2k	21.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm ³	25 Litres	168x168mm
UF0623KD	£2k	22kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm ³	25 Litres	168x168mm
UF0641K	£4k	16kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm ³	11 Litres	168x168mm
UF0642K	£4k	22.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm ³	25 Litres	168x168mm
UF0643KD	£4k	23.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm ³	25 Litres	168x168mm
UF0661K	£6k	16.5kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm ³	11 Litres	168x168mm
UF0662K	£6k	23kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm ³	25 Litres	168x168mm
UF0663KD	£6k	23.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm ³	25 Litres	168x168mm
UF0611K	£10k	19.5kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm ³	11 Litres	168x168mm
UF0612K	£10k	26.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm ³	25 Litres	168x168mm
UF0613KD	£10k	27kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm ³	25 Litres	168x168mm

1. Dimensions of the deposit chutes are 100mm high x 56mm outside diameter x 50mm inside diameter.

2. Plastic capsules that come with the deposit safes measure 107mm high x 36mm outside diameter.



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

UF0900 SERIES CHARON UNDERFLOOR SAFES (ROUND DOOR)



9" CUBE

12" CUBE

12" CUBE WITH DEPOSIT


THE PHOENIX CHARON (ROUND DOOR) UF0900 SERIES underfloor security safes has been designed to meet the requirements for a secure yet hidden safe, and comes with 4 different cash cover options.

- **SECURITY PROTECTION** – The **UF0900** Series come in two sizes, 9 inch and 12 inch cubes, providing cover from £4,000 cash up to £175,000 for valuables.
- **LOCKING** – Supplied with a high security double-bitted VdS Class I key-lock and supplied with two keys.
- **DOOR CONSTRUCTION** – **UF0940 & UF0960** – 25mm thick high quality mild steel. **UF0910** – 37mm thick high quality mild steel with copper laminate between two pieces of 10mm mild steel providing ABP protection. **UF0970** – 45mm thick high quality stainless steel with copper laminate between two pieces of 15mm stainless steel providing ABP protection. All units have hardened dowels and balls protecting moving parts with a hardened 6mm back plate.
- **BODY CONSTRUCTION** – The neck is constructed of 6mm mild steel tube 4" high on the **UF0940, UF0960 & UF0910** and 6" high on the **UF0970** safes. 10mm thick mild steel top plate, 2mm thick mild steel body and 3mm thick mild steel base all with continuously welded seams.
- **SPECIAL FEATURES** – **UD0900KD** comes complete with a deposit facility that incorporates an anti-fish device to prevent retrieval through the deposit tube and supplied with a selection of deposit capsules.
- **INTERIOR** – The Charon has a fully flocked interior to protect valuables from damage.
- **FIXING** – Fixing instructions are available to fit the unit into a solid concrete floor.
- **COLOUR** – Finished in attractive Red paint.

MODEL NUMBER	CASH COVER	WEIGHT	BODY HEIGHT	NECK HEIGHT	EXTERNAL HEIGHT	EXTERNAL WIDTH (WITH LIP)	EXTERNAL DEPTH (WITH LIP)	EXTERNAL BODY (WITHOUT LIP)	INTERNAL CUBE	CAPACITY	DOOR OPENING
UF0941K	£4k	15kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm ³	11 Litres	140mm DIA
UF0942K	£4k	21.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm ³	25 Litres	140mm DIA
UF0943KD	£4k	22.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm ³	25 Litres	140mm DIA
UF0961K	£6k	15.5kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm ³	11 Litres	140mm DIA
UF0962K	£6k	22kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm ³	25 Litres	140mm DIA
UF0963KD	£6k	23kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm ³	25 Litres	140mm DIA
UF0911K	£10k	17kg	245mm	100mm	345mm	245mm	245mm	232mm	228mm ³	11 Litres	140mm DIA
UF0912K	£10k	23.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm ³	25 Litres	140mm DIA
UF0913KD	£10k	24.5kg	312mm	100mm	412mm	320mm	320mm	300mm	294mm ³	25 Litres	140mm DIA
UF0972K	£17½k	25.5kg	312mm	150mm	462mm	320mm	320mm	300mm	294mm ³	25 Litres	140mm DIA
UF0973KD	£17½k	26.5kg	312mm	150mm	462mm	320mm	320mm	300mm	294mm ³	25 Litres	140mm DIA

1. Dimensions of the deposit chutes are 100mm high x 56mm outside diameter x 50mm inside diameter.

2. Plastic capsules that come with the deposit safes measure 107mm high x 36mm outside diameter.



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

THE PHOENIX LACERTA SERIES is a range of high quality gun safes designed for the secure storage of 1, 3 or 6 guns.

- **SECURITY PROTECTION** – Meets British Standard BS7558/92. 100% Police Approved.
- **NO. OF GUNS** –
GS8000K = 1
GS8001K = 3
GS8002K = 6
- **LOCKING** – Two high security 7 lever locks supplied with two double bitted keys.
- **CONSTRUCTION** – Galvanised steel body and door. High density foam divider and floor mat.
- **FIXING** – Ready prepared for fixing to the floor or wall, with fixing bolts supplied.
- **COLOUR** – Finished in a high quality durable Metallic Graphite paint.



GS8000K

GS8001K

GS8002K



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	NUMBER OF GUNS	WEIGHT
GS8000K	1300 x 200 x 150mm	1290 x 195 x 120mm	1	22Kgs
GS8001K	1300 x 220 x 200mm	1290 x 215 x 165mm	3	23Kgs
GS8002K	1300 x 350 x 300mm	1290 x 345 x 265mm	6	35Kgs



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

GS8015 SERIES TUCANA GUN SAFES



THE PHOENIX TUCANA GS8015K SERIES is a range of high quality gun safes designed for the secure storage of 3, 5 or 7 guns.

- **SECURITY PROTECTION** – Tested to British Standard BS7558/92. 100% Police Approved.
- **CERTIFICATION** – European EN14450 S1 certified giving cash cover of £2,000 or valuables cover of £20,000.*
- **NO. OF GUNS** –
GS8015K = 3
GS8016K = 5
GS8017K = 7
- **LOCKING** – High security 7 lever lock supplied with 2 double bitted Class I keys, 3 way locking bolts.
- **AMMO BOX** – Internal ammunition box (2 keys supplied).
- **CONSTRUCTION** – Galvanised steel body and door. High density foam divider and floor mat.
- **FIXING** – Ready prepared for fixing to the floor or wall, with fixing bolts supplied.
- **COLOUR** – Finished in a high quality durable Metallic Graphite paint.



GS8015K

GS8016K

GS8017K



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	NUMBER OF GUNS	WEIGHT	AMMO BOX DIMENSIONS
GS8015K	1450 x 210 x 280mm	1440 x 205 x 230mm	3	47Kgs	145 x 200 x 185mm
GS8016K	1450 x 255 x 345mm	1440 x 250 x 295mm	5	57Kgs	145 x 250 x 250mm
GS8017K	1450 x 375 x 345mm	1440 x 370 x 295mm	7	69Kgs	145 x 370 x 250mm

Ammo box reduces internal height by 175mm.



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

Phoenix Safe Company where peace of mind is guaranteed

CB0100 SERIES CASH BOXES



A sturdy range of conveniently sized cash boxes for domestic or office use.

- **LOCKING** – Fitted with a high quality key lock supplied with two keys.
- **SIZES** – Three different sizes available to suit every need.
- **FEATURES** – Supplied with plastic divider tray for coins and notes and convenient external carrying handle.
- **COLOUR** – Finished in a high quality scratch resistant powder coat Red paint.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D
CB0101K	90 x 200 x 160mm
CB0102K	90 x 250 x 180mm
CB0103K	90 x 300 x 240mm



KC0020 SERIES KEY BOXES



A high quality range of key boxes with capacities ranging from 20-93 keys. Ideal for the home or office.

- **LOCKING** – Fitted with a high quality key lock supplied with two keys.
- **FIXING** – Ready prepared for fixing to the wall with fixings supplied.
- **COLOUR** – Finished in a high quality scratch resistant powder coat Grey paint.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	CAPACITY
KC0026K	200 x 160 x 80mm	20 keys
KC0027K	250 x 180 x 80mm	48 keys
KC0028K	300 x 240 x 80mm	93 keys



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



KS0001C Key Store



KS0003C Key Store
with weatherproof cover

THE PHOENIX KS Series gives you control of door keys, padlock keys, car keys etc. in an attractive secure location that can be easily mounted to a wall.

- **LOCKING** – Simple to change 4 digit dial combination lock (KS0001C) and easy to use changeable push button lock (KS0003C).
- **FIXING** – Ready prepared for wall fixing (bolts supplied).

- **CONSTRUCTION** – High strength cast alloy.
- **FEATURES** – Internal magnetic hook (KS0001C) and full weatherproof rubber cover (KS0003C).

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	WEIGHT
KS0001C	100 x 65 x 35mm	0.4kg
KS0003C	140 x 95 x 70mm	0.85kg



KS0003C only

KC0040 SERIES CAJA KEY BOXES

THE PHOENIX CAJA KC0040 SERIES is a range of sleek, high quality key boxes with an ultra-modern design. The Caja range is the ideal solution for any home or business with storage for 20 or 40 keys.

- **LOCKING** – Easy to use 3 digit dial combination lock with handle.
- **FIXING** – Suitable for wall mounting with pre-drilled holes and fixings supplied.
- **SECURITY** – When bolted to a wall Caja Key Boxes provide defence against burglaries, keeping your keys secure.
- **COLOUR** - A dual tone design, finished in a high quality, scratch resistant white paint with a black vertical accent.



KC0042C

KC0043C

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	WEIGHT	CAPACITY / HOOKS
KC0042C	225 x 330 x 65mm	1.6kg	20
KC0043C	345 x 275 x 65mm	2.2kg	40



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.



OVERRIDE KEYS
KS0030E ONLY



KEY DEPOSIT SLOT



KS0031E



KS0032K




KS0033



KS0035

THE PHOENIX CYGNUS SERIES OF KEY DEPOSIT SAFES are available in capacities of 30-700 keys and all come with a key deposit facility. Ideal for home, office, schools, garages and office blocks.

- **LOCKING** – **KS0030K** – Fitted with a high quality key lock and comes complete with two keys. **KS0030E** – Advanced ‘user friendly’ electronic locking with anti-tamper or bounce solenoid locking system. For added peace of mind these safes are fitted with a key override facility should the code be misplaced (2 keys supplied).
- **SECURITY** – When bolted to a wall these key safes provide defence against burglaries aimed at stealing car keys, house keys etc.
- **FIXING** – Ready prepared for fixing to the wall with bolts supplied.
- **SPECIAL FEATURES** – Key deposit slot, allowing keys to be deposited without the need to open the safe.
- **KEY TAGS** – Supplied complete with a selection of coloured key rings
- **COLOUR** – Finished in a high quality scratch resistant White paint RAL9003.



KS0030K

KS0030E

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DEPOSIT SLOT H x W x D	WEIGHT	CAPACITY
KS0031K/E	280 x 300 x 100mm	275 x 295 x 80mm	55 x 35 x 15mm	6.5kg	30 keys
KS0032K/E	360 x 300 x 100mm	350 x 275 x 80mm	55 x 35 x 15mm	7.5kg	48 keys
KS0033K/E	660 x 430 x 130mm	655 x 425 x 110mm	55 x 35 x 15mm	20kg	144 keys
KS0034E	755 x 580 x 250mm	745 x 570 x 230mm	55 x 35 x 15mm	43kg	300 keys
KS0035E	760 x 580 x 280mm	750 x 570 x 260mm	55 x 35 x 15mm	46kg	500 keys
KS0036E	760 x 580 x 330mm	750 x 570 x 310mm	55 x 35 x 15mm	49kg	700 keys

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

KC0600 SERIES COMMERCIAL KEY CABINETS



smart
LOCK 



A series of high quality Key Cabinets ranging from 42 hook up to 600 hook units.

- **LOCKING – KC0600K** – Manufactured with a high quality cylinder lock supplied with 2 keys.
KC0600E – Fitted with a high quality electronic code lock, programmable with users own 4 digit code which can easily be changed when required.
KC0600S – As KC0600E with added feature of Push shut latch mechanism (Not available on KC0606 & KC0607 double door units).
KC0600N – Fitted with the NetCode 1000 lock allowing temporary access to the cabinets via the web-based NetCode Portal. NetCode is activated prior to the lock owner shipping and installing at a remote site. The NetCode Portal allows you to register and set up your account, activate your locks and generate time-sensitive codes. Using time-sensitive codes is a more secure way to grant access as the code

will not work outside a designated timeslot. Generated codes can be sent by email or SMS to any email account or mobile phone.

KC0600P – Fitted with a Euro cylinder lock case. Optional (SP0600/Euro Lock) 35mm cylinder available separately, allowing you to add to your key system.

- **SPECIAL FEATURES** – Each unit comes with adjustable hook bars and number labels to suit. The 400 and 600-hook units are double door cabinets.
- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.
- **FINISH** – Finished in a high quality durable powder coated finish.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	WEIGHT	HOOKS
KC0601K/E/S/N/P	350 x 270 x 80mm	4kg	42
KC0602K/E/S/N/P	450 x 300 x 80mm	6kg	64
KC0603K/E/S/N/P	550 x 380 x 80mm	7kg	100
KC0604K/E/S/N/P	550 x 380 x 140mm	11kg	200
KC0605K/E/S/N/P	550 x 380 x 205mm	14kg	300
KC0606K/E/N	550 x 730 x 140mm	20kg	400
KC0607K/E/N	550 x 730 x 205mm	28kg	600





* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

Phoenix Safe Company where peace of mind is guaranteed


KC0300 SERIES DEEP KEY CABINETS

THE KEYSURE DEEP KEY CABINETS have been designed to accommodate larger or more bulky keys, which make them ideal for the motor trade or estate agents, where larger keys or more than one key is used.



- **LOCKING – KC0300K** – Manufactured with a high quality cylinder lock supplied with 2 keys. **KC0300E** – An economical Electronic Code lock. A simple 10 digit keypad gives the owner the option of entering 4-digit codes, and is easy to use. **KC0300M** – A Mechanical push button combination code lock. The lock has over 8,000 combination differs, and comes with a push-shut latch operation. The lock also has a hold open facility for code free entry.

- **SPECIAL FEATURES** – Each unit comes complete with adjustable hook bars, key tabs, key rings, number labels to suit the hook bars and removable control indexes.
- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY/ HOOKS
KC0301K/E/M	350 x 380 x 140mm	348 x 378 x 138mm	340mm	5kgs	50
KC0302K/E/M	550 x 380 x 140mm	548 x 378 x 138mm	360mm	10kgs	100
KC0303K/E/M	550 x 730 x 140mm	548 x 728 x 138mm	365mm	17kgs	200

KC0500 SERIES DEEP PLUS KEY & PADLOCK CABINETS

THE KEYSURE DEEP cabinets have been designed to accommodate larger bunches of keys or padlocks. Each hook is longer, double spaced and staggered, to give the required space for this application.

- **LOCKING – KC0500K** – Manufactured with a high quality cylinder key lock supplied with 2 keys. **KC0500E** – Economical Electronic Code lock with a simple 10 digit keypad gives the owner the option of entering 4-digit codes, and is easy to use. **KC0500M** – Mechanical push button combination code lock. The lock has over 8,000 combination differs, and comes with a push-shut latch operation. Also has a hold open facility for code free entry.
- **SPECIAL FEATURES** – Each unit comes complete with adjustable hook bars, key tabs, key rings, number labels to suit the hook bars and removable control indexes.
- **FIXING** – The cabinets have pre-drilled fixing holes for wall mounting.
- **FINISH** – Finished in a durable powder coated finish.



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	INTERNAL DIMENSIONS H x W x D	DOOR SWING	WEIGHT	CAPACITY/ HOOKS
KC0501K/E/M	350 x 380 x 140mm	348 x 378 x 138mm	340mm	6kgs	24
KC0502K/E/M	550 x 380 x 140mm	548 x 378 x 138mm	360mm	10kgs	50
KC0503K/E/M	550 x 730 x 140mm	548 x 728 x 138mm	360mm	17kgs	100

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

MB0120 SERIES ESTILO LETTER BOXES



MB0121KA



MB0122KA



MB0123KS




MB0124KS

THE ESTILO MB0120 SERIES is a range of secure, ultra stylish letter boxes. Durable and attractive, the Estilo range is ideal for the modern home.

- **LOCKING** – Fitted with a high quality key-lock and supplied with 2 keys.
- **FIXING** – Suitable for wall mounting with pre-drilled holes and fixings supplied.
- **CONSTRUCTION** – A heavy duty construction allows a lengthier product lifespan when compared to other thinner-walled letter boxes.
- **FINISH** – A zinc galvanised coating prevents oxidation of the letter box and gives it a corrosion resistant, weather-proof and rust proof finish.
- **COLOUR** – Finished in a high quality Graphite Grey powder coating (MB0121KA & MB0122KA) or Stainless Steel (MB0123KS & MB0124KS).

MODEL NUMBER	LOADING	EXTERNAL DIMENSIONS H x W x D	LETTERSLOT H x W	WEIGHT
MB0121KA	Top Loading	370 x 370 x 105mm	35 x 335mm	3kg
MB0122KA	Front Loading	450 x 350 x 105mm	38 x 325mm	3kg
MB0123KS	Top Loading	370 x 370 x 105mm	35 x 335mm	3kg
MB0124KS	Top Loading	370 x 370 x 105mm	35 x 335mm	3kg



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

Phoenix Safe Company where peace of mind is guaranteed

MB SERIES TOP-LOADING LETTER BOXES



CASA



CURVO



VILLA

MB SERIES Top-loading letter-slot deposit.

- **LOCKING** – Fitted with a high quality key-lock and supplied with two keys.
- **FIXING** – Suitable for wall mounting with pre-drilled holes and fixings supplied.
- **CONSTRUCTION** – A heavy duty construction allows a lengthier product lifespan when compared to other thinner-walled letter boxes.
- **FINISH** – A zinc galvanised coating prevents oxidation of the mail box and gives it a corrosion resistant, weather-proof and rust proof finish.
- **COLOUR** – All models come in a high quality, durable black powder coated finish.



MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	LETTERSLOT H x W	WEIGHT
CASA MB0111KB	390 x 365 x 115mm	36 x 358mm	3kg
CURVO MB0112KB	405 x 320 x 130mm	34 x 250mm	3kg
VILLA MB0114KB	390 x 270 x 115mm	38 x 260mm	2kg

MB SERIES FRONT-LOADING LETTER BOXES



LIBRO



LETRA



CLASICO

MB SERIES Front-loading letter-slot deposit.

- **LOCKING** – Fitted with a high quality key-lock and supplied with two keys.
- **SPECIAL FEATURES** – Letra models are stackable, making them ideal for multi occupancy residences and office blocks.
- **FIXING** – Suitable for wall mounting with pre-drilled holes and fixings supplied.
- **CONSTRUCTION** – A heavy duty construction allows a lengthier product lifespan when compared to other thinner-walled letter boxes.
- **FINISH** – A zinc galvanised coating prevents oxidation of the letter box and gives it a corrosion resistant, weather-proof and rust proof finish.
- **COLOUR** – All models available in either a Black, Green or White powder coated finish.



MODEL NUMBER	COLOUR (KB) (KG) (KW)	EXTERNAL DIMENSIONS H x W x D	LETTERSLOT H x W	WEIGHT
LIBRO MB0115	● ● ●	350 x 390 x 205mm	46 x 324mm	4.5kg
LETRA MB0116	● – ●	320 x 215 x 85mm	30 x 176mm	2kg
CLASICO MB0117	● – –	370 x 365 x 135mm	40 x 216mm	3.5kg



* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.

SC0062 MADRID SC0071 MILANO LAPTOP SECURITY CASES



SC0071C



SC0062CG



SC0071C



SC0062CG



THE PHOENIX MADRID AND MILANO LAPTOP CASE ranges are not only stylish but also extremely durable with its aluminium body and ABS panelling.

- **SECURITY** – High security cable and lock to allow case to be secured to almost any fixed item. Ideal for use in the boot of a car, hotel room or office.
- **LOCKING** – Twin high quality chrome changeable combination locks secure the case.
- **FEATURES** – Interior lined with high quality materials to protect your laptop from damage.

- Supplied with zipped cable bag to keep all your cables neat and tidy.
- Filing compartment to keep all your working documents neat and tidy.
- Adjustable soft compartment separator.
- Supplied with high quality shoulder strap.

- **STORAGE** – Able to hold 17" laptop*.

MODEL NUMBER	EXTERNAL DIMENSIONS H x W x D	WEIGHT
SC0062CG	115 x 470 x 350mm	2kg
SC0071C	105 x 455 x 345mm	2kg



*Maximum laptop size
(SC0062CG – W430mm x D290mm)
(SC0071C – W420mm x D287mm)

* Ratings are approximate only and may vary due to area conditions and location. Please check with your underwriter.