



2023 PHOTO VIDEO

ABOUT VANGUARD

Vanguard is a global company that designs and manufactures tripods, bags, sporting optics, and accessories. For over 30 years, our drive to disrupt mediocrity and our commitment to innovation has allowed us to create the highest quality products for photographers and outdoor enthusiasts at an affordable price.

Growing into a global leader since its founding in 1986, VANGUARD provides more than our competitors because we are the factory. There are no third-party factories, development or design firms, or other outsourcing of any kind in the process.

Every step of the process is orchestrated by Vanguard's in-house R & D, production, administration, marketing and sales teams in Vanguard-owned and controlled facilities. This enables us to ensure standout product quality, hear customers directly, support the professionals and to provide excellent after sales service. Vanguard is truly a global brand with distribution, sales, marketing and administrative branches in the U.S., Luxembourg, Spain, Germany, United Kingdom, Japan, and China. From these locations, Vanguard team members collaborate closely to ensure a consistent, efficient global operation.

Every day, hundreds of thousands of photographers rely on Vanguard tripods, monopods, ball heads, bags and cases. Tens of thousands of outdoor enthusiasts appreciate Vanguard's premium binoculars, spotting scopes and related goods that bring them closer to nature.









CONTENTS

ABOUT VANGUARD		2	VEO CITY CROSS BODY BAG / TECH POUCH	
NEW PRODUCTS		4	VEO RANGE T BACKPACK	
FACTORY		e l	VEO RANGE SHOULDER BAGS	
		7	VEO ADAPTOR CLASSIC BACKPACKS / SHOULDER BAGS	
KEY FEATURES			VEO GO SHOULDER BAGS / BACKPACKS	
TRIBORO /MONO!	BODO /UEADO	PAGE	VEO BIB T PHOTOGRAPHIC BAG IN BAG	
TRIPODS/MONOI	SANTENDE		VEO BIB F PHOTOGRAPHIC BAG IN BAG	
ALTA PRO 3VRL VIDEO TRIPOD		10	VEO BIB DIVIDER S PHOTOGRAPHIC BAG IN BAG	
ALTA PRO 3VL VIDEO TRIPOD		12	DIVIDER BAG PHOTOGRAPHIC BAG IN BAG	
VEO 3V VIDEO TRIPOD		14	SUPREME MULTIFUNCTION HARD CASES	
VEO 3+ MACCTRIPOD		16	VESTA ASPIRE SHOULDER BAGS / BACKPACKS	
VEO 3T+ MACC TRAVEL TRIPOD		18	ALTA ACCESSORIES	
VEO 3 AB/CB TRADITIONAL TRIPOD		20	ALIA AUGEOGOTTEO	
VEO 3 APS/CPS TRADITIONAL TRIPOD		21	ODODTINO ODTIGO/AG	OFOODBUED.
VEO 3 AO/CO TRADITIONAL TRIPOD		22	SPORTING OPTICS/AC	GESSUKIES
VESTA TRADITIONAL TRIPOD		23	ENDEAVOR HD SPOTTING SCOPES	
VEO 3T TRADITIONAL TRAVEL TRIPOD		24	ENDEAVOR XF SPOTTING SCOPES	
VEO 3 GO TRADITIONAL TRAVEL TRIPOD		26	VEO HD SPOTTING SCOPES	
VESTA TB TRADITIONAL TRAVEL TRIPOD		28	VESTA SPOTTING SCOPES KITS	
VEO 3TT TABLE TRIPOD		30	VEO HD IV BINOCULARS	
VESTA TTI TABLE TRIPOD		32	VEO HD 2 BINOCULARS	
VEO 2S MONOPODS		33	VEO HD BINOCULARS	
VEO BH/VEO BP HEADS		34	VEO ED BINOCULARS	
VEO PH/VEO PV HEADS		35	VEO XF BINOCULARS	
VEO MT-12		36	VESTA BINOCULARS	
VEO CSM/VEO TC/VEO TSA		37	VESTA COMPACT BINOCULARS	
VEO SPH		38	VEO HD2 1042M MONOCULAR	
VEO CP/VEO CP KIT		39	VEO ED 8420M MONOCULAR	
VEO QS-360/VEO LVL-60/VE	O BT-11	40	VESTA 8320M MONOCULAR	
QUICK SHOES		41	OPTICS ACCESSORIES	
			VEO OPTIC GUARD	
BAGS/TROLLEYS	CASES	PAGE		
ALTA SKY BACKPACK		44	SPECIFICATIONS	
		48	TRIPODS/HEADS/ACCESSORY	













12

CHECKOUT Provide of Consumers and Continuously invests in Research and Development to Provide a Great Experience

VANGUARD LISTENS TO THE VOICE OF CONSUMERS AND CONTINUOUSLY INVESTS IN RESEARCH AND DEVELOPMENT TO PROVIDE A GREAT EXPERIENCE













TOTAL PRODUCT OWNERSHIP FROM IDEA TO FINSHED PRODUCT



UNMATCHED QUALITY CONTROL


Vanguard founders credit our success to the people across the globe who have given supportive and valuable feedback about product features and price points over our three decades. This focus on listening to the market's needs and wants has inspired us to create products with first-of-its-kind features, notable reliability and impressive price points. Notable industry publications and media have consistently recognized our products' quality and performance. We're privileged to have earned top honors from the Technical Image Press Association, the Red Dot Design Award, iF Design Award, the Industrial Designers Association of America, Gmark, and other respected global and local organisations











TRIPOD KEY FEATURES



EXTENDED HEIGHT

MINIMUM HEIGHT Leg sections in lowest position

or changed to low angle

with center column extended

Center column and leg sections fully extended height



STANDARD HEIGHT

Center column down (not folded) and leg sections fully extended



FOLDED HEIGHT

Center column and leg sections



LEG DIAMETER

The diameter of 1st leg sections



Number of leg sections



The model No. of the head



MAX LOAD

The maximum weight the tripod can support



The weight of the product



CNC-MACHINED New technology



The main material is carbon



ALUMINIUM ALLOY

The main material is aluminum

SPORTING OPTICS KEY FEATURES

HOYA

GLASS

PREMIUM HOYA ED GLASS

Setting new standards with a rating of more than 95% light transmission, HOYA ED glass launches Vanguard optical design above the competition, ensuring brightness and clarity even in the lowest



Exceeding BAK4 prisms in image quality, SK15 minimizes undesirable internal reflections and light rays resulting in increased edge-to-edge brightness



PREMIUM ED GLASS

Vanguard's Extra-low Dispersion (ED)glass significantly reduces chromatic aberrations, allowing clear, sharp viewing with high contrast.



MULTIGUARD® COATINGS

Vanguard's MultiGuard® coatings provide multiple layers of anti-reflective compounds resulting in optimal light transmission and producing a remarkably clear field



TRIPOD MOUNTABLE

With the tripod mountable feature, you can easily mount your optics to any tripod or monopod for hands-free stable viewing



RAPID FOCUS EYEPIECE

The rapid focus eyepiece can be adjusted in seconds, giving you a clear and crisp view of your target.



LOCKING DIOPTER RING

The diopter lets users adjust the focus to accommodate differences between each of their eyes. The diopter rings lock so that adjustments don't need to be made before each use.



LOW LIGHT PERFORMANCE

The fully multicoated lenses improve light transmission for bright and clear images, with greater low-light performance.



2 & 3 STAGE TWIST EYE CUPS

weather conditions.


WATERPROOF & FOGPROOF

Vanguard's O-ring seals completely prevent

Nitrogen purging prevents fogging in extreme

moisture, dust, and debris from entering the optics.

comfortable viewing experience with or without








VIDEO TRIPOD ALTA PRO 3VRL

Vanguard's Alta Pro series is back with a new generation of professional quality video kits. The Alta Pro 3VRL series features a removable levelling base with a comfortable hand grip on the underside for ultimate control and flexibility. A choice of video pan heads gives you fluid motion and smooth panning and tilting, along with precise control with dual telescopic handles. Precision engineered, CNC-machined parts mean that your Alta Pro tripod is built to last with easy-twist leg locks that let you quickly deploy your aluminum or carbon-fiber legs. Plus, retractable steel spikes in the feet let you adapt well on any terrain.

SERIES HIGHLIGHTS

- 75mm levelling base +/-15°
- Levelling base is removable
- Max load capacity up to 25kg/55lbs
- Extends up to 1805mm/71.1 inches
- 3-leg angles (23°, 50°, 80°)
- Smooth video pan heads
- 3/8" threads to attach support arms
- Luxury padded shoulder bag





	EOTHINOTI NEED I	OOTHIT EEO DIM	TETER OFFO	oriono				
	MODEL	FOLDED HEIGHT [inches mm]	EXTENDED HEIGHT [inches mm]	MINIMUM HEIGHT [INCHES MM]	HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
NEW	ALTA PRO 3VRL 303AT	29.88 759	66.93 / 1700	7.09 / 180	-	-	55.1 25	5.38 2.44
NEW	ALTA PRO 3VRL 303AV20	33.90 861	70.94 / 1802	11.10 / 282	VEO PV-20	QS-67	13.2 6	8.00 3.63
NEW	ALTA PRO 3VRL 303AVI8	34.02 864	71.06 / 1805	II.22 / 285	VEO PV-18	QS-6IP	33.1 15	7.98 3.62

CARBON FIRER - 30MM LEG DIAMETER - 3 LEG SECTIONS

OARDON LIDER OF	JULIU ELO DIANE	LIK O LLO OLOTI	ONO				
MODEL	FOLDED HEIGHT [inches mm]	EXTENDED HEIGHT [inches mm]	MINIMUM HEIGHT [Inches MM]	HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
ALTA PRO 3VRL 303CT	29.88 759	66.93 / 1700	7.09 / 180	-	-	55.1 25	4.60 2.09
ALTA PRO 3VRL 303CV20	33.90 861	70.94 / 1802	11.10 / 282	VEO PV-20	QS-67	13.2 6	7.21 3.27
ALTA PRO 3VRL 303CVI8	34.02 864	71.06 / 1805	II.22 / 285	VEO PV-18	QS-6IP	33.1 15	7.19 3.26


Retractable Steel Spikes

VIDEO TRIPOD ALTA PRO 3VL

Vanguard's Alta Pro series is back with a new generation of professional quality video tripods. The Alta Pro 3VL series features a nonremovable levelling base for ultimate control and flexibility. A selection of video pan heads gives you fluid motion and smooth panning and tilting, along with precise control with extended handles. Precision-engineered, CNC-machined parts mean that your Alta Pro tripod is built to last. Easy-twist leg locks let you quickly deploy your aluminum or carbon-fiber legs. Plus, retractable steel spikes in the feet let you adapt well on any terrain.



- 65mm levelling base +/-15°
- Levelling base is not removable
- Max load capacity up to 15kg/33lbs
- Extends up to 1800mm/70.9 inches
- 3-leg angles (23°, 50°, 80°)
- Smooth video pan heads
- 3/8" threads to attach support arms
- Luxury padded shoulder bag





MODEL	FOLDED HEIGHT [inches mm]	EXTENDED HEIGHT [INCHES MM]	MINIMUM HEIGHT [Inches Mm]	LEG DIAMETER	HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
ALTA PRO 3VL 303AV20	33.54 852	70.87 / 1800	11.02 / 280	30	VEO PV-20	QS-67	13.2 6	8.22 3.73
ALTA PRO 3VL 303AVI8	33.66 855	70.87 / 1800	11.22 / 285	30	VEO PV-18	QS-6IP	33.1 15	8.20 3.72
ALTA PRO 3VL 263AVI6	32.28 820	67.13 / 1705	7.28 / 185	26	VEO PV-16	QS-6IP	22.0 10	6.72 3.05

CARBON FIBER - 3 LEG SECTIONS

	JANESON FIBER O	LLO OLOTTONO							
	MODEL	FOLDED HEIGHT [inches mm]	EXTENDED HEIGHT [INCHES MM]	MINIMUM HEIGHT [Inches MM]	LEG DIAMETER		QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
NE	ALTA PRO 3VL 303CV20	33.54 852	70.87 / 1800	11.02 / 280	30	VEO PV-20	QS-67	13.2 6	7.43 3.37
NE	ALTA PRO 3VL 303CVI8	33.66 855	70.87 / 1800	11.22 / 285	30	VEO PV-18	QS-6IP	33.1 15	741 3.36
NE	ALTA PRO 3VL 263CVI6	32.28 820	67.13 / 1705	7.28 / 185	26	VEO PV-16	QS-6IP	22.0 10	5.94 2.69


*ALTA PRO 3VL 303AV18

VIDEO TRIPOD VEO 3V

SERIES HIGHLIGHTS

- VEO~3V~video~tripods~are~sturdy~supports~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~option~for~one~long~handle~or~two~telescopic~long~supports~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~option~for~one~long~handle~or~two~telescopic~long~supports~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~option~for~one~long~handle~or~two~telescopic~long~supports~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~option~for~one~long~handle~or~two~telescopic~long~supports~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~option~for~one~long~handle~or~two~telescopic~long~supports~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~option~for~one~long~handle~or~two~telescopic~long~supports~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~option~for~one~long~supports~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~option~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~option~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~option~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~option~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~option~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~option~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~option~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~option~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~option~for~your~video~camera~up~to~15~kg/33 lbs.~With~the~your~video~camera~up~to~15~kg/33 lbs.~With~the~your~video~camera~up~to~15~kg/35 lbs.~With~the~your~video~camera~up~to~15~kg/35 lbs.~With~the~your~video~camera~up~to~15~kg/35handles, the Arca-compatible VEO PV-16 and PV-18 heads offer maximum flexibility, with a smooth, fluid movement to stay on your subject.
- Smooth Arca compatible video heads
- Max load capacity up to 15kg/33lbs
- Extends up to 1805mm/71.1 inches
- Low angle adaptor
- 26mm legs converts to a monopod
- 3/8" threads to attach support arms





	MODEL	FOLDED HEIGHT Linches MM]	EXTENDED HEIGHT [inches Mm]	STANDARD HEIGHT [inches mm]	MINIMUM HEIGHT [inches mm]	LEG DIAMETER	HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
NEW	VEO 3V 303AVIB	28.94 735	71.06 / 1805	58.3 / 1480	10.04 / 255	30	VEO PV-18	QS-6IP	33.1 15	6.67 3.03
NEW	VEO 3V 263AVI6	28.74 730	70.47/ 1790	57.2 / 1453	8.94 / 227	26	VEO PV-16	QS-6IP	22.0 10	5.91 2.68

CARBON FIBER - 3 LEG SECTIONS

MODE	FOLDED HEIGHT - [INCHES MM]	EXTENDED HEIGHT [Inches Mm]	STANDARD HEIGHT [INCHES MM]	MINIMUM HEIGHT [Inches MM]	LEG DIAMETER	HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VEV VEO 3V 303	CVI8 28.94 735	71.06 / 1805	58.3 / 1480	10.04 / 255	30	VEO PV-18	QS-6IP	33.1 15	5.96 2.71
₩ VEO 3V 263		70.47 / 1790	57.2 / 1453	8.94 / 227	26	VEO PV-16	QS-6IP	22.0 10	5.29 2.40

SERIES HIGHLIGHTS


• Multi-Angle Central Column (MACC)

• Converts to a monopod (except 30mm legs)

• Arca compatible 3-way pan head or ball heads

• MACC converts to a Multi-Mount

• 3-leg angles (23°, 50°, 80°)





• Luxury padded shoulder bag



VEO 3+ is an all-in-one tripod series that is sturdy and trustworthy but truly shines thanks to its outstanding versatility. The easy-tooperate Multi-Angle Central Column (MACC) can be moved 360° in any direction, making it perfect for any style of photography -- enjoy moving from macro to landscape in seconds. You can also use the MACC as a multi-mount when you pair it with the VEO+ MA1 Adaptor (provided). Attach additional equipment to the tripod to enhance any shot. Additionally, all 3+ models include a leg that converts to a monopod, a premium Arca-compatible ball or pan head (depending on model), and removable spiked feet.



VEO BH-160S Arca compatible dual axis ball head (15kg/33lbs load capacity)

*VEO 3+ 263CPS







*VEO 3+ 303ABS



Up to 30mm Diam.

*VEO 3+ 303ABS



MODEL	FOLDED HEIGHT [Inches Mm]	EXTENDED HEIGHT [INCHES MM]	STANDARD HEIGHT [INCHES MM]	MINIMUM HEIGHT [INCHES MM]	LEG Diameter	HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
▼ VEO3+303ABS	31.14 791	69.84 1774	59.6 / 1513	846 215	30	VEO BH-250S	QS-62V3	55.1 25	6.47 2.94
▼ VE03+303AT	26.38 670	65.08 1653	54.8 / 1392	8.46 215	30	-	-	44.1 20	5.05 2.29
VE03+263ABI60S	30.47 774	68.46 1739	58.4 / 1484	4.92 125	26	VEO BH-160S	QS-62V3	33.1 15	5.50 2.50
VE03+263APS	30.71 780	68.31 1735	58.3 / 1480	8.66 220	26	VEO PH-38S	QS-74	22.0 10	5.96 2.71
VE03+263AT	26.10 663	64.09 1628	54.1 / 1373	4.92 125	26	-	-	33.1 15	4.42 2.01

CARBON FIBER - 3 LEG SECTIONS

	MODEL	FOLDED HEIGHT [inches mm]	EXTENDED HEIGHT [inches mm]	STANDARD HEIGHT [Inches mm]	MINIMUM HEIGHT [inches mm]	LEG DIAMETER	HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
NEW	VE03+303CBS	31.14 791	69.84 1774	59.6 / 1513	8.46 215	30	VEO BH-250S	QS-62V3	55.1 25	5.70 2.59
NEW	VE03+303CT	26.38 670	65.08 1653	54.8 / 1392	846 215	30	-	-	44.1 20	4.29 1.95
	VE03+263CBI60S	30.47 774	68.46 1739	58.4 / 1484	4.92 125	26	VEO BH-160S	QS-62V3	33.1 15	4.79 2.17
	VE03+263CPS	30.71 780	68.31 1735	58.3 / 1480	8.66 220	26	VEO PH-38S	QS-74	22.0 10	5.12 2.32
	VE03+263CT	26.10 663	64.09 1628	54.1 / 1373	4.92 125	26	-	-	33.1 15	3.71 1.68





MACC TRAVEL TRIPOD VEO 3T+

All the same innovative features as VEO3+ but in a more compact travel size. To deliver maximum stability and a quality that is second to none in all VEO3 tripods, Vanguard uses Advanced Computer Numerical Control (CNC) Engineering Technology, backed up by high quality materials. The precise engineering available through CNC enables Vanguard to source special quality materials, such as solid blocks of aircraft grade aluminum, which are then machined into key load bearing components using a technique such as diamond cutting, with a degree of precision that can't be matched with traditional die casting techniques. These parts then receive leading edge treatments, such as Vanguard's Advanced Anodizing process, which offer the maximum protection available and extends the life of the product. This combination of innovative design, partnered with leading edge manufacturing techniques, deliver an experience that allows any photographer to explore their world with confidence.

SERIES HIGHLIGHTS

- Multi-Angle Central Column (MACC)
- MACC converts to a Multi-Mount
- Leg that converts to a monopod
- Arca compatible 3-way pan head or ball heads
- 3-leg angles (23°, 50°, 80°)
- Max load capacity up to 15kg/33lbs
- Folds down to 46mm/18 inches
- Luxury padded shoulder bag







ALUMINUM ALLOY - 4 LEG SECTIONS

MODEL	FOLDED HEIGHT [INCHES MM]	EXTENDED HEIGHT [INCHES MM]	STANDARD HEIGHT [INCHES MM]	MINIMUM HEIGHT [INCHES MM]	LEG DIAMETER		QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VEO3T+264AB	18.9 480	61.42 1560	51.6 / 1310	6.69 170	26	VEO BH-I60S	QS-62V3	33.1 15	541 245
VEO3T+234AB	18.11 460	57.48 1460	48.2 / 1225	6.61 168	23	VEO BH-IIOS	QS-62V3	22.0 10	4.83 2.19
VEO3T+264APS	18.9 480	61.30 1557	51.5 / 1307	8.19 208	26	VEO PH-38S	QS-74	22.0 10	5.84 2.65
VEO3T+234APS	18.03 458	57.48 1460	47.9 / 1217	7.99 203	23	VEO PH-36S	QS-74	13.2 6	5.09 2.31
VEO3T+264AT	18.9 480	57.09 1450	47.2 / 1200	6.69 170	26	-	-	33.1 15	4.33 1.96

CARBON FIBER - 4 LEG SECTIONS

MODEL	FOLDED HEIGHT [inches mm]	EXTENDED HEIGHT [INCHES MM]	STANDARD HEIGHT [INCHES MM]	MINIMUM HEIGHT [Inches Mm]	LEG Diameter		QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VEO3T+264CB	18.9 480	61.42 1560	51.6 / 1310	6.69 170	26	VEO BH-160S	QS-62V3	33.1 15	5.01 2.27
VEO3T+234CB	18.11 460	57.48 1460	48.2 / 1225	6.61 168	23	VEO BH-IIOS	QS-62V3	22.0 10	4.36 1.98
VEO3T+264CPS	18.9 480	61.30 1557	51.5 / 1307	8.19 208	26	VEO PH-38S	QS-74	22.0 10	5.34 2.43
VEO3T+234CPS	18.03 458	57.48 1460	47.9 / 1217	7.99 203	23	VEO PH-36S	QS-74	13.2 6	4.66 2.12
VEO3T+264CT	18.9 480	57.09 1450	47.2 / 1200	6.69 170	26	-	-	33.1 15	3.93 1.78

*VEO 3T+ 264CT

*VEO 3T+ 264CB







TRADITIONAL TRIPOD VEO 3 AB/CB

VEO 3 tripods are designed for every photographer who is looking for maximum stability and function in more challenging conditions. We've introduced easy-to-clean leg locks to maximize the life of the tripod with easy and efficient maintenance. One leg converts to a monopod, allowing you to pick up and plant down quickly for fast-action shots. Three adjustable leg angles offer numerous options for height and uneven terrain. Additionally, we've added a 3/8" thread to the canopy to attach a support arm. Choose from aluminum or carbon-fiber models with a dual-axis ball head.



- Leg that converts to a monopod
- Arca compatible Dual axis ball head
- Full sized tripods that extend to 183cm/72.1 inches 3/8" thread for extra equipment to be added
 - 3 easy set leg angles (20°, 50°, 80°)
 - Max load capacity up to 25kg/55.1lbs

ALTA SKY 68 (P44)

VEO CP-65 KIT (P39)

ALUMINUM ALLOY

MODEL	FOLDED HT. [INCHES MM]	EXTENDED HT. [INCHES MM]	STANDARD HT. [INCHES MM]	MINIMUM HT. [INCHES MM]	LEG DIAM.	LEG SECT.		QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
₩VE03 303AB	29.3 745	72.1 1831	58.9 / 1495	10.5 266	30	3	VEO BH-250S	QS-62V3	55.1 25	5.70 2.59
VE03 263AB	29.1 738	70.7 1795	57.7 / 1465	10.4 265	26	3	VEO BH-160S	QS-62V3	33.1 15	4.72 2.14

CARRON FIRER

UNIVUUIT	IDEN									
MODEL	FOLDED HT. [INCHES MM]	EXTENDED HT. [INCHES MM]	STANDARD HT. [INCHES MM]	MINIMUM HT. [INCHES MM]	LEG DIAM.	LEG SECT.		QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
№ VE03 303CB	29.3 745	72.1 1831	58.9 / 1495	10.5 266	30	3	VEO BH-250S	QS-62V3	55.1 25	4.93 2.24
VE03 263CB	29.1 738	70.7 1795	57.7 / 1465	10.4 265	26	3	VEO BH-160S	QS-62V3	33.1 15	4.19 1.90

TRADITIONAL TRIPOD VEO 3 APS/CPS

VEO 3 tripods are designed for every photographer who is looking for maximum stability and function in more challenging conditions. We've introduced easy-to-clean leg locks to maximize the life of the tripod with easy and efficient maintenance. One leg converts to a monopod, allowing you to pick up and plant down quickly for fast-action shots. Three adjustable leg angles offer numerous options for height and uneven terrain. Additionally, we've added a 3/8" thread to the canopy to attach a support arm. Choose from aluminum or carbon-fiber models with two-way pan head.



- Full sized tripods that extend to 182cm/71.7 inches Full control of the head using telescopic handle
- Leg that converts to a monopod
- Arca compatible 3-way pan head
- 3 easy set leg angles (20°, 50°, 80°)
- Max load capacity up to 10kg/22lbs

ALUMINUM ALLOY


MODEL	FOLDED HT. [INCHES MM]		STANDARD HT. [INCHES MM]	MINIMUM HT. [INCHES MM]	LEG DIAM.		HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
™ VE03 303APS	28.9 735	71.7 1821	58.4 / 1484	10.2 259	30	3	VEO PH-38S	QS-74	22.0 10	5.70 2.59
VE03 263APS	29.1 738	70.6 1793	57.6 / 1462	10.6 270	26	3	VEO PH-38S	QS-74	22.0 10	5.11 2.32
VE03 233APS	26.3 668	624 1585	50.4 / 1280	9.5 240	23	3	VEO PH-36S	QS-74	13.2 6	4.32 1.96

CARBON FIBER

MODEL	FOLDED HT. [INCHES MM]		STANDARD HT. [INCHES MM]		LEG DIAM.		HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VEO3 303CPS	28.9 735	71.7 1821	58.4 / 1484	10.2 259	30	3	VEO PH-38S	QS-74	22.0 10	4.94 2.24
VE03 263CPS	29.1 738	70.6 1793	57.6 / 1462	10.6 270	26	3	VEO PH-38S	QS-74	22.0 10	4.52 2.05
VE03 233CPS	26.3 668	624 1585	50.4 / 1280	9.5 240	23	3	VEO PH-36S	QS-74	13.2 6	3.88 1.76













TRADITIONAL TRIPOD VEO 3 AO/CO

The VEO 3 Outdoor Series is designed to deliver a solid base for observing wildlife in the field with the most powerful spotting scopes. The series combines the solid VEO 3 tripod legs that can hold up to 100kg with the central column down, with a 2-way pan handle with all the control in a single handle. Constructed using advanced CNC engineering for maximum precision and quality, these tripods are available in a choice of carbon or aluminum.



- Full sized tripods that extend to 176cm/69.4 inches Full control of the head using telescopic handle
- Leg that converts to a monopod
- Arca compatible 2-way pan head
- 3 easy set leg angles (20°, 50°, 80°)
- Max load capacity up to 8kg/17.6lbs

TRADITIONAL TRIPOD VESTA TRIPODS

VESTA tripods are a series of photo and video supports that are designed for creative image-makers or adventurous sporting optics users. Whether you are taking or partaking in the shot, this series is designed to work wherever life takes you. The VESTA Series is Vanguard's entry-level tripod offering and is designed to perform whether you are using smartphones, mirrorless/CSC/hybrid cameras, small DSLR cameras, video camcorders, or sporting optics such as binoculars and spotting scopes.





(Dual panning grip head) Quick shoe: QS-29




- 360° Rotating Camera
- Top Plate Use for Vertical Camera Position or for 360° Panoramic Images

ALUMINUM ALLOY

MODEL	FOLDED HT.	EXTENDED HT. [INCHES MM]	STANDARD HT. [INCHES MM]	MINIMUM HT. [INCHES MM]	LEG DIAM.	LEG SECT.	HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VESTA 233AP	22.91 582	61.02 1550	48.1 / 1221	21.69 551	23	3	PH-23	QS-29	7.7 3.5	2.81 1.28
VESTA 203AP	22.50 570	61.02 1550	48.0 / 1220	21.06 535	20	3	PH-23	QS-29	7.7 3.5	2.44 1.11
VESTA 203AGH	22.50 570	61.02 1550	48.2 / 1225	21.65 550	20	3	GH-45	QS-29	7.7 3.5	2.47 1.12
VESTA 204AP	20.50 520	61.02 1550	49.4 / 1255	19.41 493	20	4	PH-23	QS-29	7.7 3.5	2.49 1.13











MODEL	FOLDED HT.	EXTENDED HT. [INCHES MM]	STANDARD HT.	MINIMUM HT. [INCHES MM]		QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VEO3 263AO	27.9 708	69.4 1763	56.4 / 1432	9.5 240	VEO PH-28	QS-7IP	17.6 8	5.20 2.36

CARBON FIBER - 26MM LEG DIAMETER - 3 LEG SECTIONS

MODEL	FOLDED HT.		STANDARD HT.		HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VE03 263C0	27.9 708	694 1763	56.4 / 1432	9.5 240	VEO PH-28	QS-7IP	17.6 8	4.63 2.10



22 vww.vanguardworld.com

TRADITIONAL TRAVEL TRIPOD VEO 3T

The VEO 3T Series is designed to deliver both portability (with models that fold to less than 16 in/41cm and weigh 3lbs/1.4kg) and performance (with a maximum height of up to 65 in/166cm and a load capacity of up to 26.5lbs/12kg). The series also includes an innovative Arca-compatible ball head that has the option to attach a pan-handle for greater control, especially when using longer lenses or spotting scopes, and a quick release plate that can be used to attach a smartphone up to 3.35 in/85mm wide with additional accessories. As if that wasn't enough, each tripod has a leg that can convert to a monopod with an all-weather TPU grip

SERIES HIGHLIGHTS

- Folds to 41cm/16 inches
- Weighs as little as 1.4kg/3 lbs
- Max load capacity up to 12kg/26lbs
- Leg that converts to a monopod

- 3 easy set leg angles (20°, 50° & 80°)
- Arca compatible ball heads
- Includes smartphone capability
- Slots for two tripod support arms










VEO BP-50T






VEO ADAPTOR R48 (P62) VEO TSA DLX L (P37) VEO QS-360 (P40)







*VEO 3T 265HCBP & Spotting Scopes



*VEO 3T 265 HCBP



Bluetooth remote control for IOS and Android smartphones

ALUMINUM ALLOY

MODEL	FOLDED HEIGHT [inches mm]	EXTENDED HEIGHT	STANDARD HEIGHT	MINIMUM HEIGHT [INCHES MM]	LEG DIAMETER	LEG SECTIONS	HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VEO3T 265HABP	17.3 439	65.4 1660	50.2 / 1275	10.0 255	26	5	VEO BP-I20T	QS-72T	26.5 12	4.7 2.11
VEO3T 235ABP	16.1 410	61.0 1550	45.5 / 1155	9.4 240	23	5	VEO BP-50T	QS-72T	17.6 8	3.9 1.75
VEO3T 204ABP	15.9 405	55.1 1400	40.9 / 1040	8.9 225	20	4	VEO BP-45T	QS-72T	8.8 4	3.3 1.49

CARBON FIBER

MODEL	FOLDED HEIGHT [INCHES MM]	EXTENDED HEIGHT [INCHES MM]	STANDARD HEIGHT [INCHES MM]	MINIMUM HEIGHT [INCHES MM]	LEG DIAMETER	LEG SECTIONS	HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VEO3T265HCBP	17.3 439	65.4 1660	50.2 / 1275	10.0 255	26	5	VEO BP-I20T	QS-72T	26.5 12	4.2 1.91
VEO3T235CBP	16.1 410	61.0 1550	45.5 / 1155	9.4 240	23	5	VEO BP-50T	QS-72T	17.6 8	3.5 1.60
VEO3T204CBP	15.9 405	55.1 1400	40.9 / 1040	8.9 225	20	4	VEO BP-45T	QS-72T	8.8 4	3.0 1.38

plate for cameras/smartphones

TRADITIONAL TRAVEL TRIPOD VEO 3GO

ALTA BH-102

T-50

When designing VEO 3 GO tripods, Vanguard recognized that many creators don't take a tripod along because the extra bulk and weight are cumbersome. This series is built around compact, lightweight, and travel-friendly features that let you shed your heavy load of gear and focus on your creativity. The feature-rich range is available in aluminum or extremely lightweight carbon fiber, both options ideal for all types of cameras from DSLR to mirrorless/CSC/hybrid cameras and even smart phones. The included smart phone holder and Bluetooth remote turn the VEO 3 GO into a tripod or monopod/selfie stick capable of capturing images remotely with your smartphone.

Arca compatible ALTA BH-102; T-50; T-45

SERIES HIGHLIGHTS

- Folds to 33cm/13 inches
- Weighs as little as 820g/1.8 lbs
- Max load capacity up to 10kg/22lbs
- Leg that converts to a monopod

- 3 easy set leg angles (21°, 50° & 80°)
- Arca compatible ball heads
- Includes smartphone capability
- Hook to attach weight for extra stability





T-45



VEO PA-10

Smartphone holder



*VEO 3GO 265 HAB

Bluetooth remote control for IOS and Android smartphones

ALUMINUM ALLOY

MODEL	FOLDED HEIGHT [inches mm]	EXTENDED HEIGHT [INCHES MM]	STANDARD HEIGHT [INCHES MM]	MINIMUM HEIGHT [INCHES MM]	LEG DIAMETER	LEG SECTIONS	HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VEO 3GO 265HAB	16.14 410	65.55 1665	49.6 / 1260	9.45 240	26	5	BH-102H	QS-60V2	22 10	3.66 1.66
VEO 3GO 235AB	12.99 330	53.54 1360	41.7 / 1060	7.87 200	23	5	T-50	QS-65	11 5	2.70 1.23
VEO 3GO 204AB	13.63 345	51.57 1310	39.8 / 1010	12.99 330	20	4	T-45	QS-65	6.6 3	2.08 0.95

CARBON FIBER

MODEL	FOLDED HEIGHT [INCHES MM]	EXTENDED HEIGHT [INCHES MM]	STANDARD HEIGHT [INCHES MM]	MINIMUM HEIGHT [INCHES MM]	LEG DIAMETER	LEG SECTIONS	HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VEO 3GO 265HCB	16.14 410	65.55 1665	49.6 / 1260	9.45 240	26	5	BH-102H	QS-60V2	22 10	3.12 1.42
VEO 3GO 235CB	12.99 330	53.54 1360	41.7 / 1060	7.87 200	23	5	T-50	QS-65	11 5	2.34 1.07
VEO 3GO 204CB	13.63 345	51.57 1310	39.8 / 1010	12.99 330	20	4	T-45	QS-65	6.6 3	1.80 0.82



TRADITIONAL TRAVEL TRIPOD VESTA TB

VESTA TB is a cost-effective tripod with both a simple design and advanced features. The aluminum construction is lightweight, and the inverted 4- or 5-section legs fold up for compact carrying. The legs configure to 3 angles with twist-locks for quick and easy opening and closing. A two-section center column helps increase stability and height. The sturdy ball head has large ergonomic knobs, and it includes an Arca Swiss-compatible quick-release shoe (QS-65). Shoot low-angle photos by reversing the center column.



- 3/8" to 1/4" -20 Reversible Screw Adaptor
- Hidden hex wrench storage.
- Dual Center Column for increased stability

- Patented design with convenient accessories.

• 21°, 50°, 80° Adjustable Leg Angles • Choice of Aluminum & Carbon legs

ALUMINUM ALLOY

MODEL	FOLDED HT. [INCHES MM]		STANDARD HT. [INCHES MM]		LEG DIAM.	LEG SECT.		QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VESTA TB235AB	14.8 375	56.25 1430	48.6 / 1235	10.63 270	23	5	T-5I	QS-65	9.9 4.5	2.65 1.20
VESTA TB204AB	14.8 375	51.18 1300	41.5 / 1055	12.01 305	20	4	T-46	QS-65	6.6 3	2.06 0.93


CARBON FIBER

OMMEDON	IDEI									
MODEL	FOLDED HT. [INCHES MM]	EXTENDED HT. [INCHES MM]	STANDARD HT. [INCHES MM]	MINIMUM HT. [INCHES MM]	LEG DIAM.	LEG SECT.		QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VESTA TB235CB	14.8 375	56.25 1430	48.6 / 1235	10.63 270	23	5	T-51	QS-65	9.9 4.5	2.27 1.03
VESTA TB204CB	14.8 375	51.18 1300	41.5 / 1055	12.01 305	20	4	T-46	QS-65	6.6 3	1.77 0.80










The VEO 3TT Series is designed for photographers, vloggers and smartphonographers who are looking for maximum portability and functionality, where even a travel tripod is too big. Folding to as little as 225mm/8.9 inches and weighing as little as 980g/2.15lbs they offer unparalleled portability. Despite this, they include an Arca compatible ball head that includes a removable handle for maximum control, and smartphone capability (for smartphones up to 85mm/3.35 inches).

Arca compatible VEO BP-45T; VEO BP-50T

Ball head with removable handle and smartphone compatibility



SERIES HIGHLIGHTS

- Folds to as little as 225mm/8.9 inches
- Weighs as little as 980g/2.15 lbs
- Max load capacity up to 8kg/17.6lbs
- Leg that converts to a monopod

- 3 easy set leg angles (20°, 50° & 80°)
- Arca compatible ball heads
- Includes smartphone capability
- Slots for two tripod support arms













Bluetooth remote control for IOS and Android smartphones

ALUMINUM ALLOY - 3 LEG SECTIONS

ALON MON ALL	01 0110010	10110							
MODEL	FOLDED HEIGHT Linches MM]	EXTENDED HEIGHT [INCHES MM]	STANDARD HEIGHT [Inches Mm]	MINIMUM HEIGHT [inches mm]	LEG DIAMETER		QUICK SHOE	MAX LOAD [lbs kg]	WEIGHT [lbs kg]
VEO3TT 233ABP	9.7 245	22.05 560	19.1 / 486	8.66 220	23	VEO BP-50T	QS-72T	17.6 8	2.56 1.16
VEO3TT 203ABP	8.9 225	19.69 500	17.4 / 443	7.87 200	20	VEO BP-45T	QS-72T	8.8 4	2.15 0.98

	MODEL	FOLDED HEIGHT [inghes mm]	EXTENDED HEIGHT [Inches Mm]	STANDARD HEIGHT [inches mm]	MINIMUM HEIGHT [inches Mm]	LEG DIAMETER	HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
NEW	VEO3TT 233GBP	9.7 245	22.05 560	19.1 / 486	8.66 220	23	VEO BP-50T	QS-72T	17.6 8	2.43 1.10

	MODEL	FOLDED HEIGHT [inches mm]	EXTENDED HEIGHT [INCHES MM]	STANDARD HEIGHT [INCHES MM]	MINIMUM HEIGHT [INCHES MM]	LEG DIAMETER		QUICKSHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
NEW	VEO3TT 233CBP	9.7 245	22.05 560	19.1 / 486	8.66 220	23	VEO BP-50T	QS-72T	17.6 8	2.43 1.10



TABLE TRIPOD VESTATTI

VESTA TT1 is a strong aluminum tabletop tripod that is designed to hold phones (smartphone adaptor and Bluetooth Remote included) as well as cameras up to 2 Kg/4.4lbs. VESTA TT has a rapid one-step leg deployment system that is unique to this category. It can be used as a stabilizer when folded, and is perfect for getting that great time-lapse or long-exposure shot! VESTA TT is compatible with a range of brands including Canon, Sony, Nikon, iPhone, and Android.





Smartphone Adapter

up to 3.4in/8.7cm



AVAILABLE IN 4 COLOR OPTIONS

MODEL	FOLDED HEIGHT [inches mm]	EXTENDED HEIGHT [inches mm]	HEAD	MAX LOAD [lbs kg]	WEIGHT [LBS KG]
VESTA TTI	6.9 175	3.9 100	BALL HEAD	4.4 2	0.34 0.15



MONOPODS

VEO 2S is a collection of monopods designed for travel. This lightweight series works with camera loads up to 6kg/13.2lbs, and this nextgen monopod does not sacrifice quality or compromise stability. The advance-engineered twist leg locks ensure easy, fast deployment and height adjustments with no sacrifices in stability – while still allowing you to get the shot with your camera or smartphone.



- Folds to 52cm/21 inches
- Weighs as little as 800g/1.75 lbs
- Max load capacity up to 15kg/33lbs
- Arca compatible ball heads with Kit Models
- 4-in-1 Quick shoe QS-72T with Kit Models
- Smartphone Adapter Included with All TR Models

ALUMINUM ALLOY - 4 LEG SECTIONS

MODEL	FOLDED HEIGHT [INCHES MM]	EXTENDED HEIGHT [INCHES MM]	LEG Diameter	HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VEO2SAM-234TBP50T	23.78 604	65.12 1654	23	VEO BP-50T	QS-72T	13.2 6	2.81 1.28
VEO2SAM-264TR	21.50 545	64.13 1630	26	-	-	33.1 15	1.96 0.89
VEO2SAM-234TR	20.50 520	61.00 1550	23	-	-	22 10	1.77 0.81

CARBON FIBER - 4 LEG SECTIONS

MODEL	FOLDED HEIGHT [inches mm]	EXTENDED HEIGHT [INCHES MM]	LEG Diameter	HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VEO2SCM-264TBPI2OT	24.57 624	68.07 1729	26	VEO BP-I20T	QS-72T	26.5 12	2.97 1.35
VEO2SCM-264TR	21.50 545	64.13 1630	26	-	-	33.1 15	1.75 0.80





















VEO BH | DUAL AXIS BALL HEAD

Vanguard presents three of its latest, most innovative Arca-compatible ball heads: VEO BH-110S, VEO BH-160S, and VEO BH-250S. These introduce the new Dual Axis Design, which includes a second panoramic axis on the top plate for maximum control and precision when framing your shot. With a maximum load capacity of up to 25kg/55lbs on a lightweight body, easy-grip locking knobs, and a new adjustable knob mechanism, these heads deliver strong, smooth, and precise movements for the most discerning of photographers.





ARCA COMPATIBLE



VEO BH-250S

MODEL	LENGTH [INCHES MM]	WIDTH [INCHES MM]		HEAD BASE [INCHES MM]	QUICK SHOE	FRONTAL TILT°	LATERAL TILT°	SWIVEL°	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VEO BH-250S	-	-	4.76 121	2.28 58	QS-62V3	-	-91°~35°	360	55 25	1.42 0.64
VEO BH-160S	-	-	4.37 111	2.28 58	QS-62V3	-	-91°~35°	360	33 15	1.07 0.49
VEO BH-IIOS	-	-	4.13 105	1.97 50	QS-62V3	-	-91°~35°	360	22 10	0.94 0.43



VEO BP | BALL HEAD WITH PAN HANDLE FOR CAMERAS/SMARTPHONES

Vanguard presents three innovative new Arca-compatible ball heads - VEO BP-45T, VEO BP-50T, and VEO BP-120T. These feature the quick-action removeable pan handle and the QS-72T quick shoe plate, which takes smartphone photography to a new level. With a maximum load capacity of up to 12kg/26.5lbs on a lightweight body, easy-grip locking knobs, and a new adjustable knob mechanism, these heads deliver strong, smooth, and precise movements for the most discerning of photographers.





	VLO DF-	1201								
MODEL	LENGTH [INCHES MM]	WIDTH [INCHES MM]	HEIGHT [INCHES MM]	HEAD BASE [INCHES MM]	OUICK SHOE				MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VEO BP-I20T	-	3.82 97	4.23 107.5	1.85 47	QS-72T	-	-91°~35°	360	26.4 12	1.2 0.55
VEO BP-50T	-	3.07 78	3.9 99	1.73 44	QS-72T	-	-91°~40°	360	17.6 8	1.0 0.46
VEO BP-45T	-	2.68 68	3.5 89	1.65 42	QS-72T	-	-91°~35°	360	8.8 4	0.87 0.39



VEO PH | 3-WAY PAN HEAD WITH ROTATING TOP HANDLE

The VEO PH series is perfect for any photographer or videographer on the go and features an independent panoramic knob and bubble level. Additionally, nature lovers can mount a spotting scope or binoculars (with the BA-185 adapter, sold separately) and pan smoothly to get a clear look at some birds or other wildlife.



VEO PH-38S

MODEL	LENGTH [Inches MM]	WIDTH [INCHES MM]	HEIGHT [Inches mm]	HEAD BASE [INCHES MM]	OUICK SHOE	FRONTAL TILT°	LATERAL TILT°	SWIVEL°	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VEO PH-38S	8.27 210	7.09 180	4.41 112	2.28 58	QS-74	-91°~30°	-91°~30°	360°	22 10	1.42 0.64
VEO PH-36S	8.07 205	6.97 177	4.37 111	1.97 50	QS-74	-91°~30°	-91°~30°	360°	13.2 6	1.25 0.57



VEO PV | FLUID VIDEO PAN HEAD

VEO PV video heads have 360-degree, smooth-panning and impressive tilting angles, perfect for any videographer who demands meticulous positioning for the perfect shoot with a video camera or a pro DSLR camera. In the VEO PV-20 there is a spring counterbalance that helps operate heavy equipment with greater ease and precision, while the Arca compatible VEO PV-18 is CNC machined for a






TRIPOD ACCESSORY VEO MT-12

The newly designed Vanguard VEO MT-12 is the upgraded version of Vanguard's previous Multi-Mount 6. Ideal for mounting up to 4 pieces of gear, it features sturdy aluminum alloy material, is 25.6in/650mm long, has a large center locking ring, two safety pins, length adjustment bar and comes with two VEO+MA1s. Well thought out and built, If you are looking to mount multiple pieces of gear on a tripod, then look no further -- the VEO MT-12 is your ideal solution.

*VEO MT-12















MODEL	LENGTH [INCHES MM]	WIDE [INCHES MM]	HEIGHT [INCHES MM]	FULL EXTENDED HEIGHT [inghes mm]	WEIGHT [LBS KG]	PAYLOAD [LBS KG]	CENTER COLUMN Plate Diameter [inches Mm]	TUBE MATERIAL
VEO MT-12	-	-	-	25.6 650	2.26 1.03	22.04 10.00	2.28 58	ALUMINUM ALLOY
VEO+MAI	2.3 58	3.3 83	2.7 68	-	0.46 0.21	-	-	ALUMINUM ALLOY





With the ever growing demand for flexibility, Vanguard is proud to introduce the VEO Creative Tripod Accessories Series that is designed to turn your tripod into a multi-functional tool for any photography style.



[VEO CSM] Movable Up and Down

[VEO CSM DLX] Magnet Design Easy Set Up

[VEO TSA S] 1/4" threads to Connect Equipment

[VEO TSA M]


Ball Joints to Position Equipment

[VEO TSA DLX M] Easy grip Ergonomic Locking Knob

VEO CSM - Cold Shoe Mounts

A versatile range of cold shoe mounts that allow you to attach and aim up to three accessories (LED lights, microphones, etc.) to your camera and tripod.








VEO CSM DLX - Attach an accessory with a 1/4" thread to a hot shoe mount on your camera. Includes a magnetic quick-release system







VEO CSMM3 - Attach and aim three accessories

VEO TSA - Tripod Support Arms

Attach a tripod support arm to your tripod (or VEO CSM3) to add additional accessories.





VEO TSA - Simple tripod support arms with 1/4" thread and 3/8" adaptor with 2kg load capacity. Small (S) or Medium (M)





VEO TSA DLX - Advanced tripod support arms with ball joints at either end for maximum versatility in positioning your device, with 3kg load capacity. Include a choice of 1/4" or 3/8" fittings at either end to fit any suitable tripod, but for maximum stability when used with the majority of VEO tripods it includes advanced non-slip bayonet adaptor that prevent the VEO TSA DLX coming loose. Medium (M) or Large (L)

VEO TC - Tablet Connector

Solid aluminium design with Arca-compatible or 1/4" thread base, easy twist lock system and cold shoe seat on the top. This is a versatile tablet connector that can be used on a tripod, head, support arm or standalone. Fits tablets up to 220cm/12inches wide





MODEL	STANDARD HEIGHT [INCHES MM]	FOLDED HEIGHT [Inches MM]	MAX LOAD [lbs kg]	WEIGHT [LBS G]
VEO TSA S	4.53 115	2.5 63.5	4.41 2	0.22 98.5
VEO TSA M	5.98 152	3.0 76.5	441 2	0.23 106
VEO TSA DLX M	7.09 180	4.45 113	6.61 3	0.48 217
VEO TSA DLX L	11.42 290	6.57 167	6.61 3	0.59 267

MODEL	LENGTH [INCHES MM]	WIDTH [INCHES MM]	HEIGHT [INCHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS G]
VEO CSM	-	0.97 24.7	1.1 27.9	6.61 3	0.06 25
VEO CSM DLX	-	1.22 31	2.24 57	441 2	0.19 86.5
VEO CSMM2	4.72 120	1.75 44.5	2.0 50.8	441 2	0.41 185
VEO CSMM3	3.44 87.4	0.87 22	1.14 29	441 2	0.19 86
VEO TC M	2.13 54	1.85 47	6.02 153	2.2 1	0.66 298



ACCESSORY VEO SPH | SMARTPHONE HOLDER

The VEO SPH is a versatile, multi-angle smartphone holder that can fit any smartphone between 60-90mm/2.4-3.5 inches wide, weighs just 180g/0.4lbs and is small enough to slip into a pocket. It includes a ball joint that allows the camera to be rotated 360° to choose between landscape or portrait (or to get your smartphone level on uneven ground) and tilts +/-36°, making it perfect to attach directly to the top of any monopod (or tripod) in place of a head.





On Table





(Arca-Compatible)







MAX LOAD [LBS | KG] SIZE RANGE [INCHES | MM WEIGHT [LBS | G] WIDTH [INCHES | MM] HEIGHT [INCHES | MM] 3.1 | 78 4.3 | 110 1.1 | 0.5 0.4 | 181 2.2-3.5 | 57-90

ACCESSORY VEO CP | CLAMP

Attach your camera, smartphone or accessory to the surfaces around you, wherever you are, to get that perfect shot.







VEO CP-46 FITS ALMOST ANY OBJECT UP TO 46MM, VEO CP-65 UP TO 65MM

ACCESSORY VEO CP KIT | CREATIVE PHOTO KIT

VEO CP Kits are designed to help you take your smartphonography to another level and include a VEO CP Clamp, a VEO TSA DLX Tripod Support Arm and VEO SPH Smartphone Holder. This allows you to attach your smartphone to almost any object around you up to 65mm wide, offering more shooting angles and enabling you to capture more wonderful moments.

VEO CP-46 KIT



46 mm Clamp





VEO SPH Smartphone Holder



VEO TSA DLX M Support Arm M



VEO CP-65 KIT







VEO SPH Smartphone Holder



VEO TSA DLX L Support Arm L



MODEL	LENGTH [INCHES MM]	WIDTH [INCHES MM]	HEIGHT [INCHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS G]	SIZE RANGE [INCHES MM]		
VEO CP-65	3.3 82.5	0.8 20	3.5 89.0	5.5 2.5	0.4 159	2.6 65		
VEO CP-46	2.7 68.0	0.8 20	3.3 82.5	3.3 1.5	0.3 132	1.8 46		
SMARTPHONE HOLDER VEO SPH(P38)								
SUPPORT ARM M VEO TSA DLX M(P37)								
SUPPORT ARM L VEO TSA DLX L(P37)								

VEO SPH





ACCESSORY VEO QS-360

VEO QS-360 is designed to turn any Arca-compatible head into a dual axis head for maximum control. It's also perfect for allowing you use both a long lens and an L-bracket on an Arca compatible 3-way pan head, or turning your 2-way pan head into a 3-way pan head.







*VEO QS-360

New "Stop System"

Anti-rotation Pin



MODEL	LENGTH [INCHES MM]	WIDTH [Inches MM]	HEIGHT [INCHES MM]	QUICK SHOE				MAX LOAD [lbs kg]	WEIGHT [LBS KG]
VEO QS-360	4.1 105	2.2 55	1.6 40	QS-76/QS-62V3	-	-	360	22 10	0.5 0.24

ACCESSORY VEO LVL-60

Vanguard's new VEO LVL-60 can be attached to any tripod to and can be adjusted +/-15° to allow you to get your tripod head perfectly level in seconds without having to fiddle around with the tripod legs. This allows you to keep level throughout your shoot, without the need to constantly correct it as you pan or reframe your shot.





Stop screws ensure solid fit to head



Adjusts +/-15°



Fits any tripod/head

INCHES | MM [LBS | KG] LBS KG 3.51 | 90 2.56 | 65 1.97 | 50 2.28 | 58 360 33 l 15 0.7 | 0.32 VEO LVL-60 15°~-15° 15°~-15°

ACCESSORY

*VEO LVL-60

VEO BT-11

A Bluetooth remote to pair with your smartphone for hands-free shutter triggering. Works with iOS and Android devices. Includes CR2032 battery (always keep out of reach of children)



Bluetooth Remote







MODEL	LENGTH	WIDE	HEIGHT
	[Inches MM]	[INCHES MM]	[INCHES MM]
VEO BT-II	1.34 34	0.51 13	2.13 54

OUICK SHOES

QS quick release plates make attaching and removing your camera a breeze, securely keeping your gear in position

VEO BP-120T HEAD [VEO 3T 265HABP] [VEO 3T 265HCBP] [VEO 2SCM-264TBP120T] VEO BP-50T HEAD [VEO 3T 235ABP] [VEO 3T 235CBP] [VEO 3TT 233ABP] [VEO 3TT 233CBP]

[VEO 2SAM-234TBP50T]

- Smartphone holder VEO BP-45T HEAD • 1/4" camera screw
- & pin with D-ring

[VEO 3T 204ABP/CBP] [VEO 3TT 203ABP]

Arca compatible



QS-

VEO PH-38S HEAD [VEO 3+ 263APS] [VEO 3+ 263CPS] [VEO 3T+ 264APS] [VEO 3T+ 264CPS] [VEO 3 303APS] [VEO 3 303CPS] [VEO 3 263APS] [VEO 3 263CPS] VEO PH-36S HEAD [VEO 3T+ 234APS]

• 1/4" camera screw & pin with D-ring Arca compatible

[VEO 3T+ 234CPS] [VEO 3 233APS] [VEO 3 233CPS]



ALTA BH-100 HEAD [ALTA PRO 2+ 263AB100] [ALTA PRO 2+ 263CB100] ALTA PH-32 HEAD [ALTA PRO 2+ 263AP] ALTA GH-100 HEAD [ALTA PRO 2+ 263AGH] ALTA PH-31 HEAD [ALTA PRO 2 264AO] VEO BH-160 HEAD [VEO 3+ 263AB]

• 1/4" camera screw & pin with D-ring Arca compatible

[VEO 3+263CB] BH-102H HEAD [VEO3GO265HAB] [VEO3GO265HCB]



VEO PH-28 HEAD [VEO 3 263 AO] [VEO 3 263 CO]

- 1/4" camera screw & pin with D-ring
- Arca compatible



QS-6 VEO PV-20 HEAD

[ALTA PRO 3VRL 303AV20] [ALTA PRO 3VRI 303CV20] [ALTA PRO 3VL 303AV20] [ALTA PRO 3VL 303CV20]

• 1/4" camera screw in a removable slot & pin(coin to tighten) Arca compatible



VEO 2PH-38 HEAD [VEO 3+ 263AP]

65

QS-

[VEO 3+263CP] T-50 HFAD [VEO 3GO 235AB] [VEO 3GO 235CB] T-45

[VEO 3GO 204AB] [VEO 3GO 204CB] T-51 HEAD [VESTA TB 235AB]

HEAD

[VESTA TB 235CB] • 1/4" camera screw T-46 & pin with D-ring [VESTA TB 204AB] Arca compatible [VESTA TB 204CB]



GH-100 [ALTA PRO 263AGH]

• 1/4" camera screw & pin with D-ring • Arca compatible

QS-

SBH-100 HEAD [ALTA PRO 263AB 100]

• 1/4" camera screw & pin(coin to tighten)





ALTA PH-114V HEAD [ALTA PRO 2 263AV] VEO PV-18 HEAD [ALTA PRO 3VRL 303AV18] [ALTA PRO 3VRL 303CV18] [ALTA PRO 3VL 303AV18] [ALTA PRO 3VL 303CV18] [VEO 3V 303 AV18] [VEO 3V 303 CV18] VEO PV-16 HEAD

in a removable slot & pin(coin to tighten) Arca compatible

• 1/4" camera screw

[ALTA PRO 3VL 263AV16] • 1/4" camera screw [ALTA PRO 3VL 263CV16] & pin with D-ring [VEO 3V 263AV16] Arca compatible [VEO 3V 263CV16]

VEO BH-250S HEAD [VEO 3+303ABS] [VEO 3+ 303CBS] [VEO 3 303AB] [VEO 3 303CB] VEO BH-160S HEAD [VEO 3+263AB160S] [VEO 3+263CB160S] [VEO 3T+ 264AB] [VEO 3T+ 264CB] [VEO 3 263AB] [VEO 3 263CB] VEO BH-110S HEAD [VEO 3T+ 234AB] [VEO 3T+ 234CB]

VEO QS-360 ACCESSORY

HEAD

PH-23

[VESTA 233AP] [VESTA 203AP] [VESTA 204AP]

• Anti-slip rubber pad [VESTA 203APSPC] [VESTA 204APSPC] • 1/4" camera screw & pin with D-ring

GH-45 HEAD [VESTA 203AGH]





ALTA SKY

PROFESSIONAL BACKPACKS FOR LONG LENSES







*ALTA SKY 66
























- Designed to carry up to an 800mm lens with pro-body attached
- Alta Sky 68 can also carry up to 7 additional lenses (or personal kit)
- Carry a full-size tripod centrally for maximum comfort over extended distances
- Carry up to a 16" laptop and multiple accessories
- Well padded for maximum protection across the most rugged terrain

Stay Steady

• Advanced harness system to carry heavy loads in comfort

MODEL	INTERIOR DIMENSIONS [INCHES MM.]	EXTERIOR DIMENSIONS [INCHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	FITS DEVICE	TABLET POCKET	LITER SIZE
ALTA SKY 68	13.4 X 7.1 X 22.9 340 X 180 X 580	14.1 X 9 X 23.4 360 X 230 X 595	35.3 16.0	6.5 2.9	II" TABLET 16" LAPTOP		36
ALTA SKY 66	10.2 X 9.4 X 24 260 X 240 X 610	II.3 X II.3 X 24.3 290 X 290 X 620	23.1 10.5	5.5 2.5	II" TABLET	YES	30

*ALTA SKY 68

PROFESSIONAL BACKPACKS

Alta Sky is a series of dynamic backpacks and daypacks with a new take on what versatility can offer a professional photographer. Vanguard's design team created a new standard in adaptable carrying and working solutions, enabling a simple transition from 100% gear to 100% personal and anywhere in between.



red<mark>dot</mark> award *ALTA SKY 51D winner











-Seein





*ALTA SKY 45D













Quick Access

'Never-Tire' Carrying Experience

Stay Steady



ALTA SKY 53

ALTA SKY 45D/51D

ALTA SKY 45D





- Ultimate versatility 100% gear to 100% personal and anywhere in between
- Multi-access quick-action full rear opening and top access | + Side access in daypacks
- Drone action dual use/dual color dividers for drone set-up*
- Business oriented Carry up to a 17" laptop
- Advanced harness system to carry a full-sized tripod and heavy load in comfort
- No fumbling bright colored interior makes finding things easy

MODEL	INTERIOR DIMENSIONS [Inches mm]	EXTERIOR DIMENSIONS [INCHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	FITS DEVICE	TABLET POCKET	LITER SIZE
ALTA SKY 53	12.6 X 7.8 X 20.8 320 X 200 X 530	15 X 10.6 X 22.8 380 X 270 X 580	35.2 16.0	6.2 2.8	17" LAPTOP	YES	34
ALTA SKY 5ID	12.6 X 7.8 X 20 320 X 200 X 510	14.6 X 10.2 X 22.2 370 X 260 X 565	29.7 13.5	6.4 2.9	15" LAPTOP	YES	32
ALTA SKY 45D	10.2 X 7.5 X 17.7 260 X 190 X 450	12.2 X 9 X 19.5 310 X 230 X 495	19.8 9.0	4.8 2.2	I3"LAPTOP	YES	22

VEO ACTIVE ADVENTURE BACKPACKS

 $VEO\,ACTIVE\,bags\,are\,a\,sure\,fit\,for\,photographers\,on\,the\,go, as\,well\,as\,hikers, campers, birdwatchers\,-\,practically\,any\,outdoor\,adventurer.\\Dual-laminated\,840D\,nylon\,ripstop\,materials\,protect\,your\,bag\,from\,the\,elements, as\,well\,as\,the\,wear\,and\,tear\,brought\,on\,by\,the\,natural$ world, while carrying a large load of camera bodies and lenses (or camping gear) in comfort over longer distances.





























'Never-Tire' Carrying Experience

SERIES HIGHLIGHTS

Stay Steady

Reinforced and designed the to fit the shape of your back. Waist cushion and Aluminum alloy frame to fit torso

• Waterproof material with rain cover for wettest days

• Expanding pockets on shoulder strap and waist belt

- Sealed pocket for up to a 2-litre water pouch
- Includes USB charger port to allow charging on the go
- Carry up to a 16" laptop • Full sized tripod holder

COLOR:

MODEL	INTERIOR DIMENSIONS [inghes mm]	EXTERIOR DIMENSIONS [INCHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	FITS DEVICE	LITER SIZE
VEO ACTIVE 53	12.2 X 7.1 X 20.9 310 X 180 X 530	12.9 X 9.8 X 21.7 330 X 250 X 550	44.1 20	6.52 2.96	10" TABLET 16" LAPTOP	45
VEO ACTIVE 49	12.2 X 7.1 X 19.3 310 X 180 X 490	12.9 X 9.8 X 20.1 330 X 250 X 510	35.3 16	6.22 2.82	IO" TABLET 15" LAPTOP	35
VEO ACTIVE 46	10.6 X 6.3 X 18.1 270 X 160 X 460	II.4 X 9.I X I8.7 290 X 230 X 475	24.2 11	5.60 2.54	10" TABLET 14" LAPTOP	25
VEO ACTIVE 42M	9.8 X 5.9 X I7.7 250 X I50 X 420	10.6 X 7.5 X 17.3 270 X 190 X 440	18.7 8.5	4.32 1.96	IO" TABLET I3" LAPTOP	17

*VEO ACTIVE 53



VEO SELECT TROLLEY BAGS THAT CONVERT TO BACKPACKS/SHOULDER BAGS



Vanguard's innovative VEO SELECT Trolley Bag series comes in four sizes and two colors, all designed to be airline carry-on friendly*. These are stylish and durable bags that are designed for pro-level gear and up to two tripods. On the go, all models include a sturdy double handle, come with a choice of two/four wheels, and convert to either a shoulder bag/backpack to cover more uneven ground.





(except VEO Select 42T)











Four Wheels





*VEO SELECT 55BT *VEO SELECT 59T Four Wheels







*VEO SELECT 58T Four Wheels





VEO Select 42T'S Shoulder Strap

VEO Select 55BT

VEO Select 58T VEO Select 59T includes similar harness

Stay Steady





Top Quick Access (VEO Select 42T)





- High quality scratch and water resistant material (with rain cover for wettest days) and sturdy double handle
- Designed to meet IATA airline carry-on luggage guidelines (2020)*
- All models are designed to carry pro-level gear, including a tripod and up to a 17" laptop
- All models convert to either a shoulder bag or a backpack to cover uneven ground
- All bags double as luggage; simply remove the interior divider compartment

GULUK:						
MODEL	INTERIOR DIMENSIONS [inches mm]	EXTERIOR DIMENSIONS [INGHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	FITS DEVICE	LITER SIZE
VEO SELECT 59T	13 X 6.8 X 18.5 330 X 170 X 470	14.2 X 8.7 X 21.5 360 X 220 X 545	33.1 15	9.22 4.18	II" TABLET 17"LAPTOP	26
VEO SELECT 58T	II.8 X 6.9 X I8.5 300 X I75 X 470	14.2 X 10.2 X 24 360 X 260 X 610	33.1 15	11.24 5.10	II" TABLET 16"LAPTOP	26
VEO SELECT 55BT	12.3 X 6.3 X 17.5 310 X 160 X 445	14.2 X 8.2 X 22.1 360 X 220 X 560	27.6 12.5	9.52 4.32	II" TABLET 15"LAPTOP	22
VEO SELECT 42T	14.6 X 6.3 X 13 370 X 160 X 330	16.5 X 9.9 X 17.9 420 X 250 X 455	26.5 12	8.55 3.88	II" TABLET 15"LAPTOP	20

^{*}Excludes VEO Select 58T. Airline carry-on regulations are subject to change and vary by airline and country. To meet the requirements, you may need to remove laptops, tripod holders, and attachments. Call your airline or visit its website for current size and weight restrictions.

VEO Select 45BFM and 48BF are classic backpacks that fit a camera with up to 7-8 lenses and a 15" laptop.





*VEO SELECT 48BF

*VEO SELECT 45BFM





*VEO SELECT 45BFM

Side Quick Action

Stay Steady











SERIES HIGHLIGHTS

- Always supported- VEO tripod carry-along integrated solutions inside and outside
- Double connectivity- extra strap connection up front or on the bottom
- Keep dry total coverage rain cover
- Incognito no one needs to know this is a camera bag
- Safe storage secure rear pocket for travel document and wallet
- Set-up versatility- with plenty of dividers and inserts to allow 100% gear or 100% personal, depending on the user

COLOR:

OULUN.						
MODEL	INTERIOR DIMENSIONS [inches mm]	EXTERIOR DIMENSIONS [INCHES MM]	[LBS KG]	WEIGHT [LBS KG]		LITER SIZE
VEO SELECT 48BF	II.8 X 6.5 X I8.9 300 X I65 X 480	13.3 X 9.6 X 20.5 335 X 245 X 520	25.57 11.6	4.28 1.94	II"TABLET I5" LAPTOP	24
VEO SELECT 45BFM	10.6 X 5.1 X 16.9 270 X 130 X 430	II.8 X 8.3 X I8.3 300 X 210 X 465	19.18 8.7	3.26 1.48	II"TABLET	15



VEO SELECT

SLIM BACKPACKS

VEO Select 37BRM and 46BR measure just 28cm wide, but they don't compromise on how much kit they can hold. With fast side access on either side, these bags are perfect for left- or right-handed photographers.





*VEO SELECT 37BRM



Ergonomic Design

Two Side Quick Action



Versatile



Stay Steady



*VEO SELECT 46BR

BACKPACKS/SHOULDER BAGS

VEO Select 41, 45M and 49 are slim and stylish backpacks with a top section for personal kit, and they convert to a shoulder bag in seconds.







*VEO SELECT 41/45M



Ergonomic Design

Two Side **Quick Action**







Stay Steady



- Always supported- VEO tripod carry-along integrated solutions inside and outside
- Double connectivity- extra strap connection up front or on the bottom
- Keep dry total coverage rain cover
- Incognito no one needs to know this is a camera bag
- Safe storage secure rear pocket for travel document and wallet
- Set-up versatility- with plenty of dividers and inserts to allow 100% gear or 100% personal, depending on the user



COLOR:		depending on the user							
MODEL	INTERIOR DIMENSIONS [INCHES MM]	EXTERIOR DIMENSIONS [INCHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	FITS DEVICE	LITER SIZE			
VEO SELECT46BR	9.9 X 5.9 X I8.I 250 X I50 X 460	II.0 X 8.3 X I8.7 280 X 210 X 475	19.8 9.0	3.04 1.38	13" LAPTOP	17			
VEO SELECT37BRM	10.0 X 4 .5 X 14.6 255 X 115 X 370	II.O X 6.9 X I5.4 280 X I75 X 390	9.3 4.2	2.38 1.08	II" TABLET				
VEO SELECT 49	II.3 X 4.9 X I9.2 290 X I25 X 490	13.3 X 8.1 X 19.9 340 X 205 X 505	20.28 9.2	3.66 1.66	15" LAPTOP	18			
VEO SELECT 45M	10.9 X 4.4 X 17.7 275 X 110 X 450	12.6 X 7.5 X 18.1 320 X 190 X 460	17.19 7.8	3.33 1.51	15" LAPTOP	14			
VEO SELECT 41	10.9 X 4.9 X 16.1 275 X 125 X 410	12.6 X 8.1 X 16.5 320 X 205 X 420	11.9 5.4	3.37 1.53	13" LAPTOP	14			







VEO SELECT

ROLL-TOP BACKPACKS

The VEO SELECT 39RBM/43RB is a stylish roll-top backpack with a full front opening to the gear compartment and a flexible wideopening top personal compartment. It is ideal for enthusiastic image makers who want to carry as much as possible in a compact, stylish fashion that does not shout, "I am a camera bag!"







*VEO SELECT 43RB *VEO SELECT 39RBM





Ergonomic Design







Versatile



SERIES HIGHLIGHTS

- Always supported- VEO tripod carry-along integrated solutions inside and outside
- Double connectivity- extra strap connection up front or on the bottom
- Keep dry total coverage rain cover
- Incognito no one needs to know this is a camera bag
- Safe storage secure rear pocket for travel document and wallet
- Set-up versatility- with plenty of dividers and inserts to allow 100% gear or 100% personal, depending on the user

CUI UB ·

MODEL Interior dimensions (inches mm) exterior dimensions (inches mm) max load (lbs kg) weight (lbs kg) fits device (lt) lter size (lt) VEO SELECT 43RB 9 X 4.9 X 16.5 230 X 125 X 420 12.3 X 8.1 X 18.5 310 X 205 X 470 16.5 7.5 2.76 1.25 11" TABLET 12	GULUK.						
VEO SELECT 43RB 9 X 4.9 X 16.5 230 X 125 X 420 12.3 X 8.1 X 18.5 310 X 205 X 470 16.5 7.5 2.76 1.25 11" TABLET 12	MODEL			MAX LOAD [LBS KG]	WEIGHT [LBS KG]		LITER SIZE
	VEO SELECT 43RB	9 X 4.9 X I6.5 230 X I25 X 420	12.3 X 8.1 X 18.5 310 X 205 X 470	16.5 7.5	2.76 1.25	II" TABLET	12
VEO SELECT 39RBM 8.3 X 4 X I5 210 X 100 X 380 10.7 X 6.8 X I6.9 270 X I70 X 430 9.3 4.2 2.36 1.07 II" TABLET 8	VEO SELECT 39RBM	8.3 X 4 X I5 2IO X IOO X 380	IO.7 X 6.8 X I6.9 270 X I70 X 430	9.3 4.2	2.36 1.07	II" TABLET	8





VEO Select 22S, 28S and 36S shoulders bags are designed to carry your gear in comfort, while offering fast access when you need it



*VEO SELECT 28S

*VEO SELECT 22S





*VEO SELECT 36S

Elevation Feet

Stay Steady

Versatile

Fits With Belt (22S)









- Shoulder and handle pad: effectively reduce carrying burden
- Keep dry total coverage rain cover
- Trolley sleeve for hands free travel convenience
- Sturdy shoulder strap with metal buckle
- Quality material is strong & water/scratch resistant



OULUN.						
MODEL	INTERIOR DIMENSIONS [INCHES MM]	EXTERIOR DIMENSIONS [INCHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	FITS DEVICE	LITER SIZE [L]
VEO SELECT 36S	14.6 X 6.9 X 9.0 370 X 175 X 230	15.8 X 9.9 X 11.4 400 X 250 X 290	24.2 11	3.70 1.68	13"LAPTOP	15
VEO SELECT 28S	II.O X 6.5 X 9.0 280 X I65 X 230	12.8 X 9.0 X II.0 325 X 230 X 280	15.4 7	3.06 1.39	II" TABLET	10
VEO SELECT 22S	9.3 X 4.8 X 7.3 235 X I20 X I85	10.6 X 6.8 X 9.0 270 X 170 X 230	6.6 3	1.68 0.76	7.9" TABLET	5





VEO CITY CB CROSS BODY BAG

VEO CITY is a collection of bags that delivers a sleek, modern design to match your style, while being packed with innovative storage solutions and keeping your gear safe inside. The VEO CITY Cross Body (CB) bag is designed to be an all-in-one bag that oozes style. It can organize and carry your photography kit or vlogging kit, from the camera to cables, including up to a travel tripod. The cross-body shoulder design then allows you to position the bag in the most comfortable position, whether walking or in use.





*VEO CITY CB 29

*VEO CITY CB 24


























*VEO CITY CB 34



'Never-Tire' Carrying Experience

Stay Steady





Versatile Dividers







- Tough internal frame and water-resistant exterior
- Expanding carry handle
- Internal pockets made of 4-way stretch fabric
- Slot for charging/headphone cable
- Stitch free for a sleek and premium finish

SERIES HIGHLIGHTS

- Removable shoulder straps
- Flexible storage space
- Carry up to a 12.9" tablet
- Rain cover for full water protection
- Slimline smart dividers
- Carry a support wherever you go
- Trolley sleeve (CB34 only)

COLOR:

	MODEL	INTERIOR DIMENSIONS [INCHES MM]	EXTERIOR DIMENSIONS [INCHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	FITS DEVICE	LITER SIZE
NEW	VEO CITY CB 34	II.4-13 X 3.9 X 9.3 290-330 X 100 X 235	13.8 X 5.8 X 9.9 350 X 145 X 250	18.7 8.5	2.25 1.02	12.9" TABLET	8
(EW)	VEO CITY CB 29	10.3-11.4 X 3.5 X 7.9 260-290 X 90 X 200	12.3 X 5.4 X 8.5 310 X 135 X 215	11.0 5	1.81 0.82	8.3" TABLET	6
NEW-	VEO CITY CB 24	8.6-9.5 X 3.1 X 5.8 220-240 X 80 X 140	10.3 X 4.8 X 6.3 260 X 120 X 160	5.5 2.5	1.28 0.58	-	3



VEO CITY TP TECH POUCH

VEO CITY TP is a collection of useful tech pouches that can make carrying your gear a lot easier. The VEO CITY Tech Pouch (TP) is designed to be a multifunctional bag that doubles as a fashion accessory. It can organize and carry all your photography accessories or your vlogging kit, or any other kit you need on the go, from a first-aid kit to a handbag/manbag. TP models are perfect for carrying a gimbal or selfie stick, for vloggers on the go with smartphones or compact cameras.

































Versatile

'Never-Tire' Carrying Experience

Stay Steady





SERIES HIGHLIGHTS

- Tough internal frame and water-resistant exterior
- Expanding carry handle
- Internal pockets made of 4-way stretch fabric
- Carry up to a 13" laptop

- Stitch free for a sleek and premium finish
- Removable shoulder straps
- Flexible storage space
- Trolley sleeve (TP33 only)
- Rain cover for full water protection
- Slimline smart dividers
- Carry a support wherever you go

COLOR:

OCCUR.								
	MODEL	INTERIOR DIMENSIONS [Inghes mm]	EXTERIOR DIMENSIONS [INCHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	FITS DEVICE	LITER SIZE	
NEW	VEO CITY TP 33	13.4 X 3.8 X 9.9 340 X 95 X 250	14.1 X 6.5 X 10.6 360 X 165 X 270	17.6 8	2.60 1.18	12.9" TABLET 13" LAPTOP	8	
NEW	VEO CITY TP 28	II X 3.4 X 6.8 280 X 85 X 170	II.8 X 4.8 X 7.6 300 X I20 X I95	6.6 3	1.54 0.70	8.3" TABLET	4	
NEW	VEO CITY TP 23	9 X 3.4 X 5.5 230 X 85 X I40	9.9 X 4.8 X 6.3 250 X I20 X I60	4.4 2	1.23 0.56	-	2.5	




VEO RANGE T BACKPACKS

VEO RANGE

SHOULDER BAGS

gear, inserts or dividers, you have a great stylish and spacious everyday carrying solution.

Choosing between your daily bag and your camera bag can be quite a tough decision. Whether you are staying close to home or venturing out, with VEO RANGE shoulder bags, this need no longer be of concern. The amazing functional versatility of these bags allows you to safeguard a variety of photo or video gear alongside your personal effects. Due to the casual design of this series, by simply removing the









*VEO RANGE T 37M









*VEO RANGE T 45M

Top Quick Action





Stay Steady



Choosing between your daily bag and your camera bag can be quite a tough decision. Whether you are staying close to home or venturing

out, with VEO RANGE messenger bags and daypacks, this need no longer be of concern. The amazing functional versatility of these bags

removing the gear, inserts or dividers, you have a great stylish and spacious everyday carrying solution.



Versatile



Ergonomic Design

Rain Cover

*VEO RANGE T 38

Stay Steady

Versatile

Ergonomic Design









SERIES HIGHLIGHTS

- Designed to carry heavy gear
- Multiple access points for quick access to gear
- Laptop sleeve for up to 13.4" laptop
- Trolley sleeve for convenience while travelling
- · Water resistant material with rain cover
- · Customizable interior and external webbing
- Multiple pockets for additional accessories
- Includes: two buckle straps, removable tripod foot pocket, water bottle bag, and rain cover





SERIES HIGHLIGHTS

- VEO Range 38 includes double deck design, with lower section for a travel tripod up to 42cm or additional camera gear
- Always supported all models carry a travel tripod
- Keep dry total coverage rain cover

- Secure Top Access multiple layers of security including zip, clip and Velcro
- Set-up Versatility- with plenty of dividers and inserts to allow 100% gear or 100% personal, depending on the user
- Safe storage secured rear pocket for travel document and
- Incognito no one needs to know this is a camera bag

GULUR:							
	MODEL	INTERIOR DIMENSIONS [INCHES MM]	EXTERIOR DIMENSIONS [INCHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	FITS DEVICE	LITER SIZE
	VEO RANGE 38	15.1 X 5.7 X 11.7 385 X 145 X 300	16.8 X 8.2 X 13.3 430 X 210 X 340	15.9 7.2	2.64 1.20	15" LAPTOP	17
	VEO RANGE 32M	12.6 X 5.3 X 9.1 320 X 135 X 230	14.2 X 6.5 X 9.8 360 X 165 X 250	12.1 5.5	1.85 0.84	12.9"TABLET	10
	VEO RANGE 2IM	9.2 X 4.4 X 7.5 235 X IIO X I9O	IO.6 X 6.3 X 8.6 270 X I60 X 220	6.2 2.8	1.06 0.48	7.9"TABLET	5



60 www.vanguardworld.com



VEO ADAPTOR BACKPACKS FOR POWER ON THE GO

The new VEO Adaptor backpacks include an external USB interface opening – so you can stay charged and connected on the go. In addition they include large access openings and increased waterproofing to keep your equipment safe yet accessible. They are comfortable with thick padded handles for easy carrying. As with all Vanguard photography bags, the Adaptor series offers numerous options for internal configurations, so you can find your optimal setup based on your rig. Carry a laptop or tablet as well as your camera and lenses, memory cards, and other accessories - adapt your bag for your needs. Enjoy more variety with the new VEO Adaptor bags, which are available in two sizes and two colors, as well as rear-opening and side-opening models - making eight total choices.







*VEO ADAPTOR S41/46 Both Sides open





*VEO ADAPTOR R44/48 Rear open

Stay Steady



Rear Opening



Side Opening



Ergonomic Design



SERIES HIGHLIGHTS

- Multiple pockets for all your accessories
- Optimized to carry a tripod comfortably
- Keep dry total coverage rain cover
- USB charger port for charging on the go

CUIUD .

١	GULUN.									
	MODEL	INTERIOR DIMENSIONS [INCHES MM]	EXTERIOR DIMENSIONS [INCHES MM]	MAX LOAD [LBS KG]		FITS DEVICE	LITER SIZE			
	VEO ADAPTOR R48	10.3 X 6.3 X 18.0 260 X 160 X 480	II.4 X 8.6 X I9.3 290 X 220 X 490	25.4 11.5	3.22 1.46	16"MACBOOK	20			
	VEO ADAPTOR R44	8.6 X 6.3 X I6.9 220 X I60 X 430	10.3 X 8.6 X 17.8 260 X 220 X 450	19.8 9.0	2.78 1.26	13"MACBOOK	16			
	VEO ADAPTOR S46	9.5 X 6.3 X 17.8 240 X 160 X 450	10.6 X 8.8 X 18.3 270 X 220 X 465	18.7 8.5	3.02 1.37	15"MACBOOK	18			
	VEO ADAPTOR S4I	7.9 X 5.9 X I6.I 200 X I50 X 4I0	9.5 X 8.3 X I6.5 240 X 210 X 420	11.5 5.2	2.53 1.15	IO"IPAD	12			



VEO ADAPTOR SHOULDER BAGS

The VEO Adaptor Shoulder Bag series is designed to carry and protect your camera kit with ease. The modern design applies highquality, tear-and water-resistant material with a waterproof zipper for a high level of protection on the go. Designed to carry up to a camera with 2-3 lenses (or a small drone), VEO Adaptor is packed with additional storage pockets for all the accessories you need. All this and easy to carry with a choice of handle or shoulder strap, with a belt sleeve to keep the bag close and secure as you travel.





*VEO ADAPTOR 15M





*VEO ADAPTOR 24M

Rain Cover







Versatile




Fits With Belt




SERIES HIGHLIGHTS

- Reflective stitching Safer to carry in the dark
- Up to 8"tablet (VEO Adaptor 24M)
- Top waterproof zip pocket Store paper, cards, and more Waterproof and highly snag-resistant
- Elastic side pockets Store small accessories
- Extra padded waist sleeve Attaching to waist belt for better mobility

COLOR:









VEO GO

BACKPACKS/SHOULDER BAGS

Having your camera with you no matter where you are is key to shooting that memorable experience. VEO GO is a dedicated mirrorless/ CSC/hybrid camera bag series, classically stylish with a fresh urban traveler look that does not shout, "I am a camera bag!" All models are super-compact, yet spacious inside. And they are feature-rich, offering second-to-none gear protection alongside plenty of pockets for your important personal daily or travel needs. The backpacks can easily transform into regular daypacks.








*VEO GO 34M/24M/15M Shoulder bags

*VEO GO 21M Shoulder bags







*VEO GO 46M/42M Backpacks





Backpacks Rear Opening



Shoulder Bags Opening



Ergonomic Design



SERIES HIGHLIGHTS

• Easy & secure access-shoulder bags open away

from the body for quick & easy access. Backpacks

- VEO GO 34M can carry VEO 3GO 204/235 travel tripods in the internal tripod compartment for a discreet solution on the go
- Snug and protective perfectly sized to fit for
- COLOR ·
- offer full rear opening for added security in crowds. • Off the clock-easily transforms into an everyday mirrorless/CSC/hybrid camera models backpack or shoulder bag • Intuitive- straightforward setup for camera gear and personal effects

UULUIN.	OULDIT.								
MODEL	INTERIOR DIMENSIONS [INCHES MM]	EXTERIOR DIMENSIONS [INCHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	FITS DEVICE	LITER SIZE			
VEO GO 46M	10.4 X 4.1 X 18.1 265 X 105 X 460	II.4 X 5.5 X I8.5 290 X I40 X 470	15.9 7.2	2.20 1.00	13" LAPTOP	13			
VEO GO 42M	9.6 X 3.8 X I6.5 245 X 95 X 420	10.3 X 5.1 X 16.9 260 X 130 X 430	8.8 4.0	1.98 0.90	II" TABLET	9.8			
VEO GO 34M	13.4 X 4.1 X 9.0 340 X 105 X 230	14.0 X 5.1 X 9.9 355 X 130 X 250	11.5 5.2	1.54 0.70	II" TABLET	8.2			
VEO GO 24M	8.8 X 4.1 X 6.2 225 X 105 X 160	9.5 X 4.8 X 7.1 240 X 125 X 180	6.6 3.0	0.75 0.34	-	3.8			
VEO GO 2IM	8.3 X 4.1 X 7.5 210 X 105 X 190	10.6 X 5.8 X 8.3 270 X 145 X 210	6.2 2.8	0.93 0.421	7.9" TABLET	4.2			
VEO GO 15M	7.I X 4.I X 6.2 180 X 105 X 160	7.6 X 4.8 X 7.1 195 X 125 X 180	3.3 1.5	0.68 0.31	-	3.0			



VEO BIB T

TOP ACCESS BAG-IN-BAG

The VEO BIBT Series is a top access camera bag for smaller camera kits (up to 3 lenses), that is designed to fit into the bag of your choice. Being top access it is ideally suited for a shoulder bag, but it can also be used to keep your camera safe between locations in any style of bag (such as in your everyday hand luggage) and then used on location as a lightweight shoulder bag in its own right when you reach your





*VEO BIB T 22

*VEO BIB T 18







*VEO BIB T 25

Trolley sleeve (T25)









As Inner bag





SERIES HIGHLIGHTS

• Padded handle and shoulder strap

- Next-generation dividers with multi-folding styles
- Multiple pockets for accessories
- Water-resistant material
- Trolley sleeve (T25 only)

MODEL	INTERIOR DIMENSIONS [Inches Mm]	EXTERIOR DIMENSIONS [INCHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	LITER SIZE
VEO BIB T25	9.8 X 4.3 X 7.5 250 X IIO X I90	10.8 X 5.5 X 8.3 275 X 140 X 210	7.1 3.2	1.15 0.52	5.2
VEO BIB T22	8.7 X 3.9 X 6.3 220 X 100 X 160	9.8 X 5.1 X 7.3 250 X 130 X 185	6.2 2.8	0.88 0.40	3.5
VEO BIB TI8	7.I X 3.9 X 5.5 I80 X I00 X I40	8.3 X 5.1 X 6.7 210 X 130 X 170	4.4 2.0	0.71 0.32	2.5









VEO BIB F

FRONT (AND TOP) ACCESS BAG-IN-BAG

The VEO BIB F Series is designed to fit inside the backpack or roller case of your choice, allowing you to carry your camera gear inside a larger bag. With a choice of front access or top access in every model, these are ideal partners for the backpack or roller bag of your choice. Alternatively, they can be carried separately using the comfortable handle or shoulder strap. Inside the slim, smart dividers can be tailored for your gear, and this doesn't need to be just for cameras and lenses. In addition, there are multiple storage pockets for all the accessories you need including up to an 11" tablet.





*VEO BIB F33

*VEO BIB F28

*VEO BIB F27








*VEO BIB F36











Versatile


As Inner Bag



SERIES HIGHLIGHTS

- Designed to keep your camera gear safe in any backpack or roller bag
- Next generation dividers with multi-folding styles
- Front access to full kit, with quick top access
- Converts to a shoulder bag, with a simple backpack mode option
- Lightweight, water resistant material
- Trolley sleeve (except F27)

MODEL	INTERIOR DIMENSIONS [INCHES MM]	EXTERIOR DIMENSIONS [INCHES MM]		WEIGHT [LBS KG]	FITS DEVICE	LITER SIZE
VEO BIB F36	II.O X 6.3 X I5.0 280 X I60 X 380	12.6 X 7.7 X 16.1 320 X 195 X 410	16.5 7.5	2.29 1.04	II" TABLET	17
VEO BIB F33	II.O X 6.3 X II.O 280 X I60 X 280	12.4 X 7.7 X 12.4 315 X 195 X 315	13.2 6	1.90 0.86	II" TABLET	13
VEO BIB F28	II.O X 6.3 X 7.I 280 X I60 X I80	12.4 X 7.7 X 9.3 315 X 195 X 235	9.9 4.5	1.50 0.68	7" TABLET	8
VEO BIB F27	8.3 X 4.3 X II.0 2I0 X II0 X 280	9.4 X 5.7 X I2.4 240 X I45 X 3I5	8.4 3.8	1.19 0.54	7" TABLET	6.5



VEO BIB DIVIDER S TOUGH BAG-IN-BAG FOR SUITCASES OR HOME STORAGE

The tough, water resistant outer shell on all the VEO BIB DIVIDER S Series is designed to keep valuable gear safe at home or on the go, while being easy to carry with a comfortable handle or padded shoulder strap. Alternatively it can be used with SUPREME hard case for the ultimate protection. Inside the slim, smart dividers can be tailored for your gear, and this doesn't need to be just for cameras and lenses. In addition there are multiple storage pockets for all the accessories you need, including up to a 15" laptop.





*Compatible with Supreme case series(Also Sold Separately)







*VEO BIB DIVIDER S53

Strong













SERIES HIGHLIGHTS

- EVA moulded construction 1000D Polyester and metal frame for maximum protection
- Secure, waterproof zip closure
- Suitable for a pro DSLR/mirrorless camera and up to 18 lenses
- Pockets in the lid for up to a 15" laptop and documents
- Separate storage tray for a wealth of accessories such as SD cards and cables
- Padded handle and padded shoulder strap for

MODEL	INTERIOR DIMENSIONS [Inches MM]	EXTERIOR DIMENSIONS [INCHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	FITS DEVICE	LITER SIZE
VEO BIB DIVIDER S53	21.1 X 6.9 X 15.7 535 X 175 X 400	22.0 X 8.7 X I7.1 560 X 220 X 435	29.8 13.5	6.70 3.04	15" LAPTOP	38
VEO BIB DIVIDER S46	17.5 X 6.9 X 12.8 445 X 175 X 325	18.9 X 8.5 X 14.0 480 X 215 X 355	24.2 11.0	5.33 2.42	13" LAPTOP	26
VEO BIB DIVIDER S40	15.6 X 5.9 X 9.6 395 X 150 X 245	17.1 X 7.5 X 10.8 435 X 190 X 275	19.2 8.7	3.92 1.78	II" TABLET	15
VEO BIB DIVIDER S37	13.6 X 5.9 X 8.1 345 X 150 X 205	15.4 X 7.5 X 9.8 390 X 190 X 250	13.7 6.2	3.13 1.42	7" TABLET	



66 www.vanguardworld.com

SUPREME

WATERPROOF CASE



Vanguard Divider Bags are designed to fit inside Supreme Cases and offer ideal set-up for photo and video gear within the security of an infallible hard case.













*DIVIDER BAG 53

Versatile










SERIES HIGHLIGHTS

- Padded storage bag to keep your gear safe in a Supreme Mesh pocket in the lid for accessories and Case, or safe at home when not needed
 - documents
- Suitable for up to 16 pro bodies/lenses
- Padded handle for carrying

MODEL	INTERIOR DIMENSIONS [Inches mm]	EXTERIOR DIMENSIONS [INCHES MM]	WEIGHT [LBS KG]	LITER SIZE
DIVIDER BAG 53	21 X 15.8 X 6.9 535 X 400 X 175	22 X I6.8 X 7.9 560 X 425 X 200	3.64 1.65	-
DIVIDER BAG 46	17.5 X 12.9 X 6.9 445 X 325 X 175	18.8 X 13.7 X 7.6 480 X 345 X 195	3.00 1.34	-
DIVIDER BAG 40	15.5 X 9.6 X 5.9 395 X 245 X 150	17 X 10.9 X 6.8 430 X 275 X 170	1.98 0.90	-
DIVIDER BAG 37	13.7 X 8.1 X 5.9 345 X 205 X 150	15 X 9.8 X 6.8 380 X 240 X 170	1.65 0.75	-



Virtually indestructible, the rugged Vanguard Supreme Series hard cases have innovative features for unmatched strength and durability. They are O-ring sealed, waterproof (up to a depth of 16.5 feet/5 meters), airtight, and built to withstand the most extreme conditions. Supreme cases are great for airline travel with an automatic pressure equalization valve. Anti-slip rubber feet and a solid carrying handle offer extra durability. Rest assured, your optics will be safe from all harm in these cases.





INCREDIBLY STRONG & RUGGED



WATER & DUST PROOF



*SUPREME 53F



MODEL	INTERIOR DIMENSIONS (inches mm)	EXTERIOR DIMENSIONS [INCHES MM]	WEIGHT [LBS KG]
SUPREME 53F / SUPREME 53D	22 X 17.7 X 7.8 560 X 450 X 200	24.8 X 20.4 X 9.4 630 X 520 X 240	23 10.4
SUPREME 46F / SUPREME 46D	18.9 X 14.5 X 7.8 480 X 370 X 200	20.2 X 17.1 X 8.6 515 X 435 X 220	15 6.8
SUPREME 40F / SUPREME 40D	16.9 X II.6 X 6.8 430 X 295 X 175	18.3 X 14.3 X 7.6 465 X 365 X 195	9.7 4.4
SUPREME 37F / SUPREME 37D	16.3 X 10.2 X 6.8 380 X 260 X 175	16.3 X 9.2 X 7.6 415 X 325 X 195	8.6 3.9
SUPREME 27F / SUPREME 27D	II X 9.8 X 6.6 250 X I90 X I50	II X 9.8 X 6.6 280 X 250 X 170	4.19 1.9



VESTA ASPIRE BACKPACKS/SHOULDER BAGS

The new Vesta Aspire Collection by Vanguard has set its goal to become the 'go-to' accessory choice of new photographers engaging for the first time in the passionate world of image making. To do this our collection goals were simple; our accessories must share the passion, while offering a seamless intuitive user experience that will become part of everyday life alongside the key star – the new camera! In this new series we guarantee the perfect first bag for anyone starting to engage passionately in photography. Designed for the most popular camera kits, Vesta Aspire delivers great protection, style and functionality in a range of perfectly fitted shoulder bags and backpack, all of which offer intuitive set-up and ease of use.







*VESTA ASPIRE 25/21/15 Shoulder bags

*VESTA ASPIRE 15Z Shoulder bags







*VESTA ASPIRE 41 Backpacks

Stay Steady



Backpacks Rear Opening



Shoulder Bags Opening



Ergonomic Design



SERIES HIGHLIGHTS


- Lightweight and Easy to Carry
- Extra Protective Sewing for better security
- Padded Comfortable Carrying Strap
- Smooth and durable zipper
- Divider Bag-Multifunction Cases

SHOULDER BAGS / BACKPACKS :



MODEL	INTERIOR DIMENSIONS [Inches Mm]	EXTERIOR DIMENSIONS [Inches Mm]	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	FITS DEVICE	LITER SIZE
VESTA ASPIRE 41	8.9 X 5.9 X I6.I 225 X I50 X 4I0	IO X 8.7 X I8.3 255 X 220 X 465	11.0 5	1.70 0.77	9.7" TABLET	-
VESTA ASPIRE 25	10.2 X 6.7 X 8.3 260 X 170 X 210	II.4 X 8.1 X IO 290 X 205 X 255	9.9 4.5	1.06 0.48	9" TABLET	-
VESTA ASPIRE 21	8.7 X 5.3 X 7.7 220 X I35 X I95	9.8 X 6.5 X 8.7 250 X 165 X 220	5.1 2.3	0.73 0.33	-	-
VESTA ASPIRE 15	6.3 X 4.5 X 5.9 160 X 115 X 150	7.0 X 5.9 X 7.9 180 X 150 X 200	3.3 1.5	0.48 0.22	-	-
VESTA ASPIRE 15Z	5.9 X 4.9 X 7.9 150 X 125 X 200	6.9 X 5.7 X 9.4 175 X 145 X 240	4.9 2.2	0.51 0.23	-	-







ALTA ACCESSORIES

Our photographers deserve the ultimate Alta Experience and a seamless workflow wherever their passion leads them. We offer them great products to enhance and support their passion not just when carrying their gear, but also when shooting in the field! Alta Accessories are part of our wide range of Alta Tripods and Bags and together they enable Vanguard to offer solutions for specific requirements such as quick action, element protection, gear organization, ergonomic comfort and much more!

ALTA RCS

Battery Case Small

Outside Dimensions: 105×35x115 mm | 4.1×1.3×4.5 in









ALTA BCL

Battery Case Large

Outside Dim ensions: 190×35x115 mm | 7.5×1.3×4.5 in

Weight: 0.16 lbs | 0.07 kg





ALTA RG Rain Cape

The Alta Rain Cape is an ingenious shooting in the rain solution designed to protect your camera and lens from the elements. This multi-use cover folds into a compact pouch and easily fits in any bag, so that you are never caught out in a downpour without adequate protection.



ALTA RCS

Outside Dimensions:

510×600 mm | 20.1×23.6 in Weight: 0.19 lbs | 0.08kg

Camera lens: 24-70mm/18/135mm F2.8

ALTA RCM

Outside Dimensions:

600×600 mm | 23.6×23.6 in Weight: 0.19 lbs | 0.08kg

Camera lens:

70-200mm



ALTA RCL

Outside Dimensions:

860×950 mm | 34×37.3 in Weight: 0.29 lbs | 0.12kg

Camera lens:

~400mm



ALTA RCXL

Outside Dimensions:

970×950 mm | 38.3×37.3 in

Weight: 0.29 lbs | 0.12kg

Camera lens:

~600mm

ALTA SBM

Stone Bag Medium

Exterior dimension:

355×350 mm | 14 x 13.7 in

Expanding strap: 180 mm | 7.2 in

Max leg-to-leg distance: 680 mm | 26.7 in

Max loading: 20 kg | 44 lbs Max leg diameter: <40 mm



ALTA SBL

Stone Bag Large

Exterior dimension:

355×350 mm | 14 x 13.7 in Expanding strap: 220 mm | 8.6 in Max leg-to-leg distance: 760 mm | 30 in Max loading: 30 kg | 66 lbs





• Stabilize any tripod by providing a centralized, balanced weight

ALTA ACTION

The Alta Action advanced carrying tripod bags are tailored to best fit and protect our Alta Pro tripods & heads. More than just a great tripod carrying solution these bags are designed to support the full Alta experience.





MODEL	INTERIOR DIMENSIONS [INCHES MM]	EXTERIOR DIMENSIONS [INCHES MM.]	MAX LOAD [LBS KG]	WEIGHT [LBS KG]
ALTA ACTION 80	31.5 X 6.7 X 5.1 800 X 170 X 130	32.1 X 7.1 X 5.5 815 X 180 X 140	8.8 4.0	0.84 0.38
ALTA ACTION 70	27.5 X 6.7 X 5.1 700 X 170 X 130	28.I X 7.I X 5.5 7I5 X I80 X I40	7.7 3.5	0.77 0.35
ALTA ACTION 60	23.6 X 5.5 X 3.8 600 X I40 X I00	24.2 X 5.8 X 4.3 615 X 150X 110	6.6 3	0.66 0.30











Sporting Optics



VEC



Since 1986, VANGUARD has been a part of the worldwide photo/video market and launched new products every year. We have been recognized by well-known awards all over the world, have worked with creators from all walks of life, and have sold our products in more than 80 countries.

Vanguard optics belong to one of three main families: **The Endeavor series**, which boasts advanced features geared toward professionals; **the VEO series**, which offers advanced features for all types of users; and **the Vesta series**, our family of practical equipment designed for newcomers or those who just need a simple solution. Our collections include a wide range of binoculars, monoculars, spotting scopes, mounts, and other accessories.







[P76]

[P90]

[P22]

ENDEAVOR HD SPOTTING SCOPES

The angled view Endeavor HD spotting scope combines a nitrogen-filled magnesium housing and a fully multi-coated optical system to create a well equipped zoom scope for intermediate to long-range observation. The optical system employs Extra Low Dispersion (ED) Glass to ensure accurate color rendition and virtually eliminate color fringing. The lenses are fully multicoated to ensure optimum light transmission and feature a phase-coated BAK4 roof prism. It also provides a very impressive field of view. In addition to the image quality and weather-sealed construction, the Endeavor HD includes several features that enhance the scope's functionality. It features an extendable rubber covered eyecup and boasts impressive eye relief even at the highest zoom settings. A built-in sunshield is included to eliminate glare in direct sunlight and it includes a padded raincoat with sling for carry and protection. Endeavor HD is also equipped with rapid focus and fine focus wheels for quick and precision fine tuning adjustments. The Endeavor HD mounts directly to Vanguard tripod heads (and others) that are equipped with the universal mounting plate without the use of a quick shoe.





Easy Body Rotation



Removable Evepiece




Custom Fit Rain Cover

SERIES HIGHLIGHTS

- Premium ED glass assures exceptional detail and brilliant colors
- Advanced MultiGuard® coatings for higher light transmittance
- Modern ergonomics with rubber armored magnesium
- Stacked, dual-focus controls for making quick and fine adjustments
- Dual Focus Controls For FineTuning Adjustments
- Built-In Sunshield Eiminates Glare in Direct sunlight
- Extra-Low Dispersion Glass
- Arca Swiss Compatible Mountable to Tripod

MODEL		OBJECTIVE LENS	FIELD OF VIEW [FT/1000 YDS M/1000 M]	NEAR FOCUS [FEET M]	EYE RELIEF [MM]	WEIGHT [OZ G]
ENDEAVOR HD 82A	20-60 X	82	110-52 37-17	19.7-21.3 6-6.5	19-20	63.85 1810
ENDEAVOR HD 65A	15-45 X	65	144-68 48-23	14.8-18 4.5-5.5	19-20	51.15 1450



ENDEAVOR XF SPOTTING SCOPES

The Endeavor XF spotting scope boasts excellent optical viewing for nature enthusiasts and hunters. It features a rubber armored magnesium body and is waterproof submersible, nitrogen filled, and fogproof. The lenses are all fully multicoated to ensure optimum light transmission and feature a phasecoated BAK4. The Endeavor XF 60A comes with a 60mm objective lens and angled eyepiece with 15-45x zoom magnification. It features an extendable rubber covered eyecup and boasts impressive eye relief even at the highest zoom settings. It also provides a very impressive field of view. A built-in sunshield is included to eliminate glare in direct sunlight and it includes a padded raincoat with a sling for carrying and protection. Endeavor XF is equipped with a large smooth focusing wheel for quick focusing adjustments. The Endeavor XF mounts directly to Vanguard tripod heads (and others) that are equipped with the universal mounting plate without the use of a quick shoe. The tripod mount on the angled scope rotates to give optimum viewing angles in a variety of situations such as bench shooting and use with a window mount.



- Angled Eyepiece With 15-45X Zoom Magnification
- Large Focus Wheel for Easy Use, Even with Gloves
- Fully Multi-Coated Optics and PhaseCoated BAK4 Prism
- · Rubber Armored Magnesium Body
- 4 layers Coatings
- Built-In Lens Cap
- Tripod Mounting Shoe

MODEL		OBJECTIVE LENS	FIELD OF VIEW [FT/1000 YDS M/1000 M]	NEAR FOCUS [FEET M]	EYE RELIEF	WEIGHT [OZ G]
ENDEAVOR XF 80A	20-60 X	80	110-52 37-17	19.7~21.3 6~6.5	19-20	59.3 1680
ENDEAVOR XF 60A	15-45 X	60	141-68 47-23	16.4~19.7 5~6	19-20	45.1 1280





VEO 3V 263AV16

[P14]



The VEO HD spotting scope boasts excellent optical viewing for nature enthusiasts. It is nitrogen-filled, making it waterproof/fogproof for challenging weather conditions. The lenses are all fully multi-coated to ensure optimum light transmission, and each scope is equipped with a large, smooth focusing wheel for quick adjustments. The lightweight and durable carbon-composite body is well-balanced, so whether in the field or at the range, VEO HD is a must-have.







Twist out eyecup



Sun shield



Find The Most Comfortable Viewing Angle With 180° Rotatable Front Body

SERIES HIGHLIGHTS

- Up to 45x zoom with a choice of 50mm or 60mm objective lens
- BaK4 roof prism
- Fully Multi-Coated with Multiguard ® 4
- Built in sunshield to eliminate glare in direct sunlight
- Waterproof, and nitrogen filled to be fogproof
- Arca compatible foot to fit into suitable clamp and eliminate movement
- Weighs as little as 1205g

MODEL	POWER	OBJECTIVE LENS	FIELD OF VIEW [FT/1000 YDS M/1000 M]	NEAR FOCUS [FEET M]	EYE RELIEF	WEIGHT [OZ G]
VEO HD 80A	20~60 X	80	110-52 37-17	19.7-21.3 6-6.5	19-20	54.7 1550
VEO HD 60A	15~45 X	60	141-68 47-23	16.4-19.7 5-6	19-20	42.5 1205

VESTA

SPOTTING SCOPE KITS

The VESTA series of spotting scopes is recommended for anyone starting out with a spotting scope, or looking for something smaller to carry with ease. To the benefit of outdoor enthusiasts these scopes are compatible with many sized tripods. The Vesta 350 and 460

models are small enough to fit in the side pocket of a backpack and work great on a table top. Travelers and trend setters worldwide will



also appreciate the Vanguard Vesta optics which are loaded with quality and deliver excellent value.

* VESTA 560A



Model No:560A comes with VS-82 Tabletop Tripod

Model No:350A and 460A comes with Vesta TT1 Table Tripod

SERIES HIGHLIGHTS

- Up to 60x zoom with a choice of 60mm or 80mm objective lens
- BaK4 roof prism
- Fully Multi-Coated with Multiguard ® 4
- Waterproof, and nitrogen filled to be fogproof
- Weighs as little as 600g

MODEL		OBJECTIVE LENS	FIELD OF VIEW [FT/1000 YDS M/1000 M]	NEAR FOCUS [FEET M]	EYE RELIEF	WEIGHT [OZ G]
VESTA 560A	15-45X	60	34.8 - 20.9 104.4 - 62.6	•	16-21	45.7 1293
VESTA 460A	15-50X	60	41.7 - 19.1 125.3 - 57.4	10 - 12 32.8 - 39.4	11	21.5 609
VESTA 350A	12-45X	50	52.2 - 17.4 156.6 - 52.2	9 - 12 29.5 - 39.4	11	21.2 600



VEST



VESTA 460A

PERFECT PARTNERS













Vanguard's new VEO HD IV binocular series offers an upgraded viewing experience for nature lovers, birders, sports fans, and travelers. The innovative pairing of Premium HOYA ED (Extra-low Dispersion) glass and SK-15 prisms produces crystal-clear images of your subject while preserving its true image and color integrity.




* VEO HD IV 1042



SERIES HIGHLIGHTS

- HOYA Extra Low (ED) Dispersion Glass
- SK-15 roof prism
- Fully Multi-Coated with Multiguard ® 7
- Lockable dioptre
- Waterproof, and nitrogen filled to be fogproof
- Durable magnesium alloy housing
- Premium pebbled Mitsubishi rubber armour
- Tripod mountable (with adaptor such as the BA-185)
- Available as 8x42 and 10x42

MODEL	POWER	OBJECTIVE LENS	FIELD OF VIEW [FT/1000 YDS M/1000 M]	NEAR FOCUS [FEET M]	EYE RELIEF [MM]	ADJUST. PUPILLARY	WEIGHT [OZ G]
VEO HD IV 1042	10 X	42	340 114	5.9 1.8	19	56-74	27.7 786
VEO HD IV 8420	8 X	42	377 126	5.9 1.8	19	56-74	27.7 786



PERFECT PARTNERS

[P80]

[P90]

[P90]

[P24]

VEO HD IV 1042

VEO 3T 204ABP

VEO PA-62

BA-185

VEO HD 2 **BINOCULARS**

The VEO HD2 Binocular features HOYA extra-low dispersion (ED) glass and phase-corrected BAK4 prisms that work together to virtually eliminate chromatic aberration and produce images with true color fidelity across the entire field of view and enhanced contrast. Complementing the glass and prisms are an anti-reflective and fully multi-coated optical system that improves light transmission for bright and clear images with greater low-light performance.



* VEO HD2 1042



PERFECT PARTNERS



- HOYA Extra Low (ED) Dispersion Glass
- Phase corrected Bak4 roof prisms
- Fully Multi-Coated with Multiguard ® 7
- Lockable dioptre
- Waterproof, and nitrogen filled to be fogproof
- Lightweight carbon composite housing
- Premium Mitsubishi rubber armour
- Tripod mountable (with adaptor such as the BA-185)
- Available as 8x42 and 10x42

MODEL		OBJECTIVE LENS	FIELD OF VIEW [FT/1000 YDS M/1000 M]	NEAR FOCUS [FEET M]	EYE RELIEF	ADJUST. PUPILLARY	WEIGHT [OZ G]
VEO HD2 1042	10 X	42	340 114	6.6 2.0	18	58-74	25 710
VEO HD2 8420	8 X	42	377 126	6.6 2.0	19	58-74	25 710











The VEO HD Binocular features extra-low dispersion (ED) glass and phase-corrected BAK4 prisms that work together to virtually eliminate chromatic aberration and produce images with true color fidelity across the entire field of view and enhanced contrast. Complementing the glass and prisms are an anti-reflective and fully multi-coated optical system that improves light transmission for bright and clear images with greater low-light performance.



* VEO HD 1042



SERIES HIGHLIGHTS

- Extra Low (ED) Dispersion Glass
- Phase corrected Bak4 roof prisms
- Fully Multi-Coated with Multiguard ® 7
- Lockable dioptre
- Waterproof, and nitrogen filled to be fogproof
- Lightweight carbon composite housing
- Premium Mitsubishi moulded rubber armour
- Tripod mountable (with adaptor such as the BA-185)
- Available as 8x42 and 10x42

MODEL	POWER	OBJECTIVE LENS	FIELD OF VIEW [FT/1000 YDS M/1000 M]	NEAR FOCUS	EYE RELIEF	ADJUST. PUPILLARY	WEIGHT [OZ G]
VEO HD 104		42	342 114	6.6 2.0	18	58-74	27.1 767
VEO HD 842		42	372 124	6.6 2.0	19	58-74	26.8 760



Leather(BR)

PERFECT PARTNERS

VEO OPTIC GUARD H DLX [P91]

VEO ED BINOCULARS

VEO ED is a well-balanced, lightweight, and durable carbon-composite binocular. It is 100% waterproof/fogproof, and designed to take on challenging weather conditions. Extra Low Dispersion (ED) Glass effectively reduces chromatic aberration and enhances color resolution and contrast. The VEO ED is essential for every outdoor enthusiast.



* VEO ED 1250





Leather(BR)

PERFECT PARTNERS

VEO OPTIC GUARD H [P91]

- Super light, weighing from just 640g/23oz
- Extra Low (ED) Dispersion Glass
- Phase corrected Bak4 roof prisms
- Fully Multi-Coated with Multiguard ® 4
- Waterproof, and nitrogen filled to be fogproof
- Lightweight carbon composite housing

- Premium Mitsubishi textured rubber armour
- Tripod mountable (with adaptor such as the BA-185)
- Available as 8x42, 10x42, 10x50 and 12x50

MODEL		OBJECTIVE LENS	FIELD OF VIEW [FT/1000 YDS M/1000 M]	NEAR FOCUS [FEET M]	EYE RELIEF [MM]	ADJUST. PUPILLARY	WEIGHT [OZ G]
VEO ED 1250	12 X	50	251 84	11.5 3.5	18	60~75	26.8 760
VEO ED 1250	10 X	50	282 94	9.8 3	19	59.5~75	27.6 782
VEO ED 1042	10 X	42	314 105	9.2 2.8	16	55~75	22.6 640
VEO ED 8420	8 X	42	330 110	8.2 2.5	19	55~75	22.6 640















VEO XF offers outstanding image quality and user-friendly features. All nature enthusiasts will enjoy the fully multi-coated, bright, highresolution optics that are built into a textured rubber armor, waterproof, fogproof body that will hold up to any challenging weather.



* VEO XF



SERIES HIGHLIGHTS

- Super light, weighing from just 640g/23oz
- Premium Optical Glass
- Phase corrected Bak4 roof prisms
- Fully Multi-Coated with Multiguard ® 4
- Waterproof, and nitrogen filled to be fogproof
- Premium Mitsubishi textured rubber armour
- Tripod mountable (with adaptor such as the BA-185)
- Available as 8x42 and 10x42

MODEL	POWER	OBJECTIVE LENS	FIELD OF VIEW [FT/1000 YDS M/1000 M]	NEAR FOCUS	EYE RELIEF	ADJUST. PUPILLARY	WEIGHT [OZ G]
VEO XF 1042	10 X	42	332 111	6.9 2.1	16	57-74	22.6 640
₩ VEO XF 8420	8 X	42	409 136	6.9 2.1	20	57-74	23.3 660



Leather(BR)

PERFECT PARTNERS

VEO OPTIC GUARD H [P91]

VESTA BINOCULARS

The Vesta 25mm & 42mm binoculars cater to nature lovers worldwide who are looking for a high performing and mechanically solid binocular with excellent value. The Vesta series binoculars are sharp looking with a stylish European design that are low in weight and high in performance. Assembled with light weight housing material and rubber armoring for added no slip security that surrounds optical quality glass and coatings. Enhancing BAK4 roof prism system combined with Multiguard® multi-coating technology deliver surprising resolution, clarity, color fidelity and light transmission. Twist eye cups and a customized right eye diopter adjustment perfectly match the environment and the application. Vesta 25mm & 42mm binoculars are waterproof and fogproof.



* VESTA 8420




PERFECT PARTNERS



SERIES HIGHLIGHTS

- Perfect starter binoculars
- Super light, weighing from just 280g/10oz
- Phase corrected Bak4 roof prisms (BK7 in 8x25 and 10x25)
- Fully Multi-Coated
- Waterproof, and nitrogen filled to be fogproof
- Rubber armour

MODEL		OBJECTIVE LENS	FIELD OF VIEW [FT/1000 YDS M/1000 M]	NEAR FOCUS [FEET M]	EYE RELIEF	ADJUST. PUPILLARY [MM]	WEIGHT [OZ G]
VESTA 1042	10 X	42	298 100	6.9 2.1	17	56-74	20.8 590
VESTA 8420	8 X	42	325 108	6.9 2.1	19	56-74	21.5 610
VESTA 1025	10 X	25	330 110	8.2 2.5	10	56-74	9.88 280
VESTA 8250	8 X	25	340 114	8.2 2.5	12.5	56-74	9.88 280



• Tripod mountable (with adaptor such as the BA-185)

Available as 8x25, 8x42, 10x25 and 10x42







VESTA COMPACT BINOCULARS

The Vesta Compact 21 caters to nature lovers worldwide who are looking for a fun and care free optic with excellent value. The Vesta Compact 21 is a sharp looking and stylish carry along that is light in weight and high in performance. Assembled with lightweight materials, containing optical quality glass and coatings for surprising clarity and color fidelity.



* VESTA 8210 ROSE




Available in 4 Color options



Includes neck strap and pouch

SERIES HIGHLIGHTS

- Ergonomic and durable body with a slim, sleek profile
- Lightweight yet durable aluminum housing
- Roof prism design and coated lenses for a clear viewing experience
- Fast and smooth center focus wheel for ease of use
- Twist out and lockable rubber eyecups for comfortable viewing





VEO HD 2 1042M MONOCULAR

The VEO HD2 Monocular features HOYA extra-low dispersion (ED) glass to virtually eliminate chromatic aberration and produce images with true color fidelity across the entire field of view and enhanced contrast. The package includes a smartphone adapter and bluetooth remote so you can capture crisp, clear images on the go




PERFECT PARTNERS



- HOYA Extra Low (ED) Dispersion Glass
- Phase corrected Bak4 roof prisms
- Fully Multi-Coated with Multiguard ® 7
- Ergonomic central focus wheel
- Waterproof, and nitrogen filled to be fogproof
- Tripod mountable using 1/4" thread on base
- Includes smartphone digiscope adaptor
- Includes Bluetooth remote control for IOS and Android
- Weighs just 325g and small enough to fit into a pocket

MODEL		OBJECTIVE LENS	FIELD OF VIEW [FT/1000 YDS M/1000 M]	NEAR FOCUS [FEET M]	EYE RELIEF	WEIGHT [OZ G]
VEO HD 2 1042M	10 X	42	342 114	6.5 2.0	18	11.5 325





VEO ED 8420M MONOCULAR

your magnified subjects on film or video.

Vanguard's new VEO ED 8420M monocular offers a new, compact way for you to get a closer look in the field or at events. This 100% waterproof and fogproof optics piece features Extra-Low Dispersion (ED) Glass, which effectively reduces chromatic aberration and $enhances\ color\ resolution\ and\ contrast.\ The\ package\ includes\ VEO\ PA-62\ smartphone\ adapter\ and\ Bluetooth\ remote,\ so\ you\ can\ capture$



The Vanguard Vesta 8320M monocular delivers optimal optical performance in a lightweight and compact body. The package includes a smartphone adapter and Bluetooth remote so you can capture crisp, clear images on the go.









SERIES HIGHLIGHTS

- Extra Low (ED) Dispersion Glass
- Phase corrected Bak4 roof prisms
- Fully Multi-Coated with Multiguard ® 4
- Ergonomic central focus wheel
- Waterproof, and nitrogen filled to be fogproof
- Tripod mountable using ¼" thread on base
- Includes smartphone digiscope adaptor
- Includes Bluetooth remote control for IOS and Android
- Weighs just 300g and small enough to fit into a pocket

MODEL	POWER	OBJECTIVE LENS	FIELD OF VIEW [FT/1000 YDS M/1000 M]	NEAR FOCUS	EYE RELIEF	WEIGHT [OZ G]
VEO ED 8420M	8X	42	324 108	8.2 2.5	19	10.6 300



TVANGUARD *VESTA 8320M WHAT'S INCLUDED Smartphone Adapter for up to 6.3 Inches Neckband Bluetooth Remote **)** 4 Q Control for IOS/ Soft Bag Android



VESTA

- Phase corrected BaK4 roof prism
- Fully Multi-Coated
- Ergonomic central focus wheel
- Waterproof, and nitrogen filled to be fogproof
- Tripod mountable using ¼" thread on base
- Includes smartphone digiscope adaptor
- Includes Bluetooth remote control for IOS and Android
- Weighs just 120g and small enough to fit into a pocket

MODEL		OBJECTIVE LENS	FIELD OF VIEW [FT/1000 YDS M/1000 M]	NEAR FOCUS [FEET M]	EYE RELIEF	WEIGHT [OZ G]
VESTA 8320M	8X	32	393.2 131	6.56 2.0	17.7	9.24 262







VEO PA-65

Universal Smartphone Adaptor for most Spotting Scopes

VEO PA-65 is a universal smartphone digiscoping kit that will fit any smartphone up to 3.54inches/90mm wide, and can be used with almost any spotting scope from any brand to enable you to take captivating closeup shots and share them straight to social media

Fits smartphones up to: 59-90mm/2.3-3.5in.wide Fits eye pieces between: Φ34-54mm/1.3-2.1in.





VEO PA-62

Universal Smartphone Adaptor for most Binoculars

VEO PA-62 universal digiscope adaptor can be used for taking photos or video with almost any smartphone up to 91mm/3.6 inches wide, with an adjustable arm that can be aligned to any lens on the camera. It quickly attaches to the eyepiece of any binocular or monocular that has a diameter between 41.5-44.7mm/1.6-1.8 inches wide, and can be paired to Apple or Android smartphones with the included Bluetooth remote for touch-free control.

Fits smartphones up to: 60-91mm/2.4-3.6in.wide Fits eye pieces between: Φ41.5-44.7mm/1.6-1.8in





BA-185

Binocular Tripod Adaptor

The BA-185 Binocular Tripod Adapter steadies a binocular for clear, relaxed, hands-free viewing. It works with any roof prism binocular that has a standard 1/4-20 thread tripod socket, and on most models its thin bridge will still allow you to set your binocular to the minimum interpupillary distance adjustment



PA-202

Spotting Scope Camera Adaptor

PA-202 is a digiscoping adaptor designed specifically to fit Endeavor HD Spotting Scopes and allow any camera with a 52/58mm lens to be attached securely





VEO OPTIC GUARD QUICK RELEASE INTERCHANGEABLE HARNESS SYSTEM

The VEO OPTIC GUARD series is the quintessential harness solution for passionate birders who use their binoculars or cameras for extended periods. The VEO Optic Guard is designed with the ultimate comfort in mind, enabling you to carry your gear in the field without added weight or pressure. Whether you're just heading out for a short hike or committed to a long-term birding experience, the VEO OPTIC GUARD series is sure to enhance your outdoor experience

VEO OPTIC GUARD H DLX



VEO OPTIC GUARD H



VEO OPTIC GUARD NS



MODEL	STRAP LENGTH [inches mm]	STRAPWIDTH Linches MM 1	MAXLOAD [lbs kg]	WEIGHT [LBS G]
VEO OPTIC GUARD H DLX	-	1.0 25	5.5 2.5	0.53 240
VEO OPTIC GUARD H	-	1.0 25	2.2 1.0	0.31 140
	33-43 838-1092	1.0 25	5.5 2.5	0.26 120
VEO OPTIC GUARD WS	-	1.0 25	4.0 1.8	0.09 40

VEO OPTIC GUARD WS





MODEL	FOLDED HEIGHT [INCHES MM]	EXTENDED HEIGHT [INCHES MM]	STANDARD HEIGHT [INCHES MM]	MINIMUM HEIGHT [INCHES MM]		LEG SECTIONS	HEAD	OUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	LEG MATERIAL
ALTA PRO 3VRL 303AT	29.88 759	66.93 / 1700	-	7.09 / 180	30	3	-	-	55.1 25	5.38 2.44	ALUMINUM ALLOY
ALTA PRO 3VRL 303CT	10 29.88 759	66.93 / 1700	-	7.09 / 180	30	3	-	-	55.1 25	4.60 2.09	CARBON FIBER
ALTA PRO 3VRL 303AV20	33.90 861	70.94 / 1802	-	11.10 / 282	30	3	VEO PV-20	QS-67	13.2 6	8.00 3.63	ALUMINUM ALLOY
ALTA PRO 3VRL 303CV20	33.90 861	70.94 / 1802	-	11.10 / 282	30	3	VEO PV-20	QS-67	13.2 6	7.21 3.27	CARBON FIBER
ALTA PRO 3VRL 303AVI8	34.02 864	71.06 / 1805	-	II.22 / 285	30	3	VEO PV-18	QS-6IP	33.1 15	7.98 3.62	ALUMINUM ALLOY
ALTA PRO 3VRL 303CVI8	34.02 864	71.06 / 1805	-	II.22 / 285	30	3	VEO PV-18	QS-6IP	33.1 15	7.19 3.26	CARBON FIBER
ALTA PRO 3VL 303AV20	33.54 852	70.87 / 1800	-	11.02 / 280	30	3	VEO PV-20	QS-67	13.2 6	8.22 3.73	ALUMINUM ALLOY
ALTA PRO 3VL 303CV20	33.54 852	70.87 / 1800	-	11.02 / 280	30	3	VEO PV-20	QS-67	13.2 6	7.43 3.37	CARBON FIBER
ALTA PRO 3VL 303AVI8	™ 33.66 855	70.87 / 1800	-	11.22 / 285	30	3	VEO PV-18	QS-6IP	33.1 15	8.20 3.72	ALUMINUM ALLOY
ALTA PRO 3VL 303CVI8	™ 33.66 855	70.87 / 1800	-	11.22 / 285	30	3	VEO PV-18	QS-6IP	33.1 15	7.41 3.36	CARBON FIBER
ALTA PRO 3VL 263AVI6	32.28 820	67.13 / 1705	-	7.28 / 185	26	3	VEO PV-16	QS-6IP	22.0 10	6.72 3.05	ALUMINUM ALLOY
ALTA PRO 3VL 263CVI6	№ 32.28 820	67.13 / 1705	=	7.28 / 185	26	3	VEO PV-16	QS-6IP	22.0 10	5.94 2.69	CARBON FIBER
VEO 3V 303AVI8	28.94 735	71.06 / 1805	58.3 / 1480	10.04 / 255	30	3	VEO PV-18	QS-6IP	33.1 15	6.67 3.03	ALUMINUM ALLOY
VEO 3V 303CVI8	28.94 735	71.06 / 1805	58.3 / 1480	10.04 / 255	30	3	VEO PV-18	QS-6IP	33.1 15	5.96 2.71	CARBON FIBER
VEO 3V 263AVI6	28.74 730	70.47/ 1790	57.2 / 1453	8.94 / 227	26	3	VEO PV-16	QS-6IP	22.0 10	5.91 2.68	ALUMINUM ALLOY
VEO 3V 263CVI6	28.74 730	70.47 / 1790	57.2 / 1453	8.94 / 227	26	3	VEO PV-16	QS-6IP	22.0 10	5.29 2.40	CARBON FIBER
VEO3+303ABS	31.14 791	69.84 1774	59.6 / 1513	8.46 215	30	3	VEO BH-250S	QS-62V3	55.1 25	6.47 2.94	ALUMINUM ALLOY
VE03+303CBS	31.14 791	69.84 1774	59.6 / 1513	8.46 215	30	3	VEO BH-250S	QS-62V3	55.1 25	5.70 2.59	CARBON FIBER
VE03+303AT	26.38 670	65.08 1653	54.8 / 1392	8.46 215	30	3	-	-	44.1 20	5.05 2.29	ALUMINUM ALLOY
VE03+303CT	26.38 670	65.08 1653	54.8 / 1392	8.46 215	30	3	-	-	44.1 20	4.29 1.95	CARBON FIBER
VE03+263ABI60S	30.47 774	68.46 1739	58.4 / 1484	4.92 125	26	3	VEO BH-I6OS	QS-62V3	33.1 15	5.50 2.50	ALUMINUM ALLOY
VE03+263CBI60S	30.47 774	68.46 1739	58.4 / 1484	4.92 125	26	3	VEO BH-I6OS	OS-62V3	33.1 15	4.79 2.17	CARBON FIBER
VEO3+263APS	30.71 780	68.31 1735	58.3 / 1480	8.66 220	26	3	VEO PH-38S	08-74	22.0 10	5.96 2.71	ALUMINUM ALLOY
VE03+263CPS	30.71 780	68.31 1735	58.3 / 1480	8.66 220	26	3	VEO PH-38S	OS-74	22.0 10	5.12 2.32	CARBON FIBER
VE03+263AT	26.10 663	64.09 1628	54.1 / 1373	4.92 125	26	3	-	-	33.1 15	442 2.01	ALUMINUM ALLOY
VF03+263CT	26.10 663	64.09 1628	54.1 / 1373	4.92 125	26	3	-	-	33.1 15	3.71 1.68	CARBON FIBER
VEO3T+264AB	18.9 480	61.42 1560	51.6 / 1310	6.69 170	26	4	VEO BH-160S	OS-62V3	33.1 15	5.41 2.45	ALUMINUM ALLOY
VE03T+264CB	18.9 480	61.42 1560	51.6 / 1310	6.69 170	26	4	VEO BH-160S	OS-62V3	33.1 15	5.01 2.27	CARBON FIBER
VEO3T+234AB	18.11 460	5748 1460	48.2 / 1225	6.61 168	23	4	VEO BH-IIOS	OS-62V3	22.0 10	4.83 2.19	ALUMINUM ALLOY
VEO3T+234CB	18.11 460	57.48 1460	48.2 / 1225	6.61 168	23	Δ	VEO BH-IIOS	QS-62V3	22.0 10	4.36 1.98	CARBON FIBER
VEO3T+264APS	18.9 480	61.30 1557	51.5 / 1307	8.19 208	26	Л	VEO PH-38S	OS-74	22.0 10		ALUMINUM ALLOY
VE03T+264CPS	18.9 480	61.30 1557	51.5 / 1307	8.19 208	26	4	VEO PH-38S	OS-74	22.0 10	5.34 2.43	CARBON FIBER
VEO3T+234APS	18.03 458	57.48 1460	47.9 / 1217	7.99 203	23	4	VEO PH-36S	OS-74	13.2 6		ALUMINUM ALLOY
VE03T+234CPS	18.03 458	57.48 1460	47.9 / 1217	7.99 203	23	4	VEO PH-36S	OS-74	13.2 6	4.66 2.12	CARBON FIBER
VEO3T+264AT	18.9 480	57.09 1450	47.2 / 1200	6.69 170	26	4	-	- VU 17	33.1 15		ALUMINUM ALLOY
VEO3T+264CT	18.9 480	57.09 1450	47.2 / 1200	6.69 170	26	4			33.1 15	3.93 1.78	CARBON FIBER
	29.3 745	72.1 1831	58.9 / 1495	10.5 266	30	3	VEO BH-250S	OS-62V3	55.1 25	5.70 2.59	ALUMINUM ALLOY
	29.3 745	72.1 1831	58.9 / 1495	10.5 266	30	3	VEO BH-250S	0S-62V3	55.1 25	4.93 2.24	CARBON FIBER
VEO3 263AB	29.1 738	70.7 1795	57.7 / 1465	10.4 265	26	3	VEO BH-160S	0S-62V3	33.1 15	4.72 2.14	
VEO3 263CB	29.1 738	70.7 1795	57.7 / 1465	10.4 265	26	3	VEO BH-160S	0S-62V3	33.1 15	4.12 1.90	CARBON FIBER
VEO3 303APS	29.1 730 28.9 735	71.7 1821	58.4 / 1484	10.2 259	30	3 3	VEO PH-38S		22.0 10	5.70 2.59	ALUMINUM ALLOY
		71.7 1821		10.2 259				QS-74			
	28.9 735		584 / 1484		30	3	VEO PH-38S	QS-74	22.0 10	4.94 2.24	CARBON FIBER
VEO3 263APS	29.1 738	70.6 1793	57.6 / 1462	10.6 270	26	3	VEO PH-38S	QS-74	22.0 10	5.11 2.32	ALUMINUM ALLOY
VE03 263CPS	29.1 738	70.6 1793	57.6 / 1462	9.5 240	26	3	VEO PH-38S	QS-74	22.0 10	4.52 2.05	CARBON FIBER
VE03 233APS	26.3 668	624 1585	50.4 / 1280		23	3	VEO PH-36S	QS-74	13.2 6	4.32 1.96	ALUMINUM ALLOY
VE03 233CPS	26.3 668	62.4 1585	50.4 / 1280	9.5 240	23	3	VEO PH-36S	QS-74	13.2 6	3.88 1.76	CARBON FIBER
VEO3 263A0	27.9 708	69.4 1763	56.4 / 1432	9.5 240	26	3	VEO PH-28	QS-7IP	17.6 8	5.20 2.36	ALUMINUM ALLOY
VE03 263C0	27.9 708	69.4 1763	56.4 / 1432	9.5 240	26	3	VEO PH-28	QS-7IP	17.6 8	4.63 2.10	CARBON FIBER
VESTA 233AP	22.91 582	61.02 1550	48.1 / 1221	21.69 551	23	3	PH-23	QS-29	7.7 3.5		ALUMINUM ALLOY
VESTA 203AP	22.50 570	61.02 1550	48.0 / 1220	21.06 535	20	3	PH-23	QS-29	7.7 3.5		ALUMINUM ALLOY
VESTA 203AGH	22.50 570	61.02 1550	48.2 / 1225	21.65 550	20	3	GH-45	QS-29	7.7 3.5		ALUMINUM ALLOY
VESTA 204AP	20.50 520	61.02 1550	49.4 / 1255	19.41 493	20	4	PH-23	QS-29	7.7 3.5	2.49 1.13	ALUMINUM ALLOY

MODEL	FOLDED HEIGHT [INCHES MM]	EXTENDED HEIGHT [INCHES MM]	STANDARD HEIGHT [INCHES MM]	MINIMUM HEIGHT [INCHES MM]	LEG DIAMETER [MM]		HEAD	QUICK SHOE	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	
VEO3T 265HABP	17.3 439	65.4 1660	50.2 / 1275	10.0 255	26	5	VEO BP-120T	QS-72T	26.5 12	4.7 2.11	ALUMINUM ALLOY
VEO3T265HCBP	17.3 439	65.4 1660	50.2 / 1275	10.0 255	26	5	VEO BP-120T	QS-72T	26.5 12	4.2 1.91	CARBON FIBER
VEO3T 235ABP	16.1 410	61.0 1550	45.5 / 1155	9.4 240	23	5	VEO BP-50T	QS-72T	17.6 8	3.9 1.75	ALUMINUM ALLOY
VE03T235CBP	16.1 410	61.0 1550	45.5 / 1155	9.4 240	23	5	VEO BP-50T	QS-72T	17.6 8	3.5 1.60	CARBON FIBER
VEO3T 204ABP	15.9 405	55.1 1400	40.9 / 1040	8.9 225	20	4	VEO BP-45T	QS-72T	8.8 4	3.3 1.49	ALUMINUM ALLOY
VE03T204CBP	15.9 405	55.1 1400	40.9 / 1040	8.9 225	20	4	VEO BP-45T	QS-72T	8.8 4	3.0 1.38	CARBON FIBER
VEO 3GO 265HAB	16.14 410	65.55 1665	49.6 / 1260	9.45 240	26	5	BH-102H	QS-60V2	22 10	3.66 1.66	ALUMINUM ALLOY
VEO 3GO 265HCB	16.14 410	65.55 1665	49.6 / 1260	9.45 240	26	5	BH-102H	QS-60V2	22 10	3.12 1.42	CARBON FIBER
VEO 3GO 235AB	12.99 330	53.54 1360	41.7 / 1060	7.87 200	23	5	T-50	QS-65	11 5	2.70 1.23	ALUMINUM ALLOY
VEO 3GO 235CB	12.99 330	53.54 1360	41.7 / 1060	7.87 200	23	5	T-50	QS-65	11 5	2.34 1.07	CARBON FIBER
VEO 3GO 204AB	13.63 345	51.57 1310	39.8 / 1010	12.99 330	20	4	T-45	QS-65	6.6 3	2.08 0.95	ALUMINUM ALLOY
VEO 3GO 204CB	13.63 345	51.57 1310	39.8 / 1010	12.99 330	20	4	T-45	QS-65	6.6 3	1.80 0.82	CARBON FIBER
VESTA TB235AB	14.8 375	56.25 1430	48.6 / 1235	10.63 270	23	5	T-51	QS-65	9.9 4.5	2.65 1.20	ALUMINUM ALLOY
VESTA TB235CB	14.8 375	56.25 1430	48.6 / 1235	10.63 270	23	5	T-51	QS-65	9.9 4.5	2.27 1.03	CARBON FIBER
VESTA TB204AB	14.8 375	51.18 1300	41.5 / 1055	12.01 305	20	4	T-46	QS-65	6.6 3	2.06 0.93	ALUMINUM ALLOY
VESTA TB204CB	14.8 375	51.18 1300	41.5 / 1055	12.01 305	20	4	T-46	QS-65	6.6 3	1.77 0.80	CARBON FIBER
VEO3TT 233ABP 🕼	9.7 245	22.05 560	19.1 / 486	8.66 220	23	3	VEO BP-50T	QS-72T	17.6 8	2.56 1.16	ALUMINUM ALLOY
VEO3TT 233CBP 🕼	9.7 245	22.05 560	19.1 / 486	8.66 220	23	3	VEO BP-50T	QS-72T	17.6 8	2.43 1.10	CARBON FIBER
VEO3TT 203ABP 📧	8.9 225	19.69 500	17.4 / 443	7.87 200	20	3	VEO BP-45T	QS-72T	8.8 4	2.15 0.98	ALUMINUM ALLOY
VESTA TTI	6.9 175	3.9 100	-	-	-	-	BALL HEAD	-	44 2	0.34 0.15	ALUMINUM ALLOY
VEO2SAM-234TBP50T	23.78 604	65.12 1654	-	-	23	4	VEO BP-50T	QS-72T	13.2 6	2.81 1.28	ALUMINUM ALLOY

MODEL	LENGTH	WINTH	HEIGHT	HEAD BASE		EDONTAL THE	LATERAL THEO	OWNELO	MAXINAD	WEIGHT
MUDEL	[INCHES MM]	[INCHES MM]	[INCHES MM]	[INCHES MM]	QUICK SHOE		LATERAL TILI		[LBS KG]	[LBS KG]
VEO BH-250S ໜ	-	-	4.76 121	2.28 58	QS-62V3	-	-91°~35°	360	55 25	1.42 0.64
VEO BH-160S	-	-	4.37 111	2.28 58	QS-62V3	-	-91°~35°	360	33 15	1.07 0.49
VEO BH-IIOS	-	-	4.13 105	1.97 50	QS-62V3	-	-91°~35°	360	22 10	0.94 0.43
VEO BP-I2OT	-	3.82 97	4.23 107.5	1.85 47	QS-72T	-	-91°~35°	360	264 12	1.2 0.55
VEO BP-50T	-	3.07 78	3.9 99	1.73 44	QS-72T	-	-91°~40°	360	17.6 8	1.0 0.46
VEO BP-45T	-	2.68 68	3.5 89	1.65 42	QS-72T	-	-91°~35°	360	8.8 4	0.87 0.3
VEO PH-38S	8.27 210	7.09 180	4.41 112	2.28 58	QS-74	-91°~30°	-91°~30°	360°	22 10	1.42 0.64
VEO PH-36S	8.07 205	6.97 177	4.37 111	1.97 50	QS-74	-91°~30°	-91°~30°	360°	13.2 6	1.25 0.57
VEO PV-20	14.37 365	5.71 145	4.02 102	2.28 58	QS-67	-60°~90°	-	360°	13.2 6	2.62 1.19
VEO PV-18	15.94 405	6.02 153	4.13 105	2.28 58	QS-6IP	-45°~90°	-	360°	33.1 15	2.60 1.18

26

26

23

RY	MODEL	FULL EXTENDED HEIGHT [INCHES MM]	WEIGHT [LBS KG]	PAYLOAD [lbs kg]	CENTER COLUMN PLATE DIAMETER [INCHES MM]
0	VEO MT-12	25.6 650	2.26 1.03	22.04 10.00	2.28 58
S					

68.07 | 1729

64.13 | 1630

64.13 | 1630

61.00 | 1550

VEO2SCM-264TBPI20T 24.57 | 624

21.50 | 545

21.50 | 545

20.50 | 520

VE02SAM-264TR

VEO2SCM-264TR

VEO2SAM-234TR

000	MODEL	STANDARD HEIGHT [inches mm]	FOLDED HEIGHT [INCHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS G]
A	VEO TSA S	4.53 115	2.5 63.5	441 2	0.22 98.5
	VEO TSA M	5.98 152	3.0 76.5	4.41 2	0.23 106
	VEO TSA DLX M	7.09 180	4.45 113	6.61 3	0.48 217
	VEO TSA DLX L	11.42 290	6.57 167	6.61 3	0.59 267

MODEL	LENGTH [INCHES MM]	WIDE [INCHES MM]	HEIGHT [INCHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS G]	SIZE RANGE [INCHES MM]
VEO+MAI	2.3 58	3.3 83	2.7 68	-	0.46 210	
VEO CSM	-	0.97 24.7	1.1 27.9	6.61 3	0.06 25	
VEO CSM DLX	-	1.22 31	2.24 57	441 2	0.19 86.5	
VEO CSMM2	4.72 120	1.75 44.5	2.0 50.8	441 2	0.41 185	
VEO CSMM3	3.44 87.4	0.87 22	1.14 29	441 2	0.19 86	
VEO TC M	2.13 54	1.85 47	6.02 153	2.2 1	0.66 298	
VEO SPH	3.6 91.0	3.1 78	4.3 110	1.1 0.5	0.4 181	2.2-3.5 57-90
VEO CP-65	3.3 82.5	0.8 20	3.5 89.0	5.5 2.5	0.4 159	2.6 65
VEO CP-46	2.7 68.0	0.8 20	3.3 82.5	3.3 1.5	0.3 132	1.8 46
VEO BT-II	1.34 34	0.51 13	2.13 54		0.03 13	

4 VEO BP-I20T QS-72T 26.5 | I2 2.97 | I.35 CARBON FIBER

33.1 | 15

33.1 | 15

22 | 10

I.96 | O.89 ALUMINUM ALLOY

1.75 | 0.80 CARBON FIBER

1.77 | 0.81 ALUMINUM ALLOY

MODEL	LENGTH [INCHES MM]	WIDTH [INCHES MM]	BOWL DIAMETER [INCHES MM]	HEIGHT [INCHES MM]	HEAD BASE [INCHES MM]	QUICK SHOE				MAX LOAD [LBS KG]	WEIGHT [LBS KG]
VEO QS-360	4.1 105	2.2 55	-	1.6 40	-	QS-76/QS-62V3	-	-	360	22 10	0.5 0.24
VEO LVL-60 📧	3.51 90	-	2.56 65	1.97 50	2.28 58	-	15°~-15°	15°~-15°	360	33 15	0.7 0.32

MODEL	INTERIOR DIMENSIONS [INCHES MM]	EXTERIOR DIMENSIONS (INCHES MM)	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	FITS DEVICE	LITER SIZE [L
ALTA SKY 68	13.4 X 7.1 X 22.9 340 X 180 X 580	14.1 X 9 X 23.4 360 X 230 X 595	35.3 16.0	6.5 2.9	II" TABLET 16" LAPTOP	36
ALTA SKY 66	10.2 X 9.4 X 24 260 X 240 X 610	II.3 X II.3 X 24.3 290 X 290 X 620	23.1 10.5	5.5 2.5	II" TABLET	30
ALTA SKY 53	12.6 X 7.8 X 20.8 320 X 200 X 530	15 X 10.6 X 22.8 380 X 270 X 580	35.2 16.0	6.2 2.8	17" LAPTOP	34
ALTA SKY 5ID	12.6 X 7.8 X 20 320 X 200 X 510	14.6 X 10.2 X 22.2 370 X 260 X 565	29.7 13.5	6.4 2.9	I5" LAPTOP	32
ALTA SKY 45D	10.2 X 7.5 X 17.7 260 X 190 X 450	12.2 X 9 X 19.5 310 X 230 X 495	19.8 9.0	4.8 2.2	13"LAPTOP	22
VEO ACTIVE 53	12.2 X 7.1 X 20.9 310 X 180 X 530	12.9 X 9.8 X 21.7 330 X 250 X 550	44.1 20	6.52 2.96	10" TABLET 16" LAPTOP	45
VEO ACTIVE 49	12.2 X 7.1 X 19.3 310 X 180 X 490	12.9 X 9.8 X 20.1 330 X 250 X 510	35.3 16	6.22 2.82	10" TABLET 15" LAPTOP	35
VEO ACTIVE 46	10.6 X 6.3 X 18.1 270 X 160 X 460	II.4 X 9.I X I8.7 290 X 230 X 475	24.2 11	5.60 2.54	10" TABLET 14" LAPTOP	25
VEO ACTIVE 42M	9.8 X 5.9 X 17.7 250 X 150 X 420	10.6 X 7.5 X 17.3 270 X 190 X 440	18.7 8.5	4.32 1.96	10" TABLET 13" LAPTOP	17
VEO SELECT 59T	13 X 6.8 X 18.5 330 X 170 X 470	14.2 X 8.7 X 21.5 360 X 220 X 545	33.1 15	9.22 4.18	II" TABLET 17"LAPTOP	26
VEO SELECT 58T	II.8 X 6.9 X I8.5 300 X I75 X 470	14.2 X 10.2 X 24 360 X 260 X 610	33.1 15	11.24 5.10	II" TABLET 16"LAPTOP	26
VEO SELECT 55BT	12.3 X 6.3 X 17.5 310 X 160 X 445	14.2 X 8.2 X 22.1 360 X 220 X 560	27.6 12.5	9.52 4.32	II" TABLET 15"LAPTOP	22
VEO SELECT 42T	I4.6 X 6.3 X I3 370 X I60 X 330	16.5 X 9.9 X 17.9 420 X 250 X 455	26.5 12	8.55 3.88	II" TABLET 15"LAPTOP	20
VEO SELECT 48BF	II.8 X 6.5 X I8.9 300 X I65 X 480	13.3 X 9.6 X 20.5 335 X 245 X 520	25.57 11.6	4.28 1.94	II" TABLET 15" LAPTOP	24
VEO SELECT 45BFM	10.6 X 5.1 X 16.9 270 X 130 X 430	II.8 X 8.3 X I8.3 300 X 210 X 465	19.18 8.7	3.26 1.48	II"TABLET	15
VEO SELECT46BR	9.9 X 5.9 X I8.I 250 X I50 X 460	II.O X 8.3 X I8.7 280 X 210 X 475	19.8 9.0	3.04 1.38	I3" LAPTOP	17
VEO SELECT37BRM	IO.O X 4 .5 X I4.6 255 X II5 X 370	II.0 X 6.9 X I5.4 280 X I75 X 390	9.3 4.2	2.38 1.08	II" TABLET	[]
VEO SELECT 49	II.3 X 4.9 X I9.2 290 X I25 X 490	13.3 X 8.1 X 19.9 340 X 205 X 505	20.28 9.2	3.66 1.66	15" LAPTOP	18
VEO SELECT 45M	10.9 X 4.4 X 17.7 275 X 110 X 450	12.6 X 7.5 X 18.1 320 X 190 X 460	17.19 7.8	3.33 1.51	I5" LAPTOP	14
VEO SELECT 4I	10.9 X 4.9 X 16.1 275 X 125 X 410	12.6 X 8.1 X 16.5 320 X 205 X 420	11.9 5.4	3.37 1.53	I3" LAPTOP	14
VEO SELECT 43RB	9 X 4.9 X I6.5 230 X I25 X 420	12.3 X 8.1 X 18.5 310 X 205 X 470	16.5 7.5	2.76 1.25	II" TABLET	12
VEO SELECT 39RBM	8.3 X 4 X I5 2I0 X I00 X 380	10.7 X 6.8 X 16.9 270 X 170 X 430	9.3 4.2	2.36 1.07	II" TABLET	8
VEO SELECT 36S	14.6 X 6.9 X 9.0 370 X 175 X 230	15.8 X 9.9 X 11.4 400 X 250 X 290	24.2 11	3.70 1.68	I3"LAPTOP	15
VEO SELECT 28S	II.0 X 6.5 X 9.0 280 X I65 X 230	12.8 X 9.0 X II.O 325 X 230 X 280	15.4 7	3.06 1.39	II" TABLET	10
VEO SELECT 22S	9.3 X 4.8 X 7.3 235 X I20 X I85	10.6 X 6.8 X 9.0 270 X 170 X 230	6.6 3	1.68 0.76	7.9" TABLET	5
VEO CITY CB 34	II.4-I3 X 3.9 X 9.3 290-330 X I00 X 235	13.8 X 5.8 X 9.9 350 X 145 X 250	18.7 8.5	2.25 1.02	I2.9" TABLET	8
VEO CITY CB 29	10.3-11.4 X 3.5 X 7.9 260-290 X 90 X 200	12.3 X 5.4 X 8.5 310 X 135 X 215	II.0 5	1.81 0.82	8.3" TABLET	6
VEO CITY CB 24	8.6-9.5 X 3.1 X 5.8 220-240 X 80 X I40	10.3 X 4.8 X 6.3 260 X 120 X 160	5.5 2.5	1.28 0.58	-	3
VEO CITY TP 33	13.4 X 3.8 X 9.9 340 X 95 X 250	14.1 X 6.5 X 10.6 360 X 165 X 270	17.6 8	2.60 1.18	I2.9" TABLET I3" LAPTOP	8
VEO CITY TP 28	II X 3.4 X 6.8 280 X 85 X I70	II.8 X 4.8 X 7.6 300 X I20 X I95	6.6 3	1.54 0.70	8.3" TABLET	4
VEO CITY TP 23	9 X 3.4 X 5.5 230 X 85 X I40	9.9 X 4.8 X 6.3 250 X I20 X I60	44 2	1.23 0.56	-	2.5
VEO RANGE T48	II.8 X 7.5 X I8.9 300 X I90 X 480	12.8 X 9.9 X 19.6 325 X 250 X 500	25.4 11.5	4.80 2.18	I5.6"LAPTOP	27
VEO RANGE T45M	II.O X 5.I X I7.8 280 X I30 X 450	II.8 X 7.5 X I8.5 300 X I90 X 470	22.0 10	4.14 1.88	I3.4"LAPTOP	16
VEO RANGE T37M	10.0 X 4.5 X 14.6 255 X 115 X 370	II.0 X 7.I X I5.4 280 X I80 X 390	15.4 7.0	3.02 1.37	II"LAPTOP	II
VEO RANGE 38	15.1 X 5.7 X II.7 385 X I45 X 300	16.8 X 8.2 X 13.3 430 X 210 X 340	15.9 7.2	2.64 1.20	I5" LAPTOP	17
VEO RANGE 32M	12.6 X 5.3 X 9.1 320 X 135 X 230	14.2 X 6.5 X 9.8 360 X 165 X 250	12.1 5.5	1.85 0.84	I2.9"TABLET	10
VEO RANGE 2IM	9.2 X 4.4 X 7.5 235 X IIO X I9O	10.6 X 6.3 X 8.6 270 X 160 X 220	6.2 2.8	1.06 0.48	7.9"TABLET	5
VEO ADAPTOR R48	10.3 X 6.3 X 18.0 260 X 160 X 480	II.4 X 8.6 X I9.3 290 X 220 X 490	25.4 11.5	3.22 1.46	I6"MAC BOOK	20
VEO ADAPTOR R44	8.6 X 6.3 X I6.9 220 X I60 X 430	10.3 X 8.6 X 17.8 260 X 220 X 450	19.8 9.0	2.78 1.26	I3"MAC BOOK	16
VEO ADAPTOR S46	9.5 X 6.3 X I7.8 240 X I60 X 450	10.6 X 8.8 X 18.3 270 X 220 X 465	18.7 8.5	3.02 1.37	I5"MAC BOOK	18
VEO ADAPTOR S4I	7.9 X 5.9 X I6.I 200 X I50 X 4I0	9.5 X 8.3 X I6.5 240 X 210 X 420	II.5 5.2	2.53 1.15	IO"IPAD	12
VEO ADAPTOR 24M	8.9 X 4.5 X 6.3 225 X II5 X I60	9.8X 5.9 X 9.1 250 X 150 X 230	25.4 11.5	0.97 0.44	8" TABLET	4.1
VEO ADAPTOR I5M	7.1 X 4.1 X 5.9 180 X 105 X 150	8.3 X 5.3 X 8.7 210 X 135 X 220	19.8 9.0	0.71 0.32	-	2.8
VEO GO 46M	10.4 X 4.1 X 18.1 265 X 105 X 460	11.4 X 5.5 X 18.5 290 X 140 X 470	15.9 7.2	2.20 1.00	I3" LAPTOP	13
VEO GO 42M	9.6 X 3.8 X I6.5 245 X 95 X 420	10.3 X 5.1 X 16.9 260 X 130 X 430	8.8 4.0	1.98 0.90	II" TABLET	9.8
VEO GO 34M	13.4 X 4.1 X 9.0 340 X 105 X 230	14.0 X 5.1 X 9.9 355 X 130 X 250	11.5 5.2	1.54 0.70	II" TABLET	8.2
VEO GO 24M	8.8 X 4.1 X 6.2 225 X 105 X 160	9.5 X 4.8 X 7.1 240 X I25 X I80	6.6 3.0	0.75 0.34	II IADELI	3.8
					7.9" TABLET	4.2
VEO GO 2IM VEO GO I5M	8.3 X 4.1 X 7.5 210 X 105 X 190 7.1 X 4.1 X 6.2 180 X 105 X 160	7.6 X 4.8 X 7.1 195 X 125 X 180	6.2 2.8 3.3 1.5	0.93 0.421	7.5 IADLEI	3.0
VEO BIB T25	9.8 X 4.3 X 7.5 250 X IIO X I9O	10.8 X 5.5 X 8.3 275 X 140 X 210	7.1 3.2	1.15 0.52	-	5.2
-			-	0.88 0.40	_	3.5
VEO BIB T22	8.7 X 3.9 X 6.3 220 X 100 X 160	9.8 X 5.1 X 7.3 250 X 130 X 185	6.2 2.8		-	2.5
VEO BIB TI8	7.1 X 3.9 X 5.5 180 X 100 X 140	8.3 X 5.1 X 6.7 210 X 130 X 170	44 2.0	0.71 0.32	- II" TADI FT	
VEO BIB F36	11.0 X 6.3 X 15.0 280 X 160 X 380	12.6 X 7.7 X 16.1 320 X 195 X 410	16.5 7.5	2.29 1.04	II" TABLET	17
VEO BIB F33	II.0 X 6.3 X II.0 280 X I60 X 280	12.4 X 7.7 X 12.4 315 X 195 X 315	13.2 6	1.90 0.86	II" TABLET	13
VEO BIB F28	11.0 X 6.3 X 7.1 280 X 160 X 180	12.4 X 7.7 X 9.3 315 X 195 X 235	9.9 4.5	1.50 0.68	7" TABLET	8
VEO BIB F27	8.3 X 4.3 X II.O 210 X II0 X 280	9.4 X 5.7 X 12.4 240 X 145 X 315	84 3.8	1.19 0.54	7" TABLET	6.5
VEO BIB DIVIDER \$53	21.1 X 6.9 X 15.7 535 X 175 X 400	22.0 X 8.7 X 17.1 560 X 220 X 435	29.8 13.5	6.70 3.04	15" LAPTOP	38
VEO BIB DIVIDER S46	17.5 X 6.9 X 12.8 445 X 175 X 325	18.9 X 8.5 X 14.0 480 X 215 X 355	24.2 11.0	5.33 2.42	13" LAPTOP	26
VEO DID 55== - :-	IE 0 V E 0 V 0 0 1 00 E V :== ::= :=			0.00		
VEO BIB DIVIDER S40 VEO BIB DIVIDER S37	I5.6 X 5.9 X 9.6 395 X I50 X 245 I3.6 X 5.9 X 8.I 345 X I50 X 205	17.1 X 7.5 X 10.8 435 X 190 X 275 15.4 X 7.5 X 9.8 390 X 190 X 250	19.2 8.7	3.92 1.78 3.13 1.42	II" TABLET 7" TABLET	15 II

MODEL	INTERIOR DIMENSIONS [INCHES MM]	EXTERIOR DIMENSIONS [INCHES MM]	MAX LOAD [LBS KG]	WEIGHT [LBS KG]	FITS DEVICE	LITER SIZE [L]
DIVIDER BAG 53	21 X I5.8 X 6.9 535 X 400 X I75	22 X I6.8 X 7.9 560 X 425 X 200	-	3.64 1.65	-	-
DIVIDER BAG 46	17.5 X 12.9 X 6.9 445 X 325 X 175	18.8 X 13.7 X 7.6 480 X 345 X 195	-	3.00 1.34	-	-
DIVIDER BAG 40	I5.5 X 9.6 X 5.9 395 X 245 X I50	17 X 10.9 X 6.8 430 X 275 X 170	-	1.98 0.90	-	-
DIVIDER BAG 37	13.7 X 8.1 X 5.9 345 X 205 X 150	15 X 9.8 X 6.8 380 X 240 X 170	-	1.65 0.75	-	-
SUPREME 53F / SUPREME 53D	22 X 17.7 X 7.8 560 X 450 X 200	24.8 X 20.4 X 9.4 630 X 520 X 240	-	23 10.4	-	-
SUPREME 46F / SUPREME 46D	18.9 X 14.5 X 7.8 480 X 370 X 200	20.2 X 17.1 X 8.6 515 X 435 X 220	-	15 6.8	-	-
SUPREME 40F / SUPREME 40D	I6.9 X II.6 X 6.8 430 X 295 X 175	18.3 X 14.3 X 7.6 465 X 365 X 195	-	9.7 4.4	-	-
SUPREME 37F / SUPREME 37D	I6.3 X IO.2 X 6.8 380 X 260 X I75	16.3 X 9.2 X 7.6 415 X 325 X 195	-	8.6 3.9	-	-
SUPREME 27F / SUPREME 27D	II X 9.8 X 6.6 250 X I90 X I50	II X 9.8 X 6.6 280 X 250 X 170	-	4.19 1.9	-	-
VESTA ASPIRE 4I	8.9 X 5.9 X I6.I 225 X I50 X 4I0	10 X 8.7 X 18.3 255 X 220 X 465	II.O 5	1.70 0.77	9.7" TABLET	-
VESTA ASPIRE 25	10.2 X 6.7 X 8.3 260 X 170 X 210	11.4 X 8.1 X 10 290 X 205 X 255	9.9 4.5	1.06 0.48	9" TABLET	-
VESTA ASPIRE 2I	8.7 X 5.3 X 7.7 220 X I35 X I95	9.8 X 6.5 X 8.7 250 X 165 X 220	5.1 2.3	0.73 0.33	-	-
VESTA ASPIRE 15	6.3 X 4.5 X 5.9 160 X 115 X 150	7.0 X 5.9 X 7.9 180 X 150 X 200	3.3 1.5	0.48 0.22	-	-
VESTA ASPIRE 15Z	5.9 X 4.9 X 7.9 150 X 125 X 200	6.9 X 5.7 X 9.4 175 X 145 X 240	4.9 2.2	0.51 0.23	-	-
ALTA ACTION 60	23.6 X 5.5 X 3.8 600 X I40 X I00	24.2 X 5.8 X 4.3 615 X 150X 110	6.6 3	0.66 0.30	-	-

28.I X 7.I X 5.5 | 7I5 X I80 X I40

32.I X 7.I X 5.5 | 8I5 X I80 X I40

7.7 | 3.5

8.8 | 4.0

0.77 | 0.35

0.84 | 0.38

ALTA ACTION 70

ALTA ACTION 80

27.5 X 6.7 X 5.1 | 700 X 170 X 130

31.5 X 6.7 X 5.1 | 800 X 170 X 130

MODEL		OBJECTIVE LENS [MM]	FIELD OF VIEW [FT/1000 YDS M/1000 M]	NEAR FOCUS [FEET M]	EYE RELIEF [MM]	ADJUST. PUPILLARY [MM]	WEIGHT [OZ G]
ENDEAVOR HD 82A	20-60 X	82	110-52 37-17	19.7-21.3 6-6.5	19-20	-	63.85 1810
ENDEAVOR HD 65A	15-45 X	65	144-68 48-23	14.8-18 4.5-5.5	19-20	-	51.15 1450
ENDEAVOR XF 80A	20-60 X	80	110-52 37-17	19.7~21.3 6~6.5	19-20	-	59.3 1680
ENDEAVOR XF 60A	15-45 X	60	141-68 47-23	16.4~19.7 5~6	19-20	-	45.1 1280
VEO HD 80A	20~60 X	80	110-52 37-17	19.7-21.3 6-6.5	19-20	-	54.7 1550
VEO HD 60A	15~45 X	60	141-68 47-23	16.4-19.7 5-6	19-20	-	42.5 1205
VESTA 560A	15-45X	60	34.8 - 20.9 104.4 - 62.6	8 - 9 26.3 - 29.5	16-21	-	45.7 1293
VESTA 460A	15-50X	60	41.7 - 19.1 125.3 - 57.4	10 - 12 32.8 - 39.4		-	21.5 609
VESTA 350A	12-45X	50	52.2 - 17.4 156.6 - 52.2	9 - 12 29.5 - 39.4	II	-	21.2 600
VEO HD IV 1042	10 X	42	340 114	5.9 1.8	19	56-74	27.7 786
VEO HD IV 8420	8 X	42	377 126	5.9 1.8	19	56-74	27.7 786
VEO HD2 1042	10 X	42	340 114	6.6 2.0	18	58-74	25 710
VEO HD2 8420	8 X	42	377 126	6.6 2.0	19	58-74	25 710
VEO HD 1042	10 X	42	342 114	6.6 2.0	18	58-74	27.1 767
VEO HD 8420	8 X	42	372 124	6.6 2.0	19	58-74	26.8 760
VEO ED 1250	12 X	50	251 84	11.5 3.5	18	60~75	26.8 760
VEO ED 1250	10 X	50	282 94	9.8 3	19	59.5~75	27.6 782
VEO ED 1042	10 X	42	314 105	9.2 2.8	16	55~75	22.6 640
VEO ED 8420	8 X	42	330 110	8.2 2.5	19	55~75	22.6 640
VEO XF 1042 (139)	10 X	42	332 111	6.9 2.1	16	57-74	22.6 640
VEO XF 8420 (EW)	8 X	42	409 136	6.9 2.1	20	57-74	23.3 660
VESTA 1042	10 X	42	298 100	6.9 2.1	17	56-74	20.8 590
VESTA 8420	8 X	42	325 108	6.9 2.1	19	56-74	21.5 610
VESTA 1025	10 X	25	330 110	8.2 2.5	10	56-74	9.88 280
VESTA 8250	8 X	25	340 114	8.2 2.5	12.5	56-74	9.88 280
VESTA 8210	8 X	21	123.5 370.6	4 13.2	10	56.5-72	6.88 195
VESTA 1021	10 X	21	100.9 302.7	4 13.2	8	56.5-72	6.88 195
VEO HD 2 1042M	10 X	42	342 114	6.5 2.0	18	-	11.5 325
VEO ED 8420M	8X	42	324 108	8.2 2.5	19	-	10.6 300
VESTA 8320M	8X	32	393.2 131	6.56 2.0	17.7	-	9.24 262

	MODEL	STRAP LENGTH [inches mm]	STRAP WIDTH [inches mm]	MAX LOAD [lbs kg]	WEIGHT [LBS 6]
A_	VEO OPTIC GUARD H	-	1.0 25	2.2 1.0	0.31 140
9	VEO OPTIC GUARD H DLX	-	1.0 25	5.5 2.5	0.53 240
	VEO OPTIC GUARD WS	-	1.0 25	4.0 1.8	0.09 40
D	VEO OPTIC GUARD NS	33-43 838-1092	1.0 25	5.5 2.5	0.26 120



WWW.VANGUARDWORLD.COM