



**EVOTECH**®  
P E R F O R M A N C E

**Suzuki GSXR1000**

**Oil Cooler Guard**

**Installation Instructions**




**Product No: PRN013586**


**Kit Contents**

- A** 1 x Oil Cooler Guard
- B** 2 x Rubber Bungs







Please repeat on both side




Please repeat on  
both side





Please repeat on  
both side





**Pull fairing back and out to release from rubber bung location**


















Caution


Lay a towel or cloth on the ground to stop damaging the fairing







Caution


Remove fairing by rotating  
the complete panel underneath  
the bike






Please repeat on  
both side











OEM PART




Locate round holes  
amongst hexagons.


Push Rubber Spacer  
through from the  
front of the guard  
so Hexagonal shape  
sits on the back face







Install fairing by rotating  
the complete panel underneath  
the bike










**Locate the guard  
inside the fairing**



Please repeat on  
both side

OEM PART



Reverse Stages

9 - 1



## ESSENTIAL CHECKS

It is recommended that periodic inspections are made to ensure that dirt and debris have not become trapped between the guard and the radiator/oil cooler. Such dirt and debris would reduce the cooling efficiency of the radiator/oil cooler.

It is recommended that periodic inspections are made to ensure that all fixings are fully tightened.