



**FITTING INSTRUCTIONS FOR ECS0140BK ENGINE CASE SLIDER  
DUCATI PANIGALE V4 2019-**



**THIS KIT CONTAINS THE ITEMS PICTURED AND LABELLED BELOW.  
DO NOT PROCEED UNTIL YOU ARE SURE ALL PARTS ARE PRESENT.**

Please note that the way the kit is packed does not necessarily represent the way of mounting to the bike.

THE PARTS SHOWN MAY BE REPRESENTATIVE ONLY (FOR CLARITY OF INSTRUCTIONS ONLY).


**TOOLS REQUIRED**

- Set of metric Allen keys to include 5 and 6mm A/F.

**GENERAL TORQUE SETTINGS**

M4 BOLT = 8Nm  
M5 BOLT = 12Nm  
M6 BOLT = 15Nm  
M8 BOLT = 20Nm  
M10 BOLT = 40Nm

Digital copies of these instructions are available to download from [www.rg-racing.com](http://www.rg-racing.com)



### **LEGEND**

ITEM 1 = ENGINE CASE SLIDER (ECS0140 with 2x CS327 PRE-FITTED) (x1).

ITEM 2 = M6 WASHERS (x2).

ITEM 3 = M6 x 30mm LONG CAP HEAD BOLTS (x2).

### **FITTING INSTRUCTIONS**

#### **Right side (as you sit on bike)**

- Remove the two M6 bolts as positioned (arrowed in top picture) above.
- Insert the new button head bolts (**item 3**) with washers (**item 2**) through the slider (**item 1**) as shown above.
- Offer up to bike as shown in top picture.
- Tighten both bolts evenly to manufactures specified torque.
- Fit bubble sticker into the recess.

Issue 2 30/07/2019 (NSY)

**Digital copies of these instructions are available to download from [www.rg-racing.com](http://www.rg-racing.com)**

### **CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

### **R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)



**NOTICE DE MONTAGE**

**POUR ECS0140BK SLIDER**

**DE CARTER MOTEUR  
DUCATI PANIGALE V4 2019-**



**LE KIT CONTIENT LES ARTICLES EXPOSES CI-DESSOUS, VERIFIER QUE TOUTES LES PIECES SOIENT PRESENTES AVANT DE PROCEDER AU MONTAGE.**

LA FAÇON DONT LE KIT EST EMBALLE NE CORRESPOND PAS FORCEMENT A LA FAÇON DE MONTER LES PIECES SUR LA MOTO

LES PARTIES PRESENTÉES PEUVENT ETRE UNIQUEMENT REPRESENTATIVES (POUR LA CLARTE DES INSTRUCTIONS UNIQUEMENT)


**OUTILS REQUIS**

- Clés Allen 5 et 6mm.

**VALEURS DE SERRAGE RECOMMANDÉES**

M4 BOULON = 8Nm  
M5 BOULON = 12Nm  
M6 BOULON = 15Nm  
M8 BOULON = 20Nm  
M10 BOULON = 40Nm

**Notice disponible au téléchargement sur [www.rg-racing.com](http://www.rg-racing.com)**



### LÉGENDE

ARTICLE 1 = SLIDER DE CARTER MOTEUR (ECS0140 avec 2x CS327 PRÉ MONTÉ) (x1).

ARTICLE 2 = M6 RONDELLES (x2).

ARTICLE 3 = M6 x 30mm BOULONS (x2).

### NOTICE DE MONTAGE

#### Côté Droit (lorsqu'on est assis sur la moto)

- Enlever les 2 boulons M6 comme positionnés (voir photo du haut) ci-dessus.
- Insérer les nouveaux boulons (**article 3**) avec rondelle (**article 2**) dans le slider (**article 1**) comme ci-dessus.
- Montez la protection sur la moto, voir photo du dessus.
- Serrer les 2 boulons de façon identique, selon les valeurs de serrage recommandées.
- Insérer le sticker en caoutchouc dans le creux.

Issue 1 29/07/2019 (NSY)

**Notice disponible au téléchargement sur [www.rg-racing.com](http://www.rg-racing.com)**

#### **CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

#### **R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)



**MONTAGEANLEITUNG FÜR ECS0140BK MOTORSCHUTZ  
DUCATI PANIGALE V4 2019-**



**ALLE KIT-TEILE SIND UNTEN ABGEBILDET UND GEKENNZEICHNET. BEVOR SIE MIT DER MONTAGE BEGINNEN, ÜBERPRÜFEN SIE, DASS ALLE TEILE VORHANDEN SIND.**

**Hinweis: Die Verpackung der Teile stellt nicht die Reihenfolge der Montage dar.**

DIE UNTEN ABGEBILDETEN TEILE DIENEN LEDIGLICH ZUR ERKLÄRUNG


**SIE BENÖTIGEN FOLGENDES WERKZEUG**

- Satz Inbusschlüssel mit 5mm und 6mm Inbusschlüssel

**MAX. ANZUGSDREHMOMENT:**

- M4 SCHRAUBE = 8 NM
- M5 SCHRAUBE = 12NM
- M6 SCHRAUBE = 15NM
- M8 SCHRAUBE = 20NM
- M10 SCHRAUBE = 40NM

**Eine digitale Version dieser Montageanleitung kann auf folgender Seite heruntergeladen werden:**  
[www.rg-racing.com](http://www.rg-racing.com)



### LIEFERUMFANG

ARTIKEL 1 = MOTORSCHUTZ (ECS0140 mit 2x CS327 VORMONTIERT) (x1)

ARTIKEL 2 = M6 UNTERLEGSSCHEIBEN (x2)

ARTIKEL 3 = M6 x 30mm INBUSSCHRAUBEN (x2)

### MONTAGEANLEITUNG

#### Recht Seite (in Fahrtrichtung)

- Entfernen Sie die zwei M6 Schrauben, die im oberen Bild mit Pfeilen gekennzeichnet sind.
- Die neuen Inbusschrauben (**Artikel 3**) mit den Unterlegscheiben (**Artikel 2**) durch den Motorschutz (**Artikel 1**) führen, wie oben abgebildet.
- Den Motorschutz nun am Motorrad anbringen wie im obersten Bild abgebildet.
- Ziehen Sie die Schrauben gleichmäßig fest (vom Hersteller empfohlenen Anzugsdrehmoment anwenden).
- Montieren Sie den Bubble-Aufkleber in der Vertiefung.

Ausgabe 1 29/07/2019 (NSY)

**Eine digitale Version dieser Montageanleitung kann auf folgender Seite heruntergeladen werden: [www.rg-racing.com](http://www.rg-racing.com)**

#### CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

#### R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)