



**Fitting Instructions for SRG0002 Radiator Guard
DUCATI MULTISTRADA 1200 2010-**



PICTURE 1



PICTURE 2

**In This Kit There Should Be
1x Radiator Guard
2x 100mm Lengths of Foam
1x M6x30mm long button head bolt
1x M6 nyloc nut
2x M6 washers**

- To fit the radiator guard to the bike cut the foam strip provided into 10mm wide pieces and stick them to the back of the radiator guard frame, so that they sit between the radiator guard and the radiator.
- Remove the two top radiator mounting bolts in position shown in picture 1 (one either side).
- Fit the radiator guard and secure to top mounting brackets using original bolts.
- Using bolt, nuts and washers secure to bottom mounting bracket in position shown in picture 2.



**Instructions SRG0002 Grille de protection radiateur
DUCATI MULTISTRADA 1200 2010-**



Photo 1



Photo 2

Ce kit doit contenir:

- 1x Grille de protection radiateur
- 2x 100mm Longueurs de mousse
- 1x M6x30mm Long boulon à tête ronde
- 1x M6 Erou en nyloc
- 2x M6 Rondelles

- Pour poser la protection sur la moto, couper la mousse en bandeaux de 10mm et les coller de façon à ce que ces bandeaux se retrouvent entre la protection et le cadre de la moto lui-même.
- Enlever les 2 boulons de fixation du radiateur (photo 1) (1 de chaque côté).
- Installer la grille de protection puis fixer au support de fixation à l'aide des boulons d'origine.



- En utilisant boulons, écrous et rondelles, fixer la protection au bas du support de fixation (position photo 2).

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com



**Montageanleitung für den SRG0002 Kühlerschutz
DUCATI MULTISTRADA 1200 2010-**



ABBILDUNG 1



ABBILDUNG 2

Dieser Kit beinhaltet:

- 1x Kühlerschutz**
- 2x 100mm selbstklebende Schaumstoffstreifen**
- 1x M6x30mm Halbrundkopfschraube**
- 1x M6 selbstsichernde Mutter**
- 2x M6 Unterlegscheiben**

- Um den Kühlerschutz am Motorrad zu montieren, schneiden Sie zuerst die mitgelieferten Schaumstoff-Streifen in 10 mm breite Streifen und kleben Sie diese auf der Rückseite des Kühlerschutzrahmens, so dass sie zwischen dem Kühlerschutz und dem Kühler angebracht sind.
- Entfernen Sie die zwei oberen Montageschrauben für den Kühler (eine an jeder Seite) – siehe Abbildung 1.
- Montieren Sie den Kühlerschutz und befestigen Sie die oberen Montagehalterungen mit den Originalschrauben.
- Verwenden Sie die Schraube, die Mutter und die Unterlegscheiben vom Kit, um den Montagehalter unten in Position zu befestigen – siehe Abbildung 2.