




**Fitting Instructions for SRG0014 Stainless Radiator Guard**  
**Kawasaki Z750 '07-, Z750R, Z800, Versys 1000 2012-2019,**  
**Z1000 '10- and Z1000SX '11-**



Please note that in cases where kits are packed with rubber washers holding the components onto the bolt – *the rubber washers should be thrown away!*

**THE PARTS SHOWN MAY BE REPRESENTATIVE ONLY (FOR CLARITY OF INSTRUCTIONS ONLY)**

**Digital copies of these instructions are available to download from [www.rg-racing.com](http://www.rg-racing.com)**

**THIS KIT CONTAINS:**


- 1x Stainless Radiator Guard (SS RAD0014)
- 2x 100mm Lengths of Foam
- 3x M6 Washers

**TOOLS REQUIRED**


- 10mm Spanner or socket and wrench



PICTURE 1



PICTURE 2



PICTURE 3

- To fit the radiator guard to the bike cut the foam strip provided into 10mm wide pieces and stick them to the back of the radiator guard frame, so that they sit between the radiator guard and the radiator.
- Remove the two top radiator mounting bolts in position shown in picture 1. NOTE: IF FITTING THE RADIATOR GUARD TO THE VERSYS 1000 2019 MODEL, THERE IS ONLY ONE BOLT ON THE LH SIDE (AS YOU SIT ON THE BIKE) TO REMOVE.
- Remove the lower radiator mounting bolt from the left-hand side (as you sit on bike) in position shown in picture 3.
- Fit the radiator guard and secure using the 3 M6 Washers with original bolts. NOTE: IF FITTING THE RADIATOR GUARD TO THE VERSYS 1000 2019 MODEL, THE RH UPPER MOUNT LOCATES ON THE SMALL LUG (SHOWN IN PICTURE 2).

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)



ISSUE 1 10/02/2014  
ISSUE 2 21/12/18 (LF)

#### **CONSUMER NOTICE**


The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

#### **R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



**NOTICE DE MONTAGE POUR SRG0014**  
**GRILLE DE PROTECTION RADIATEUR**  
**Kawasaki Z750 '07-, Z750R, Z800, Versys 1000 2012-2019,**  
**Z1000 '10- et Z1000SX '11-**



**Notez que si les kits sont emballés avec des rondelles en caoutchouc servant à tenir les composants, ces rondelles doivent être jetées !**

**LES PARTIES PRÉSENTÉES PEUVENT ÊTRE UNIQUEMENT REPRESENTATIVES (POUR LA CLARTE DES INSTRUCTIONS UNIQUEMENT)**

**Notice disponible au téléchargement sur [www.rg-racing.com](http://www.rg-racing.com)**

**Le kit doit contenir :**

- 1 x Grille de protection radiateur (SS RAD0014)
- 2x 100mm Longueurs de manchons thermo rétractable
- 3x M6 Rondelles

**OUTILS REQUIS**

Jeu de clé à cliquet + douille 10mm



PHOTO 1




PHOTO 2




PHOTO 3

- Couper le bandeau de mousse fourni en pièces de 10mm puis collez-les au bas du cadre de protection radiateur, de façon à ce qu'elles se placent entre la protection radiateur et le radiateur.
- Enlever les 2 boulons de fixation supérieurs du radiateur, voir photo 1. NOTE : SI VOUS MONTEZ LA GRILLE DE PROTECTION SUR LE MODÈLE VERSYS 1000 2019, IL N'Y A QU'UN SEUL BOULON DU CÔTÉ GAUCHE (LORSQU'ON EST ASSIS SUR LA MOTO) À ENLEVER.
- Enlever le boulon de fixation radiateur inférieur du côté gauche (lorsqu'on est assis sur la moto) dans la position indiquée sur la photo 3.
- Monter la grille de protection radiateur puis fixer en utilisant les 3 rondelles M6 avec les boulons d'origine. NOTE : SI VOUS MONTEZ LA GRILLE DE PROTECTION SUR LE MODÈLE VERSYS 1000 2019, Le SUPPORT SUPÉRIEUR DROIT SE PLACE SUR LA PETITE PATTE (VOIR PHOTO 2).

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)



ISSUE 1 10/02/2014  
ISSUE 2 21/12/18 (LF)

#### **CONSUMER NOTICE**


The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

#### **R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.



**Montageanleitung für SRG0014 Edelstahl Kühlerschutz**  
**Kawasaki Z750 '07-, Z750R, Z800, Versys 1000 2012-2019,**  
**Z1000 '10- and Z1000SX '11-**



**Hinweis für Kits mit Plastikunterlegscheiben an den Schrauben – Diese Plastikunterlegscheiben werden nicht für den Einbau benötigt!**

**DIE UNTEN ABGEBILDETEN TEILE DIENEN LEDIGLICH ZUR ERKLÄRUNG**

**Eine digitale Version dieser Montageanleitung kann auf folgender Seite heruntergeladen werden:**  
[www.rg-racing.com](http://www.rg-racing.com)

**INHALT DES KITS:**

- 1x Edelstahl Kühlerschutz (SS RAD0014)
- 2x 100mm Schaumstoffstreifen
- 3x M6 Unterlegscheiben

**SIE BENÖTIGEN FOLGENDES WERKZEUG**

- 10mm Schraubenschlüssel oder Steckschlüssel



ABBILDUNG 1




ABBILDUNG 2




ABBILDUNG 3

- Um den Kühlerschutz am Motorrad montieren zu können, schneiden Sie zuerst die mitgelieferten Schaumstoffstreifen in 10 mm breite Stücke und kleben Sie diese auf der Rückseite des Kühlerschutzrahmens, so dass sie zwischen dem Kühlerschutz und dem Kühler angebracht sind.
- Entfernen Sie die zwei oberen Montageschrauben für den Kühler, die in Abbildung 1 abgebildet sind. HINWEIS: WENN SIE DEN KÜHLERSCHUTZ AM VERSYS 1000 2019 MODELL MONTIEREN, ES GIBT NUR EINE SCHRAUBE AN DER LINKEN SEITE (IN FAHRTRICHTUNG), DIE ENTFERNT WERDEN MUSS.
- Entfernen Sie die untere Montageschraube für den Kühler (auf der linken Seite – in Fahrtrichtung) – siehe Abbildung 3.
- Montieren Sie den Kühlerschutz und befestigen Sie ihn mit den 3 M6 Unterlegscheiben und den Originalschrauben. HINWEIS: WENN SIE DEN KÜHLERSCHUTZ AM VERSYS 1000 2019 MODELL MONTIEREN, DIE OBERE RECHTE HALTERUNG AN DER KLEINEN ÖSE POSITIONIEREN (SIEHE ABBILDUNG 2).

R&G Racing

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 [www.rg-racing.com](http://www.rg-racing.com) Email: [info@rg-racing.com](mailto:info@rg-racing.com)





AUSGABE 1 10/02/2014  
AUSGABE 2 21/12/18 (LF)

**CONSUMER NOTICE**

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

**R&G RACING RETURNS POLICY (NON-FAULTY GOODS)**

Returns must be pre-authorised (if not pre-authorised the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.