



**FITTING INSTRUCTIONS FOR TH0036 TRANSPORT HOOKS
TO FIT APRILIA RSV4 AND TUONO V4 1100 2021-**



**This kit contains the items pictured and labelled over page.
Some parts may be shown for clarity of instructions only.
Do not proceed until you are sure all parts are present.
Please read all instructions before proceeding.**

**IF IN ANY DOUBT WHEN FITTING OUR PRODUCTS, CONSULT ONE OF OUR DEALERS
OR HAVE FITTED BY A QUALIFIED TECHNICIAN.**

Please note that the way the kit is packed does not necessarily represent the way of mounting to the bike.

In the event of rubber washers being used to hold components onto bolts, these rubber washers can be thrown away.

**DIGITAL COPIES OF THESE INSTRUCTIONS ARE AVAILABLE FROM
WWW.RG-RACING.COM**




| TOOLS REQUIRED | GENERAL TORQUE SETTINGS |
|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> Set of metric Allen keys to include 5mm. | M4 BOLT = 8Nm M5 BOLT = 12Nm M6 BOLT = 15Nm M8 BOLT = 20Nm M10 BOLT = 40Nm M12 BOLT = 40Nm |

LEGEND

| ITEM No. | DESCRIPTION | QTY |
|-----------------|---------------------------------------|------------|
| ITEM 1 | SMW0194 TIE DOWN HOOK | 2 |
| ITEM 2 | S1264 M8 SPACER (12mm LONG x 20mm OD) | 2 |
| ITEM 3 | M8 x 35mm COUNTERSUNK BOLT | 2 |
| ITEM 4 | M8 x 50mm COUNTERSUNK BOLT | 2 |

ASSEMBLY DIAGRAM LHS



R&G

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com



ASSEMBLY DIAGRAM RHS (fitting with R&G Exhaust hangar bracket)



R&G

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com



FITTING INSTRUCTIONS

For Left hand side

- Remove the original footrest brackets from the motorcycle.
- Offer the left-hand side tie down hook and spacer assembly (**item 1** and **item 2**) into position as shown in **ASSEMBLY DIAGRAM LHS** and secure into position using the 2 x (M8x35mm) countersunk bolts (**item 3**).
- Tighten both bolts to the recommended torque.
- Check the tightness of all bolts regularly.

For Right hand side (if fitting with the R&G Exhaust hanger bracket)

- Remove the original footrest bracket on the right-hand side of the motorcycle.
- Offer up the exhaust hanger and then the tie down hook plate will be placed on the outside of the hanger using the 2 x (M8x50mm) countersunk bolts (**item 4**) to secure as shown in **ASSEMBLY DIAGRAM RHS**.
- Tighten both bolts to the recommended torque.
- Check the tightness of all bolts regularly.

ISSUE 1 21/10/2021 (AO)

CONSUMER NOTICE

The catalogue description and any exhibition of samples are only broad indications of the Products and R&G may make design changes which do not diminish their performance or visual appeal and supplying them in such state shall conform to the order. The Buyer acknowledges no representation or warranty (other than as to title) has been given or will apply to the Products other than those in R&G's order or confirmation and the Buyer confirms it has chosen the Products as being of merchantable quality and suitable for its particular purposes. Where R&G fits the Products or undertakes other services it shall exercise reasonable skill and care and rectify any fault free of charge unless the workmanship has been disturbed. The Buyer is responsible for ensuring that the warranty on the motorcycle is not affected by the fitting of the Products. On return of any defective Products R&G shall at its option either supply a replacement or refund the purchase money but shall not be liable if the Products have been modified or used or maintained otherwise than in accordance with R&G's or manufacturer's instructions and good engineering practice or if the defect arises from accident or neglect. Other than identified above and subject to R&G not limiting its liability for causing death and personal injury, it shall not be liable for indirect or consequential loss and otherwise its liability shall be limited to the amounts paid by the Buyer for the Products or the fitting or service concerned. These terms do not affect the Buyer's statutory rights.

R&G RACING RETURNS POLICY (NON-FAULTY GOODS)

Returns must be pre-authorized (if not pre-authorized the return will be rejected). Goods may only be returned direct to us if they were purchased direct from us (customer must prove if necessary). Otherwise to be returned to original vendor. Goods must be in re-sellable condition, in the opinion of R&G Racing. All returns are subject to a 25% restocking and handling fee (25% of the gross value exc. P&P – at the prevailing price at time of purchase). The customer must pay any and all carriage charges. No returns of discontinued products, unless within 14 days of purchase. This policy does not affect your statutory rights and does not refer to faulty goods.

R&G

Unit 1, Shelley's Lane, East Worldham, Alton, Hampshire, GU34 3AQ

Tel: +44 (0)1420 89007 Fax: +44 (0)1420 87301 www.rg-racing.com Email: info@rg-racing.com