

Page 1 of 6 **BB-009**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 1.0

SDS Revision Date: 10/18/2021

			DDODUO	T 0 00M	DANIX	IDE		-104	TIO					
	T=			T & COM	PANY	IDE	NIII	·ICA	ПО	N				
1.1	Product Name:	GLAS	S SAUCI	E										
1.2	Chemical Name:		Solution											
1.3	Synonyms:	Glass Sa	uce											
1.4	Trade Names:	Glass Sa												
1.5	Product Use:		eatment and C	leaner										
1.6	Distributor's Name:	Boat Blin												
1.7	Distributor's Address:			uite 63, Phoenix	•									
1.8	Emergency Phone:	PERS ·	+ 1 (800) 63	33-8253 / +1	(801) 6	29-00	667 (CN 1	1168)	NOF	RTH	AMEI	RICA	
		NEXRE	EG: NZ: 080	00 764 766	Au: 13	11 20	6							
1.9	Business Phone / Fax:	+1 (800)	846-4899 / +1	(623) 561-810	6									
			2 H/	AZARDS I	DENT	FIC	ΔΤΙ)N						
2.1	Hazard Identification:	Prenared							tende	d to co	mnly v	vith ∩S	SHA 20	9 CFR 1910.1200.
				Australian Worl						u 10 00	ilipiy v	vitir OC	71 1/1 20	70110101200.
				MILD SKIN IRF			-			E IRRI	TATIO	N.		
		Classific	ation: Acute T	ox. 4, Skin Irrit.	3, Eye Irr	it. 2A;								
2.2	Label Elements:			H): H316 – Cau			irritatio	n. H3	319 –	Cause	s seri	ous e	/e	
		irritation		,								,		
				ents (P): P264										A
				y after handling										
		product.	P280 - Wea	r protective glov	ves/prote	ctive c	lothing	/eye p	rotecti	on. P3	01+P	312 –	IF	
				POISON CEN										\
				ously with water										
		and eas	v to do – co	ntinue rinsing.	P337+F	313 –	· If ev	e irrita	tion n	ersists	· Get	medic	al	
				Dispose of										
			facility (TSDF											
2.3	Other Warnings:	KEEP O	UT OF REAC	H OF CHILDRE	N									
		3. CC	MPOSIT	ION & ING	REDI	ENT	INF	ORN	ΙAΤ	ION				
								1		SURE L	IMITS IN		g/m³)	Т
							GIH		NOHSC	;		OSHA		_
						PI	pm	ES-	ppm ES-	ES-		ppm	<u> </u>	-
CHEM	ICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
WATE	ER .	7732-18-5	ZC0110000	231-791-2	80-90	NA	NA	NF	NF	NF	NA	NA	NA	
		NA	INA .	INA .	1-5	NA	l NA	NF	NF	NF	NA	NA	NA	
ACRY	LIC POLYMER	INA	INA	INA	1-5	INA	INA	INF	INF	INF	INA	INA	INA	
		NA	NA	NA	1-5	NA	NA	NF	NF	NF	NA	NA	NA	
AMPH	HOTERIC DETERGENT		-1	1	,		1						1	
BEN7	OTHIAZOLINONE	95-16-9	DL0875000	202-396-2	0-0.5	NA	NA	NF	NF	NF	NA	NA	NA	
DLINZ	OTTIAZOLINONE	Acute Tox. 3;	Acute Tox. 3; Ey	e Irrit. 2; Acute to	x. 4; H301	H311,	H319, I	H332						
			1	FIRST All	D ME	CIII	DES							
4.1	First Aid:	In a +1							n har	n cu:-1	loves d	ا ماداد	plant	of woton on mill
'	257 1141	Ingestion												of water or milk give water or milk
														nergency number.
														of the substance
				as swallowed.		A. 14111	J 410		,,,,,,	900		a		
		Eyes:			v: howeve	r. if pro	oduct c	ets in t	the eve	es, flus	h with	copio	ıs am∩	ounts of lukewarm
		<u> </u>		for at least 15 n									0	
		Skin:										ıkewaı	m wat	ter, followed by a
														swelling persists,
				t a physician im				•						J. ,
		Inhalatio	n: Remo	ve victim to fres	h air at o	nce.								
4.2	Effects of Exposure:	Ingestion		ninal pain, stom	ach upse	t, naus	sea, vo	miting	and di	arrhea	١.			
		Eyes:		ng to the eyes.	•			3						
		Skin:			during pr	oduct	use is	not ex	pected	to res	sult in	signific	cant irr	ritation. However,
				ause an allergio								-		
		Inhalatio	<u>n</u> : Irritatio	on to the nose, t	throat and	other	tissue	s of the	e respi	ratory	syster	n.		
					-									<u> </u>



Page 2 of 6 SAFETY DATA SHEET **BB-009** Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 1.0 SDS Revision Date: 10/18/2021 4. FIRST AID MEASURES - cont'd 4.3 Symptoms of Overexposure: Ingestion: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea. Irritating to the eyes. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or Eyes: hazy vision. Skin: Contact with the skin during product use is not expected to result in significant irritation. Signs/symptoms may include localized redness, itching, drying and cracking of skin. However, may cause an allergic reaction in some sensitive individuals. Allergic skin reaction (non-photo induced) signs/symptoms may include redness, swelling, blistering, and itching. Inhalation: Vapors of this product may be slightly irritating to the nose, throat and other tissues of the respiratory system. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness Acute Health Effects: Mild to moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause 4.4 drowsiness, dizziness, headaches and nausea. Chronic Health Effects: 4.5 Target Organs: 4.6 Eyes, Skin, Respiratory System, Central Nervous System (CNS) Medical Conditions Aggravated by 4.7 Pre-existing dermatitis, other skin conditions, and disorders of the HEALTH Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 0 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES Non-flammable. Use media as appropriate for surrounding fire. 5.1 Fire & Explosion Hazards: Carbon dioxide, foam, water spray, Halon (if permitted), dry chemical extinguisher. Extinguishing Methods: 5.2 Firefighting Procedures: 5.3 As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., \geq 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., bentonite, vermiculite, or commercially available inorganic absorbent material). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water. Avoid Work & Hygiene Practices: breathing of vapors, mists or spray. Avoid prolonged or repeated skin contact. Wash hands after handling, and before eating. Avoid breathing of dust created by sanding, grinding or machining. When polishing with product, keep moist 72 Storage & Handling: Keep containers sealed at all times, store in well-ventilated area. Store away from areas where product may come into contact with food or pharmaceuticals. Store away from oxidizing agents 7.3 Special Precautions: Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. **EXPOSURE CONTROLS & PERSONAL PROTECTION** 8.1 Exposure Limits: **ACGIH** NOHSC **OSHA** OTHER ppm (mg/m3) CHEMICAL NAME(S) TLV STEL PEL STEL IDLH TWA STEL PEAK Ventilation & Engineering Controls: 8.2 Provide appropriate local exhaust ventilation on open containers. When using keep the product moist at all times.

Use in an enclosed process area is recommended. Use in a well-ventilated area. Do not use in a confined area or

areas with little or no air movement.



11.8

11.9

Biological Exposure Indices:

Physician Recommendations

Treat symptomatically

SAFETY DATA SHEET

Page 3 of 6 **BB-009**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 1.0 SDS Revision Date: 10/18/2021 8. EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd 8.3 Respiratory Protection: Avoid breathing of vapors, mists or spray. No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. Eye Protection: 8.4 Avoid eye contact. Wear safety glasses. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. 8.5 Hand Protection: Avoid skin contact. Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible materials. Gloves made from the following material(s) are recommended: Nitrile Rubber. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Purple liquid Odor: 9.2 Grape like 9.3 Odor Threshold: NA 94 pH: NA 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling Range: 96 98.89-101.67 °C (210-215 °F) 97 Flashpoint: NA 9.8 Upper/Lower Flammability Limits: NA 9.9 Vapor Pressure: NA Vapor Density: 9.10 NA Relative Density: 9.11 1.00-1.05 Solubility: 9.12 Complete 9 13 Partition Coefficient (log Pow): NA 9 14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: Slight 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: Stable under ambient conditions when stored properly (see section 7, Storage and Handling) 10.2 Hazardous Decomposition Products: If exposed to extremely high temperatures, the products of thermal decomposition may include irritation vapors and nitrogen and carbon oxide gases (e.g., NOx, CO, CO2). Hazardous Polymerization: 10.3 Hazardous polymerization will not occur. 10.4 Conditions to Avoid High temperatures and incompatible substances. 10.5 Incompatible Substances: Strong oxidizing agents. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: YES Routes of Entry 11.1 Toxicity Data: 11.2 This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product but is not presented in this document. 11.3 Acute Toxicity: See Section 4.4 Chronic Toxicity See Section 4.5 Suspected Carcinogen: 11.5 NA 11.6 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans Mutagenicity This product is not reported to cause mutagenic effects in humans Embryotoxicity: This product is not reported to cause embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.



Page 4 of 6 **BB-009**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 1.0 SDS Revision Date: 10/18/2021 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There are no specific data for this product. 12.2 Effects on Plants & Animals: There are no specific data for this product. 12.3 Effects on Aquatic Life: There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Waste disposal must be in accordance with appropriate Federal, state, and local regulations. Special Considerations: 13.2 Reclaim product if feasible. As a disposal alternative, dispose of waste product in a facility permitted to accept chemical waste 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): NOT REGULATED 14.2 IATA (AIR): NOT REGULATED 14.3 IMDG (OCN): NOT REGULATED 14.4 TDGR (Canadian GND): **NOT REGULATED** 14.5 ADR/RID (EU): **NOT REGULATED** SCT (MEXICO): 14 6 **NOT REGULATED** ADGC (AUS): 14.7 **NOT REGULATED** 15. REGULATORY INFORMATION This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements SARA Reporting Requirements: SARA Threshold Planning Quantity: There are no specific Threshold Planning Quantities for the components of this product TSCA Inventory Status: 15.3 The components of this product are listed on the TSCA Inventory CERCLA Reportable Quantity (RQ): 15.4 Other Federal Requirements: 15.5 This product does not contain any substances identified as Hazardous Air Pollutants (HAPs). This product does not contain any substances regulates as pollutants under the Clean Water Act (CWA). This product has been classified according to the hazard criteria of the HPR and the SDS contains 15.6 Other Canadian Regulations: all of the information required by the HPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class D2B (Other Toxic Effects) State Regulatory Information: 15.7 No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov Other Requirements: Components in this product are found on the following inventory lists: Australia - AICS, China - IECSC, Europe -15.8 ELINCS/EINEC, Japan - ENCS; Korea - KECI; New Zealand - NZIoC; Philippines - PICCS; USA - TSCA.



Page 5 of 6 **BB-009**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.4

SDS Revision Date: 10/18/2021

		46 OTHER INCORMATION	
		16. OTHER INFORMATION	
16.1	Other Information:	WARNING! CAUSES MILD SKIN IRRITATION. CAUSES SERIOUS EYE hands and exposed skin areas with soap and warm water thoroughly after ha using this product. Wear protective gloves/protective clothing/eye protectic CENTER/doctor if you feel unwell. Rinse mouth. If skin irritation occurs: Get Rinse continuously with water for several minutes. Remove contact lenses rinsing. If eye irritation persists: Get medical advice/attention. KEEP OUT OF	Indling. Do not eat drink or smoke when on. IF SWALLOWED: Call a POISON medical advice/attention. IF IN EYES - is if present and easy to do – continue
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication government regulations must be reviewed for applicability to this product. To knowledge, the information contained herein is reliable and accurate as of this completeness is not guaranteed and no warranties of any type, either expinformation contained herein relates only to the specific product(s). If this product component properties must be considered. Data may be changed from tire edition.	o the best of ShipMate's & Boat Bling's s date; however, accuracy, suitability or pressed or implied, are provided. The duct(s) is combined with other materials,
16.4	Prepared for:	Boat Bling, Inc. 1725 W Williams Dr, Suite 63 Phoenix, AZ 85027 USA Tel: +1 (800) 846-4899 Fax: +1 (623) 561-8106 https://www.boatbling.net https://www.blingsauce.com	<u>luci</u>
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	



Page 6 of 6 **BB-009**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.4

SDS Revision Date: 10/18/2021

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α		
В		
С		
D		
Е		
F		





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	TY LIMITS IN AIR:
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	. =
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ ~~~ ~~ ~
W	Use No Water	HEALTH 🔪
ОХ	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{lo}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	HMIS Canadian Workplace Hazardous Material Information System	
DOT	U.S. Department of Transportation	
TC	Transport Canada	
EPA	U.S. Environmental Protection Agency	
DSL	Canadian Domestic Substance List	
NDSL	Canadian Non-Domestic Substance List	
PSL	Canadian Priority Substances List	
TSCA	U.S. Toxic Substance Control Act	
EU	European Union (European Union Directive 67/548/EEC)	
WGK	Wassergefährdungsklassen (German Water Hazard Class)	

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(4)	(2)	(3)	\odot	(4)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

	(\$)		\Diamond			\limits		(
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment