

Page 1 of 6 **BB-006** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1

SDS Revision Date: 1/25/2020

	1	PRODUC	T & COM	PANY	IDF	NTIF	ICA	TIOI	N				
1.1 Product Name:	1	N SAUC		7.111	<u> </u>	<u> </u>	10/1	1101					
1.2 Chemical Name:		Solution											
1.3 Synonyms:	Green Sa												
1.4 Trade Names:													
1.5 Product Use:	Green Sa												
1.6 Distributor's Name:		eather uphols	tery Cleaner										
1.7 Distributor's Address:	Boat Blin	<u> </u>	:t- 00 Db	47 050	07.110	Λ							
1.8 Emergency Phone:			uite 63, Phoen										
1.8 Emergency Priorie:		, ,	3 <mark>3-8253 / +</mark> 1	. ,		•	CN 11	l 168)	NOF	RTH A	AMERI	CA	
	NEXRE	EG: NZ: 08(	00 764 766	AU: 13	11 20	6							
1.9 Business Phone / Fax:	+1 (800)	846-4899 / +1	(623) 561-810	)6									
		2 Н	AZARDS	IDENT	IFIC	ΔΤΙΟ	)NI						
2.1 Hazard Identification:	This pro							d ac 1	JANGI	EROLI	s coo	חפ מ	according to the
			f NOHSC and A				ı∟ aıı(	u as l	וטאיהכ	_1\00	5 500	J	according to the
			SERIOUS EY		•	,	EC MII	חפע	IN IDD	IT A TI	ON		
			: 2A; Skin Irrit.		IION.	CAUS	LO WILL	רח פע	117.17	MI AII	OIN.		
2.2 Label Elements:								40	<u> </u>				
	Hazard irritation		H): H316 – Ca	iuses mila	skin ii	rritatio	1. H3	19 –	Cause	s serio	ous eye		
			onto (D), D264	Maah h		- nd		مادات د		م ماند			_
			ents (P): P264										
			y after handling 2 – IF ON Sk										
													<b>(!)</b>
	handling. P321 – For specific first aid treatment (see section 4 of this Safety Data Sheet).												
	P332+P313 – If skin irritation occurs: Get medical advice/attention. P362+P364 – Ta										<b>\•</b> /		
		313 – If skin i	rritation occurs	: Get med		dvice/a		n. P3	62+P3	64 – 1	Γake off		<b>V</b>
	contami	313 – If skin i nated clothing	rritation occurs and wash it b	s: Get med efore reus	se. P3	dvice/a 05+P3	351+P3	n. P3 338 –	62+P3 IF IN I	64 – 1 EYES	Γake off - Rinse		<b>V</b>
	contamii continuo	313 – If skin i nated clothing ously with wate	rritation occurs and wash it ber for several m	s: Get med efore reus inutes. Re	se. P3 move o	dvice/a 05+P3 contac	51+P3 lense	n. P3 338 – s if pre	62+P3 IF IN I esent a	64 – 1 EYES and ea	Γake off - Rinse sy to do		V
2.3 Other Warnings:	contamii continuo – continu	313 – If skin i nated clothing ously with wate ue rinsing. P3	rritation occurs and wash it ber for several m 37+P313 – If e	s: Get med efore reus inutes. Re ye irritation	se. P3 move o	dvice/a 05+P3 contac	51+P3 lense	n. P3 338 – s if pre	62+P3 IF IN I esent a	64 – 1 EYES and ea	Γake off - Rinse sy to do		
2.3 Other Warnings:	contamii continuo – continu	313 – If skin i nated clothing ously with wate ue rinsing. P3	rritation occurs and wash it ber for several m	s: Get med efore reus inutes. Re ye irritation	se. P3 move o	dvice/a 05+P3 contac	51+P3 lense	n. P3 338 – s if pre	62+P3 IF IN I esent a	64 – 1 EYES and ea	Γake off - Rinse sy to do		<u> </u>
2.3 Other Warnings:	contamii continuo – continu KEEP O	313 – If skin i nated clothing ously with wate ue rinsing. P3 OUT OF REAC	rritation occurs and wash it ber for several m 37+P313 – If e H OF CHILDR	s: Get med before reus inutes. Re ye irritation EN	se. P3 move on persis	dvice/a 05+P3 contac sts: Ge	51+P3 l lense et medi	n. P3 338 – s if pre ical ad	62+P3 IF IN I esent a vice/at	64 – 1 EYES and ea	Γake off - Rinse sy to do		
2.3 Other Warnings:	contamii continuo – continu KEEP O	313 – If skin i nated clothing ously with wate ue rinsing. P3 OUT OF REAC	rritation occurs and wash it ber for several m 37+P313 – If e	s: Get med before reus inutes. Re ye irritation EN	se. P3 move on persis	dvice/a 05+P3 contac sts: Ge	51+P3 l lense et medi	n. P3 338 – s if pre ical ad	62+P3 IF IN I esent a vice/at	64 – 1 EYES and ea: tention	Take off - Rinse sy to do ι.		<u> </u>
2.3 Other Warnings:	contamii continuo – continu KEEP O	313 – If skin i nated clothing ously with wate ue rinsing. P3 OUT OF REAC	rritation occurs and wash it ber for several m 37+P313 – If e H OF CHILDR	s: Get med before reus inutes. Re ye irritation EN	se. P3 move on persis	dvice/a 05+P3 contact sts: Ge	S51+P3 t lense et medi	n. P3 338 – s if pre ical ad	62+P3 IF IN I esent a vice/at	64 – 1 EYES and ea: tention	Γake off - Rinse sy to do		<u> </u>
2.3 Other Warnings:	contamii continuo – continu KEEP O	313 – If skin i nated clothing ously with wate ue rinsing. P3 OUT OF REAC	rritation occurs and wash it ber for several m 37+P313 – If e H OF CHILDR	s: Get med before reus inutes. Re ye irritation EN	emove on persis	dvice/a 05+P3 contact sts: Ge	S51+P3 t lense et medi	n. P3 338 – s if pre ical ad	62+P3 IF IN I esent a vice/at	64 – 1 EYES and ea: tention	Take off - Rinse sy to do h.		
	contamir continuo – continuo – continuo – SEEP O	313 – If skin i nated clothing busly with wate ue rinsing. P3 DUT OF REAC	arritation occurs and wash it ber for several m 37+P313 – If e H OF CHILDR	e: Get med refore reus inutes. Re ye irritation EN	ENT  ACC	dvice/a 05+P3 contact sts: Ge	on the state of th	n. P3 338 – s if pre ical ad  MATI  EXPO NOHSC ppm ES-	62+P3 IF IN I esent a vice/at  ION SURE LI	64 – 1 EYES and eastention	Fake off - Rinse sy to do 1. AIR (mg/r OSHA ppm	m³)	
2.3 Other Warnings:  CHEMICAL NAME(S)	contamir continuo  — continuo  — continuo  KEEP O  3. CC	313 – If skin in nated clothing busly with water insing. P3 DUT OF REAC OMPOSIT	arritation occurs and wash it ber for several m 37+P313 – If e H OF CHILDR	s: Get med refore reus inutes. Re ye irritation EN	ENT  ACC  pp	dvice/a 605+P3 contact sts: Ge	S51+P3 t lense et medi	n. P3 338 – s if pre ical ad  IAT  EXPO NOHSC ppm ES- STEL	62+P3 IF IN I esent a vice/at  ION SURE LI ES- PEAK	EYES and eastention	Fake off - Rinse sy to do n. AIR (mg/r OSHA ppm	m³)	OTHER
	contamir continuo – continuo – continuo – SEEP O	313 – If skin i nated clothing busly with wate ue rinsing. P3 DUT OF REAC	arritation occurs and wash it ber for several m 37+P313 – If e H OF CHILDR	e: Get med refore reus inutes. Re ye irritation EN	ENT  ACC	dvice/a 05+P3 contact sts: Ge	on the state of th	n. P3 338 – s if pre ical ad  MATI  EXPO NOHSC ppm ES-	62+P3 IF IN I esent a vice/at  ION SURE LI	64 – 1 EYES and eastention	Fake off - Rinse sy to do n. AIR (mg/r OSHA ppm	m³)	OTHER
CHEMICAL NAME(S) WATER	contamir continuo  — continuo  — continuo  KEEP O  3. CC	313 – If skin in nated clothing busly with water insing. P3 DUT OF REAC OMPOSIT	arritation occurs and wash it ber for several m 37+P313 – If e H OF CHILDR	s: Get med refore reus inutes. Re ye irritation EN	ENT  ACC  pp	dvice/a 605+P3 contact sts: Ge	S51+P3 t lense et medi	n. P3 338 – s if pre ical ad  IAT  EXPO NOHSC ppm ES- STEL	62+P3 IF IN I esent a vice/at  ION SURE LI ES- PEAK	EYES and eastention	Fake off Rinse sy to do n. AIR (mg/r OSHA ppm	m³)	OTHER
CHEMICAL NAME(S)	contamir continuo – Co	313 – If skin i nated clothing pusly with wate ue rinsing. P3 DIT OF REAC DMPOSIT  RTECS No. ZC0110000	and wash it ber for several m 37+P313 – If e H OF CHILDR  TON & INC  EINECS No. 231-791-2	s: Get med pefore reus inutes. Re ye irritation EN GREDII	ENT  ACC  PP  TLV  NA	INF  GIH  STEL  NA	S51+P3 I lenses I lenses I medi  ORM  ES- TWA  NF	n. P3 338 – s if preical ad  IAT  EXPO NOHSC ppm ES- STEL NF	62+P3 IF IN I esent a vice/at  ION SURE LI ES-PEAK NF	EYES and eastention	Fake off Rinse sy to do n. AIR (mg/r OSHA ppm	n³)	OTHER
CHEMICAL NAME(S) WATER ENZYME BLEND	contamir continuo – Co	313 – If skin i nated clothing pusly with wate ue rinsing. P3 DIT OF REAC DMPOSIT  RTECS No. ZC0110000	and wash it ber for several m 37+P313 – If e H OF CHILDR  TON & INC  EINECS No. 231-791-2	s: Get med pefore reus inutes. Re ye irritation EN GREDII	ENT  ACC  PP  TLV  NA	INF  GIH  STEL  NA	S51+P3 I lenses I lenses I medi  ORM  ES- TWA  NF	n. P3 338 – s if preical ad  IAT  EXPO NOHSC ppm ES- STEL NF	62+P3 IF IN I esent a vice/at  ION SURE LI ES-PEAK NF	EYES and eastention	AIR (mg/r OSHA ppm STEL I NA	n³)	OTHER
CHEMICAL NAME(S) WATER	CAS No. 7732-18-5 NA 68439-46-3 Eye Dam. 1; h	313 – If skin i nated clothing pusly with wate ue rinsing. P3 DUT OF REAC DMPOSIT  RTECS No. ZC0110000  NA  NA  NA  NA  1318	and wash it ber for several m 37+P313 – If e H OF CHILDR  TON & INC  EINECS No.  231-791-2  NA	s: Get med pefore reus inutes. Re ye irritation EN  GREDII  % 60-100  5-15	ENT ACC PP TLV NA NA	INF  GIH  STEL  NA  NA	ORM  ES-TWA NF  NF	n. P3 338 — s if preical ad  MAT  EXPO NOHSC ppm ES- STEL NF	62+P3 IF IN I esent a vice/at  ION SURE LI ES-PEAK NF NF	EYES and eastention	AIR (mg/r OSHA ppm STEL I NA	m³)  DLH NA NA	OTHER
CHEMICAL NAME(S) WATER ENZYME BLEND 1-ETHOXYNONANE	CAS No. 7732-18-5 NA 68439-46-3	313 – If skin i nated clothing pusly with wate ue rinsing. P3 DUT OF REAC DMPOSIT  RTECS No. ZC0110000  NA  NA  NA  NA  1318	and wash it ber for several m 37+P313 – If e H OF CHILDR  ION & INC  EINECS No. 231-791-2	s: Get med pefore reus inutes. Re ye irritation EN  GREDII  % 60-100	ENT  ACC  PP  TLV  NA	INF  GIH  STEL  NA	S51+P3 t lense t medi  ORN  ES- TWA NF	n. P3 338 — s if preical ad  MAT  EXPO NOHSC ppm ES- STEL NF	62+P3 IF IN I esent a vice/at  ION SURE LI  ES-PEAK NF	EYES and eastention	AIR (mg/r OSHA ppm STEL I NA	m³) DLH NA	OTHER
CHEMICAL NAME(S) WATER ENZYME BLEND	CAS No. 7732-18-5 NA 68439-46-3 Eye Dam. 1; H 5324-84-5 Skin Corr. 1B;	313 – If skin i nated clothing pusly with wate ue rinsing. P3 DUT OF REAC DMPOSIT  RTECS No. ZC0110000  NA  NA  NA  NA  1318	rritation occurs and wash it ber for several m 37+P313 – If e H OF CHILDR  TON & INC  EINECS No.  231-791-2  NA  500-446-0  226-195-4 314, H318	s: Get med pefore reus inutes. Re ye irritation EN  GREDII  % 60-100  5-15  0.5-3	ENT ACC PP TLV NA NA NA	INF  INF  GIH  NA  NA  NA	ORM  ES- TWA  NF  NF	n. P3 338 — s if preical ad  MAT  EXPO NOHSC ppm ES- STEL NF NF	62+P3 IF IN I esent a vice/at  ION SURE LI ES-PEAK NF NF	EYES and eastention  MITS IN  PEL  NA  NA  NA	AIR (mg/r OSHA ppm STEL I NA NA	n³)  DLH NA NA NA	OTHER
CHEMICAL NAME(S) WATER ENZYME BLEND 1-ETHOXYNONANE SODIUM OCTANE SULFONATE	CAS No.  7732-18-5  NA  68439-46-3  Eye Dam. 1; H 5324-84-5  Skin Corr. 18; 1003-07-2	313 – If skin i nated clothing pusly with wate ue rinsing. P3 DUT OF REAC DMPOSIT  RTECS No. ZC0110000  NA  NA  1318  NA  ; Eye Dam. 1; H3	rritation occurs and wash it ber for several m 37+P313 – If e H OF CHILDR  TON & INC  EINECS No.  231-791-2  NA  500-446-0  226-195-4 314, H318 696-206-9	### STEP STEP STEP STEP STEP STEP STEP STEP	ENT ACC PP TLV NA NA NA	INF	ORM  ES- TWA  NF  NF  NF	n. P3 338 — s if preical ad  IAT  EXPO NOHSC ppm ES- STEL NF NF NF	62+P3 IF IN I esent a vice/at  ION SURE LI ES-PEAK NF NF NF	EYES and eastention  MITS IN  PEL  NA  NA  NA	Fake off Rinse Sy to do N.  AIR (mg/n OSHA PPM STEL I NA NA NA NA	n³) DLH NA NA NA NA NA	OTHER
CHEMICAL NAME(S) WATER ENZYME BLEND 1-ETHOXYNONANE	CAS No. 7732-18-5 NA 68439-46-3 Eye Dam. 1; H 5324-84-5 Skin Corr. 18; 1003-07-2 Acute Tox. 4;	313 – If skin i nated clothing pusly with wate ue rinsing. P3 DUT OF REAC DMPOSIT  RTECS No. ZC0110000  NA  NA  1318  NA  ; Eye Dam. 1; H; Skin Irrit. 2; Eye	rritation occurs and wash it ber for several m 37+P313 – If e H OF CHILDR  TION & INC  EINECS No.  231-791-2  NA  500-446-0  226-195-4 314, H318 696-206-9 Irrit. 2; Acute To	### STOT \$	ENT ACC PP TLV NA NA NA NA NA SE 3 (Lucian)	INF	ORN  ES-TWA NF NF NF NF	n. P3 338 — s if preical ad  IAT  EXPO NOHSC ppm ES- STEL NF NF NF NF	62+P3 IF IN I esent a vice/at  ION SURE LI ES-PEAK NF NF NF NF NF	PEL NA	Fake off - Rinse sy to do n.  LAIR (mg/n OSHA ppm STEL I NA	n³)  DLH NA NA NA NA NA 5	
CHEMICAL NAME(S) WATER ENZYME BLEND 1-ETHOXYNONANE SODIUM OCTANE SULFONATE	CAS No.  7732-18-5  NA  68439-46-3  Eye Dam. 1; H 5324-84-5  Skin Corr. 1B; 1003-07-2  Acute Tox. 4; 5989-27-5	313 – If skin i nated clothing pusly with wate ue rinsing. P3 DIT OF REAC DMPOSIT  RTECS No. ZC0110000  NA  NA  NA  1318  NA  ; Eye Dam. 1; H3  Skin Irrit. 2; Eye  GW6360000	rritation occurs and wash it ber for several m 37+P313 – If e H OF CHILDR  ION & INC  EINECS No. 231-791-2  NA  500-446-0  226-195-4 314, H318 696-206-9 Irrit. 2; Acute To 227-813-5	### STEP STEP STEP STEP STEP STEP STEP STEP	ENT ACC PP TLV NA NA NA	INF	ORM  ES- TWA  NF  NF  NF	n. P3 338 — s if preical ad  IAT  EXPO NOHSC ppm ES- STEL NF NF NF	62+P3 IF IN I esent a vice/at  ION SURE LI ES-PEAK NF NF NF	EYES and eastention  MITS IN  PEL  NA  NA  NA	Fake off - Rinse sy to do n.  LAIR (mg/n OSHA ppm STEL I NA	n³)  DLH NA NA NA NA NA 5	OTHER
CHEMICAL NAME(S)  WATER  ENZYME BLEND  1-ETHOXYNONANE  SODIUM OCTANE SULFONATE  ISOTHIAZOLINONE	CAS No.  7732-18-5  NA  68439-46-3  Eye Dam. 1; H 5324-84-5  Skin Corr. 1B; 1003-07-2  Acute Tox. 4; 5989-27-5  Flam. Liq. 3, \$	313 – If skin i nated clothing pusly with wate ue rinsing. P3 DUT OF REAC  DMPOSIT  RTECS No.  ZC0110000  NA  NA  NA  1318  NA  ; Eye Dam. 1; H; Skin Irrit. 2; Eye GW6360000 Skin Irrit. 2, Skin	rritation occurs and wash it ber for several m 37+P313 – If e H OF CHILDR  TON & INC  EINECS No. 231-791-2  NA  500-446-0  226-195-4 314, H318 696-206-9 EIRIT, 2; Acute To 227-813-5 Sens. 1	### STOT STORM	ENT  ACC  PP  TLV  NA  NA  NA  NA  NA  NA  NA  NA  NA  N	INF  GIH  NA  NA  NA  NA  NA  NA  NA  NA	ORM  ES-TWA NF NF NF NF NF NF	n. P3 338 — s if preical ad  IAT  EXPO NOHSC ppm ES- STEL NF  NF  NF  NF	62+P3 IF IN I esent a vice/at  ION SURE LI  ES-PEAK NF NF NF NF NF	PEL NA	AIR (mg/r OSHA ppm STEL NA N	NA NA NA NA NA NA NA NA NA	ALLERGEN
CHEMICAL NAME(S)  WATER  ENZYME BLEND  1-ETHOXYNONANE  SODIUM OCTANE SULFONATE  ISOTHIAZOLINONE	CAS No.  7732-18-5  NA  68439-46-3  Eye Dam. 1; H 5324-84-5  Skin Corr. 1B; 1003-07-2  Acute Tox. 4; 5989-27-5  Flam. Liq. 3, \$68956-56-9	313 – If skin i nated clothing pusly with wate ue rinsing. P3 DIT OF REAC DMPOSIT  RTECS No. ZC0110000  NA  NA  NA  1318  NA  Skin Irrit. 2; Eye GW6360000  Skin Irrit. 2, Skin NA	rritation occurs and wash it ber for several m 37+P313 – If e H OF CHILDR  ION & INC  EINECS No. 231-791-2  NA  500-446-0  226-195-4 314, H318 696-206-9 EIRIT. 2; Acute To 227-813-5 Sens. 1 273-309-3	### STOT STORM	ENT ACC PP TLV NA	INF	ORN  ES-TWA NF NF NF NF	n. P3 338 — s if preical ad  IAT  EXPO NOHSC ppm ES- STEL NF NF NF NF	62+P3 IF IN I esent a vice/at  ION SURE LI ES-PEAK NF NF NF NF NF	PEL NA	AIR (mg/r OSHA ppm STEL NA	nn³)  DLH NA NA NA NA NA NA NA NA	
CHEMICAL NAME(S) WATER ENZYME BLEND 1-ETHOXYNONANE SODIUM OCTANE SULFONATE ISOTHIAZOLINONE ORANGE TERPENES	CAS No.  7732-18-5  NA  68439-46-3  Eye Dam. 1; H 5324-84-5  Skin Corr. 1B; 1003-07-2  Acute Tox. 4; 5989-27-5  Flam. Liq. 3, 8 68956-56-9  Flam. Liq. 3, 4	313 – If skin i nated clothing pusly with wate ue rinsing. P3 PUT OF REAC  DMPOSIT  RTECS No. ZC0110000  NA  NA 1318  NA ; Eye Dam. 1; H3 Skin Irrit. 2; Eye GW6360000 Skin Irrit. 2, Skin NA Asp. Tox. 1, Skir	EINECS No.  231-791-2  NA  500-446-0  226-195-4 314, H318 696-206-9 Irrit. 2; Acute To 227-813-5 Sens. 1 273-309-3 Irrit. 2, Eye	### STOT S    Country   Country	ENT  ACC  PP  TLV  NA  NA  NA  NA  NA  NA  NA  NA  NA  N	INF INF STEL NA NA NA NA NA NA NA	ORM  ES-TWA NF	n. P3 338 — s if pre ical ad  IAT  EXPO NOHSC ppm ES- STEL NF  NF  NF  NF  NF  NF	62+P3 IF IN I esent a vice/at  ION SURE LI  ES-PEAK NF NF NF NF NF NF NF NF	PEL NA NA NA NA NA NA NA NA NA	AIR (mg/r OSHA ppm STEL I NA	NA NA NA NA NA NA NA NA NA	ALLERGEN
CHEMICAL NAME(S) WATER ENZYME BLEND 1-ETHOXYNONANE SODIUM OCTANE SULFONATE ISOTHIAZOLINONE ORANGE TERPENES	CAS No.  7732-18-5  NA  68439-46-3  Eye Dam. 1; H 5324-84-5  Skin Corr. 1B; 1003-07-2  Acute Tox. 4; 5989-27-5  Flam. Liq. 3, \$68956-56-9  Flam. Liq. 3, \$4, \$1, \$2, \$3, \$4, \$4, \$5, \$4, \$5, \$6, \$4, \$5, \$6, \$6, \$6, \$6, \$6, \$6, \$6, \$6, \$6, \$6	313 – If skin i nated clothing pusly with wate ue rinsing. P3 PUT OF REAC  DMPOSIT  RTECS No. ZC0110000  NA  NA 1318  NA ; Eye Dam. 1; H; GW6360000 Skin Irrit. 2; Eye GW6360000 NA  Asp. Tox. 1, Skin	EINECS No.  231-791-2  NA  500-446-0  226-195-4 314, H318 696-206-9 Irrit. 2; Acute To 227-813-5 Sens. 1 273-309-3 Irrit. 2, Eye Irrit. 202-086-7	### STOT STORM	ENT ACC PP TLV NA	INF  GIH  NA  NA  NA  NA  NA  NA  NA  NA	ORM  ES-TWA NF NF NF NF NF NF	n. P3 338 — s if preical ad  IAT  EXPO NOHSC ppm ES- STEL NF  NF  NF  NF	62+P3 IF IN I esent a vice/at  ION SURE LI  ES-PEAK NF NF NF NF NF	PEL NA	AIR (mg/r OSHA ppm STEL I NA	NA NA NA NA NA NA NA NA NA	ALLERGEN
CHEMICAL NAME(S) WATER ENZYME BLEND 1-ETHOXYNONANE SODIUM OCTANE SULFONATE ISOTHIAZOLINONE ORANGE TERPENES DIPENTENE	CAS No.  7732-18-5  NA  68439-46-3  Eye Dam. 1; h 5324-84-5  Skin Corr. 1B; 1003-07-2  Acute Tox. 4; 5989-27-5  Flam. Liq. 3, 8 68956-56-9  Flam. Liq. 3, 4 91-64-5  Acute Tox. Or	313 – If skin in nated clothing pusly with water userinsing. P3 put of REAC DMPOSIT  RTECS No. ZC0110000  NA  NA H318 NA ; Eye Dam. 1; H3 Skin Irrit. 2; Eye GW6360000 Skin Irrit. 2, Skin Irxit. 2, Skin Irxit. 2, Skin Irxit. 3, Skin	rritation occurs and wash it ber for several m 37+P313 – If e H OF CHILDR  ION & INC  EINECS No.  231-791-2  NA  500-446-0  226-195-4 314, H318 696-206-9 Irrit. 2; Acute To 227-813-5 Sens. 1 273-309-3 Irrit. 2, Eye Irrit. 202-086-7 3; H301, H402	### STOT S    Country   Country	ENT ACC PP TLV NA	INF INF STEL NA NA NA NA NA NA NA NA	ORN  ES- TWA NF	n. P3 338 — s if preical ad  IAT  EXPO NOHSC ppm ES- STEL NF	62+P3 IF IN I esent a vice/at	PEL NA NA NA NA NA NA NA NA	AIR (mg/r OSHA ppm STEL I NA NA NA NA NA NA NA NA NA	NA	ALLERGEN ALLERGEN
CHEMICAL NAME(S) WATER ENZYME BLEND 1-ETHOXYNONANE SODIUM OCTANE SULFONATE ISOTHIAZOLINONE ORANGE TERPENES DIPENTENE	CAS No.  7732-18-5  NA  68439-46-3  Eye Dam. 1; h 5324-84-5  Skin Corr. 1B; 1003-07-2  Acute Tox. 4; 5989-27-5  Flam. Liq. 3, 8 68956-56-9  Flam. Liq. 3, 4 91-64-5  Acute Tox. Or	313 – If skin in nated clothing pusly with water user rinsing. P3 put of REAC DMPOSIT  RTECS No. ZC0110000  NA  NA H318 NA ; Eye Dam. 1; H3 GW6360000 Skin Irrit. 2; Eye GW6360000 Skin Irrit. 2, Skin NA Asp. Tox. 1, Skir	rritation occurs and wash it ber for several m 37+P313 – If e H OF CHILDR  ION & INC  EINECS No.  231-791-2  NA  500-446-0  226-195-4 314, H318 696-206-9 Irrit. 2; Acute To 227-813-5 Sens. 1 273-309-3 Irrit. 2, Eye Irrit. 202-086-7 3; H301, H402 203-376-6	### STOT S    Country   Country	ENT  ACC  PP  TLV  NA  NA  NA  NA  NA  NA  NA  NA  NA  N	INF INF STEL NA NA NA NA NA NA NA	ORM  ES-TWA NF	n. P3 338 — s if pre ical ad  IAT  EXPO NOHSC ppm ES- STEL NF  NF  NF  NF  NF  NF	62+P3 IF IN I esent a vice/at  ION SURE LI  ES-PEAK NF NF NF NF NF NF NF NF	PEL NA NA NA NA NA NA NA NA NA	AIR (mg/r OSHA ppm STEL I NA NA NA NA NA NA NA NA NA	NA NA NA NA NA NA NA NA NA	ALLERGEN
CHEMICAL NAME(S) WATER ENZYME BLEND 1-ETHOXYNONANE SODIUM OCTANE SULFONATE ISOTHIAZOLINONE ORANGE TERPENES DIPENTENE COUMARIN	CAS No.  7732-18-5  NA  68439-46-3  Eye Dam. 1; h 5324-84-5  Skin Corr. 1B; 1003-07-2  Acute Tox. 4; 5989-27-5  Flam. Liq. 3, 8 68956-56-9  Flam. Liq. 3, 4 91-64-5  Acute Tox. Or	313 – If skin in nated clothing pusly with water user rinsing. P3 put of REAC DMPOSIT  RTECS No. ZC0110000  NA  NA H318 NA ; Eye Dam. 1; H3 GW6360000 Skin Irrit. 2; Eye GW6360000 Skin Irrit. 2, Skin NA Asp. Tox. 1, Skir	rritation occurs and wash it ber for several m 37+P313 – If e H OF CHILDR  ION & INC  EINECS No.  231-791-2  NA  500-446-0  226-195-4 314, H318 696-206-9 Irrit. 2; Acute To 227-813-5 Sens. 1 273-309-3 Irrit. 2, Eye Irrit. 202-086-7 3; H301, H402	### STOT S    Country   Country	ENT ACC PP TLV NA	INF INF STEL NA NA NA NA NA NA NA NA	ORN  ES- TWA NF	n. P3 338 — s if preical ad  IAT  EXPO NOHSC ppm ES- STEL NF	62+P3 IF IN I esent a vice/at	PEL NA NA NA NA NA NA NA NA	AIR (mg/r OSHA ppm STEL I NA NA NA NA NA NA NA NA	n³) DLH NA	ALLERGEN ALLERGEN



Page 2 of 6 **BB-006** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1

SDS Revision Date: 1/25/2020

			4. FIRST AID MEASURES				
4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting. If product IMMEDIATELY. If the patient is vomiting, contint to an unconscious person. Contact the nearest Provide an estimate of the time at which the substance that was swallowed.	nue to offer w Poison Contr	ater or milk. No ol Center or lo	Never give w cal emergen	ater or milk cy number.
		Eyes:	Splashes are not likely; however, if product lukewarm water for at least 15 minutes. If irritati				amounts of
		Skin:	If irritation occurs and product is on the skin, rithorough washing of the affected area with spersists, contact a physician immediately.				
4.2	Effects of Exposure:	Inhalation:	Remove victim to fresh air at once.				
4.2	Lifetis of Exposure.	Ingestion: Eyes: Skin:	Abdominal pain, stomach upset, nausea, vomitin Irritating to the eyes.  Contact with the skin during product use is not may cause an allergic reaction in some sensitive	expected to r		cant irritatior	n. However,
4.3	Symptoms of Overexposure:	Inhalation:	Irritation to the nose, throat and other tissues of				
+.3	Symptoms of Overexposure.	Ingestion: Eyes:	Signs/symptoms may include abdominal pain, substituting to the eyes. Signs/symptoms may include abdominal pain, substituting to the eyes.	•		Ü	
		Skin: Inhalation:	Signs/symptoms may include headache, dizzin reaction time, slurred speech, giddiness, and un	s, itching, dry tive individua swelling, blist ng to the no ude cough, s Central Ne ness, drowsir consciousness	ving and crack ils. Allergic slatering, and itch ose, throat an neezing, nasa ervous Syster ness, incoordings	king of skin. kin reaction ing. d other tiss I discharge, n (CNS) [ nation, naus	However, (non-photo sues of the headache, Depression: ea, slowed
4.4	Acute Health Effects:		rate irritation to eyes and skin near affected area	s. Additional	lly, high conce	ntrations of	vapors can
4.5	Chronic Health Effects:	None known.	ness, dizziness, headaches and nausea.				
4.6	Target Organs:	1	espiratory System, Central Nervous System (CNS)				
4.7	Medical Conditions Aggravated by Exposure:	_	ermatitis, other skin conditions, and disorders of	HEALTH			1
	Exposure.	the target orga	ans (eyes, skin, and respiratory system).	<b>FLAMMA</b>	BILITY		0
				PHYSICA	L HAZARDS	3	0
				PROTECT EYES	TIVE EQUIPI SKIN	MENT	В
			5. FIREFIGHTING MEASURES				
5.1	Fire & Explosion Hazards:	Non-flammahl	e. Use media as appropriate for surrounding fire.				
5.2	Extinguishing Methods:		e, foam, water spray, Halon (if permitted), dry cher	nical extinguis	sher.		
5.3	Firefighting Procedures:	As with any MSHA/NIOSH protective cle degradation makes because the should be	fire, firefighters should wear appropriate prote approved or equivalent self-contained breath othing. Hazardous decomposition products may produce oxides of carbon, and/or nitrogen, hyder fought from a safe distance. Prevent runoff from the fought from a safe distance.	ctive equipm ing apparatu ay be rele rocarbons an m fire control	ent including us (SCBA) ar eased. Therm d/or derivative	nd al s.	00
		6. A	ACCIDENTAL RELEASE MEASU	RES			
6.1	Spills:	1	ng any spill or leak, individuals involved in spill of		wear appropri	ate Persona	I Protective
		Equipment.  For small spil Maximize ven absorbent ma with local, stat and soap. Re For large spill material (e.g., containers for	Is (e.g., < 1 gallon (3.8 L)) wear appropriate pers tilation (open doors and windows) and secure all terial and place into appropriate closed container( te and federal regulations. Wash all affected areas move any contaminated clothing and wash thoroug s (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unpro bentonite, vermiculite, or commercially available recovery or disposal and solid diking material to clothing promptly and wash affected skin areas wi	sonal protective sources of ices of or disposal and outside ghly before retected individed inorganic alseparate cor	we equipment gnition. Remo al. Dispose of of container wiuse. Juals. Dike an osorbent mate ntainers for pro	(e.g., goggle ve spilled m properly in ith plenty of d contain sp rial). Trans oper disposa	es, gloves). naterial with accordance warm water will with inert fer liquid to al. Remove



Stability

Hazardous Decomposition Products:

Hazardous Polymerization:

Incompatible Substances:

Conditions to Avoid

10 1 10.2

10.3

10.4

10.5

## SAFETY DATA SHEET

Page 3 of 6

**BB-006** Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 1/25/2020 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water. Avoid 7 1 Work & Hygiene Practices: breathing of vapors, mists or spray. Avoid prolonged or repeated skin contact. Wash hands after handling, and before eating. Avoid breathing of dust created by sanding, grinding or machining. When polishing with product, keep moist to avoid dust. Keep containers sealed at all times, store in well-ventilated area. Store away from areas where product may come Storage & Handling: 7.2 into contact with food or pharmaceuticals. Store away from oxidizing agents 7.3 Special Precautions: Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 **Exposure Limits: ACGIH** NOHSC OSHA OTHER FSppm (mg/m<sup>3</sup>) ES-CHEMICAL NAME(S) TLV STEL **TWA** STEL **PEAK** PROPRIETARY TRADE SECRET 75 96.9 NF 75 50 (20)700 8.2 Ventilation & Engineering Controls: Provide appropriate local exhaust ventilation on open containers. When using keep the product moist at all times. Use in an enclosed process area is recommended. Use in a well-ventilated area. Do not use in a confined area or areas with little or no air movement. 8.3 Respiratory Protection: Avoid breathing of vapors, mists or spray. No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.4 Eve Protection: Wear safety glasses. If necessary, refer to U.S. OSHA 29 CFR Avoid eye contact. §1910.133, Canadian standards, or the European Standard EN166. 8.5 Hand Protection: Avoid skin contact. Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible materials. Gloves made from the following material(s) are recommended: Nitrile Rubber. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states Body Protection: 8.6 No special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Clear liquid Appearance: 9.2 Odor: Mild to no odor 93 Odor Threshold: NA 94 NA 9.5 Melting Point/Freezing Point: NA 9.6 Initial Boiling Point/Boiling Range: 100 °C (212 °F) Flashpoint: 9.7 NA 9.8 Upper/Lower Flammability Limits: NA Vapor Pressure: 17.5 mm @ 25 °C (77 °F) 9.9 9.10 Vapor Density 1.1 (Air = 1.0)9.11 Relative Density: 9.12 Solubility: Moderately soluble in water @ 32 °F 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9.16 Viscosity NA Evaporation Rate: Negligible; VOC: 0.0% Other Information: 9.17 10. STABILITY & REACTIVITY

Stable under ambient conditions when stored properly (see section 7, Storage and Handling)

nitrogen and carbon oxide gases (e.g. NOx, CO, CO2).

High temperatures and incompatible substances.

Hazardous polymerization will not occur.

Strong oxidizing agents.

If exposed to extremely high temperatures, the products of thermal decomposition may include irritation vapors and



Page 4 of 6 **BB-006** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 1/25/2020 11. TOXICOLOGICAL INFORMATION Routes of Entry: Inhalation: YES Absorption: YES 11.1 Ingestion: YES Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product but is not presented in this document 11.3 Acute Toxicity: See Section 4.4 11.4 Chronic Toxicity: See Section 4.5 11.5 Suspected Carcinogen: NA Reproductive Toxicity: 11.6 This product is not reported to cause reproductive toxicity in humans Mutagenicity: This product is not reported to cause mutagenic effects in humans. Embryotoxicity: This product is not reported to cause embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 11.8 Biological Exposure Indices: NA 11.9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION Environmental Stability: There are no specific data for this product. Effects on Plants & Animals: 12.2 There are no specific data for this product. 12.3 Effects on Aquatic Life: There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life. 13. DISPOSAL CONSIDERATIONS Waste Disposal: Waste disposal must be in accordance with appropriate Federal, state, and local regulations Special Considerations: 13.2 Reclaim product if feasible. As a disposal alternative, dispose of waste product in a facility permitted to accept chemical waste. 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND) **NOT REGULATED** 14.2 IATA (AIR): **NOT REGULATED** 14.3 IMDG (OCN): **NOT REGULATED** 14.4 TDGR (Canadian GND): **NOT REGULATED** ADR/RID (EU): 14.5 **NOT REGULATED** SCT (MEXICO): NOT REGULATED 14.7 ADGC (AUS): NOT REGULATED 15. REGULATORY INFORMATION 15.1 SARA Reporting Requirements: This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements. 15.2 SARA Threshold Planning Quantity: There are no specific Threshold Planning Quantities for the components of this product. 15.3 TSCA Inventory Status The components of this product are listed on the TSCA Inventory. 15.4 CERCLA Reportable Quantity (RQ): NA 15.5 Other Federal Requirements: This product does not contain any substances identified as Hazardous Air Pollutants (HAPs). 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class D2B (Other Toxic Effects) No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state 15.7 State Regulatory Information: criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer or other reproductive 15.8 Other Requirements: harm. For more information go to www.P65Warnings.ca.gov



Page 5 of 6

**BB-006** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 1/25/2020

		16. OTHER INFORMATION
16.1	Other Information:	WARNING! CAUSES SERIOUS EYE IRRITATION. CAUSES MILD SKIN IRRITATION. Wash hands and exposed skin areas with soap and warm water thoroughly after handling. Wear protective gloves/protective clothing/eye protection. IF ON SKIN: Wash with soap and warm water thoroughly after handling. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists: Get medical advice/attention.  KEEP OUT OF REACH OF CHILDREN.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Boat Bling's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
16.4	Prepared for:	Boat Bling, Inc. 1725 W Williams Dr, Suite 63 Phoenix, AZ 85027 USA Tel: +1 (800) 846-4899 Fax: +1 (623) 561-8106 https://www.boatbling.net https://www.blingsauce.com
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com



Page 6 of 6 **BB-006** 

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 1/25/2020

### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



#### PERSONAL PROTECTION RATINGS:

Α			
В			
С		TA A	
D	<b>ELA</b>	THE STATE OF THE S	
Ε			
F		THE STATE OF THE S	





#### OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:			
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			

#### **HAZARD RATINGS:**

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	<b>─</b> / <b>▼ ₩ &gt;</b>
W	Use No Water	HEALTH 🔪
ох	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TDio	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TDIo, LDIo, & LDo or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

### REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>®</b>			$\Theta$	<b>®</b>		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$	A PARTIES AND A		<b>\limits</b>		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment