

Page 1 of 6 **BB-016**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 1.0 SDS Revision Date: 5/9/2023

1.2 Ch 1.3 Sy 1.4 Tra 1.5 Pro 1.6 Dis 1.7 Dis 1.8 Em 1.9 Bu 2.1 Ha	Product Name: Chemical Name: Chemical Name: Chypnonyms: Frade Names: Product Use: Distributor's Name: Distributor's Address: Emergency Phone: Clausiness Phone / Fax: Idazard Identification: Label Elements:	PERS + 1 POISON (+1 (800) 846 Prepared in 1910.1200, hazardous s Code (Austr WARNING! Classificatio Hazard Stat irritation. Precautiona warm water protection. I handling. F	lution loat & RV Sicola & RV S	oap oap oap iite 63, Phoeni: 3-8253 / +1 DL CENTRE (623) 561-810 AZARDS I ce with UN (WHMIS and A BUT NOT as (MILD SKIN IR . 3, Eye Irrit. 2/): H316 — Car nts (P): P264 after handling	(801) 6 S: NZ: (6 DENT) Globally Hustralian Valangerous RITATION A Uses mild - Wash h	29-06 0800 IFICA larmon Work H s goods I. CAU	ATIC nized selections according to the selection of the s	ON standar and Sa ording to	ds. Interest of the clusters and the clusters are the clu	ended to andards assifica	o comply. This prition crite	y with oduct in ria of V	OSHA 29 CF s classified as WHSR and AD
1.3 Sy 1.4 Tra 1.5 Pro 1.6 Dis 1.7 Dis 1.8 Em 1.9 Bu 2.1 Ha	irade Names: rrade Names: rroduct Use: Distributor's Name: Distributor's Address: Imergency Phone: Issusiness Phone / Fax: Islazard Identification:	Aqueous So Boat Bling B Boat Bling B Boat & RV C Boat Bling, II 1725 W Willi PERS + 1 POISON (+1 (800) 846 Prepared in 1910.1200, hazardous s Code (Austr WARNING! Classificatio Hazard Stat irritation. Precautiona warm water protection. I handling. F	lution loat & RV Sicola & RV S	oap oap oap iite 63, Phoeni: 3-8253 / +1 DL CENTRE (623) 561-810 AZARDS I ce with UN (WHMIS and A BUT NOT as (MILD SKIN IR . 3, Eye Irrit. 2/): H316 — Car nts (P): P264 after handling	(801) 6 S: NZ: (6 DENT) Globally Hustralian Valangerous RITATION A Uses mild - Wash h	29-06 0800 IFICA larmon Work H s goods I. CAU	ATIC nized selections according to the selection of the s	ON standar and Sa ording to	ds. Interest of the clusters and the clusters are the clu	ended to andards assifica	o comply. This prition crite	y with oduct in ria of V	s classified as
1.4 Trail 1.5 Prod 1.6 Dis 1.7 Dis 1.8 Em 1.9 Bu 2.1 Ha	rade Names: rroduct Use: bistributor's Name: bistributor's Address: imergency Phone: bissiness Phone / Fax: lazard Identification:	Boat Bling B Boat Bling B Boat & RV C Boat Bling, II 1725 W Willi PERS + 1 POISON (+1 (800) 846 Prepared in 1910.1200, hazardous s Code (Austr WARNING! Classificatio Hazard Stat irritation. Precautiona warm water protection. I handling. F	coat & RV Schoot &	ite 63, Phoening 3-8253 / +1 L CENTRE (623) 561-810 AZARDS I CE WITH UN COMMIS and A BUT NOT as community with the community of the communit	(801) 6 S: NZ: (6 DENT) Globally Hustralian Valangerous RITATION A Uses mild - Wash h	29-06 0800 IFICA larmon Work H s goods I. CAU	ATIC nized selections according to the selection of the s	ON standar and Sa ording to	ds. Interest of the clusters and the clusters are the clu	ended to andards assifica	o comply. This prition crite	y with oduct in ria of V	s classified as
1.4 Tra 1.5 Pro 1.6 Dis 1.7 Dis 1.8 Em 1.9 Bu 2.1 Ha	rade Names: rroduct Use: bistributor's Name: bistributor's Address: imergency Phone: bissiness Phone / Fax: lazard Identification:	Boat Bling B Boat & RV C Boat Bling, II 1725 W Willi PERS + 1 POISON (+1 (800) 846 Prepared in 1910.1200, hazardous s Code (Austr WARNING! Classificatio Hazard Stat irritation. Precautiona warm water protection. I handling. F	coat & RV Scleaner nc. iams Dr, Su (800) 63 CONTRO 6-4899 / +1 2. HA n accordan Canadian \ substance E ralia). CAUSES on: Skin Irrit. tements (H	ite 63, Phoening 3-8253 / +1 L CENTRE (623) 561-810 AZARDS I CE WITH UN COMMIS and A BUT NOT as community with the community of the communit	(801) 6 S: NZ: (6 DENT) Globally Hustralian Valangerous RITATION A Uses mild - Wash h	29-06 0800 IFICA larmon Work H s goods I. CAU	ATIC nized selections according to the selection of the s	ON standar and Sa ording to	ds. Interest of the clusters and the clusters are the clu	ended to andards assifica	o comply. This prition crite	y with oduct in ria of V	s classified as
1.5 Prof. 1.6 Dist. 1.7 Dist. 1.8 Em. 1.9 Bu. 2.1 Ha	rroduct Use: Distributor's Name: Distributor's Address: Distributor's Name: Distributor's Name: Distributor's Name: Distributor's Name: Distributor's Name: Distributor's Name: Distributor's Address: Distrib	Boat & RV C Boat Bling, li 1725 W Willi PERS + 1 POISON (+1 (800) 846 Prepared in 1910.1200, hazardous s Code (Austr WARNING! Classificatio Hazard Stati irritation. Precautiona warm water protection. I handling. F	Cleaner nc. iams Dr, Su (800) 63 CONTRO 6-4899 / +1 2. HA n accordan Canadian \ substance E ralia). CAUSES on: Skin Irrit. tements (H	ite 63, Phoeni: 3-8253 / +1 DL CENTRE (623) 561-810 AZARDS I Ce with UN (WHMIS and A BUT NOT as (MILD SKIN IR . 3, Eye Irrit. 2/): H316 — Ca nts (P): P264 after handling	(801) 6 S: NZ: (6 DENT) Globally Hustralian Valangerous RITATION A Uses mild - Wash h	29-06 0800 IFICA larmon Work H s goods I. CAU	ATIC nized selections according to the selection of the s	ON standar and Sa ording to	ds. Interest of the clusters and the clusters are the clu	ended to andards assifica	o comply. This prition crite	y with oduct in ria of V	s classified as
1.6 Dis 1.7 Dis 1.8 Em 1.9 Bu 2.1 Ha	Distributor's Name: Distributor's Address: Distributor's Address: Distributor's Address: Distributor's Address: Distributor's Address: Distributor's Name: Distributor's Address: Distributor's A	Prepared in 1910.1200, hazardous s Code (Austr WARNING! Classification Precautional warm water protection. I handling. F	nc. iams Dr, Su (800) 63 CONTRO 6-4899 / +1 2. HA n accordan \ Canadian \ Substance E ralia). CAUSES on: Skin Irrit. tements (H	3-8253 / +1 DL CENTRE (623) 561-810 AZARDS I CE WITH UN COMMIS and A BUT NOT as COMMILD SKIN IR 3, Eye Irrit. 2/): H316 — Cants (P): P264 after handling	(801) 6 S: NZ: (6 DENT) Globally Hustralian Valangerous RITATION A Uses mild - Wash h	29-06 0800 IFICA larmon Work H s goods I. CAU	ATIC nized selections according to the selection of the s	ON standar and Sa ording to	ds. Interest of the clusters and the clusters are the clu	ended to andards assifica	o comply. This prition crite	y with oduct in ria of V	s classified as
1.7 Dis 1.8 Em 1.9 Bu 2.1 Ha	istributor's Address: imergency Phone: iusiness Phone / Fax: lazard Identification:	Prepared in 1910.1200, hazardous s Code (Austr WARNING! Classification Precautional warm water protection. I handling. F	iams Dr, Su (800) 63 CONTRO 6-4899 / +1 2. HA n accordan Canadian \ substance E ralia). CAUSES on: Skin Irrit. tements (H	3-8253 / +1 DL CENTRE (623) 561-810 AZARDS I CE WITH UN COMMIS and A BUT NOT as COMMILD SKIN IR 3, Eye Irrit. 2/): H316 — Cants (P): P264 after handling	(801) 6 S: NZ: (6 DENT) Globally Hustralian Valangerous RITATION A Uses mild - Wash h	29-06 0800 IFICA larmon Work H s goods I. CAU	ATIC nized selections according to the selection of the s	ON standar and Sa ording to	ds. Interest of the clusters and the clusters are the clu	ended to andards assifica	o comply. This prition crite	y with oduct in ria of V	s classified as
1.8 Em 1.9 Bu 2.1 Ha	imergency Phone: iusiness Phone / Fax: lazard Identification:	PERS + 1 POISON (+1 (800) 846 Prepared in 1910.1200, hazardous s Code (Austr WARNING! Classificatio Hazard Stat irritation. Precautiona warm water protection. I handling. F	(800) 63 CONTRO 6-4899 / +1 2. HA n accordant Canadian tale substance Eralia). CAUSES to CAUSE to CAU	3-8253 / +1 DL CENTRE (623) 561-810 AZARDS I CE WITH UN COMMIS and A BUT NOT as COMMILD SKIN IR 3, Eye Irrit. 2/): H316 — Cants (P): P264 after handling	(801) 6 S: NZ: (6 DENT) Globally Hustralian Valangerous RITATION A Uses mild - Wash h	29-06 0800 IFICA larmon Work H s goods I. CAU	ATIC nized selections according to the selection of the s	ON standar and Sa ording to	ds. Interest of the clusters and the clusters are the clu	ended to andards assifica	o comply. This prition crite	y with oduct in ria of V	s classified as
2.1 Ha	lusiness Phone / Fax:	POISON (+1 (800) 846 Prepared in 1910.1200, hazardous s Code (Austr WARNING! Classification Hazard Statirritation. Precautiona warm water protection. I handling. F	2. HA a accordance Canadian Nasubstance Eralia). CAUSES In Skin Irrit. tements (Haman Statements)	CENTRE (623) 561-810 AZARDS I CE WITH UN COMMINS AND A BUT NOT AS COMMINS AND A MILD SKIN IR 1. 3, Eye Irrit. 2/ 1. H316 — Can nts (P): P264 after handling	S: NZ: (6 DENT) Blobally Fustralian Value angerous RITATION Luses mild - Wash h	JFICA Jarmon Work F goods J. CAL	ATIC sized s Health s acco	ON standar and Sa ording to	ds. Interest of the clusters and the clusters are the clu	ended to andards assifica	o comply. This prition crite	y with oduct in ria of V	s classified as
2.1 Ha	lazard Identification:	+1 (800) 846 Prepared in 1910.1200, hazardous s Code (Austr WARNING! Classification Hazard Statirritation. Precautiona warm water protection. I handling. F	2. HA n accordant Canadian Values Stance Eralia). CAUSES In: Skin Irrit. tements (Harry Stateme Introoughly)	AZARDS I ce with UN (WHMIS and A BUT NOT as (MILD SKIN IR . 3, Eye Irrit. 2/): H316 — Car nts (P): P264 after handling	DENT Globally Fustralian Values mild Wash Fustralian Values mild	IFICA Iarmon Work H s goods I. CAU	ATIC nized s Health s acco	ON standar and Sa ording t	rds. Inte afety sta o the cl	ended to andards assifica	o comply . This prition crite	oduct is	s classified as
2.1 Ha	lazard Identification:	Prepared in 1910.1200, hazardous s Code (Austr WARNING! Classificatio Hazard Statirritation. Precautiona warm water protection. I handling. F	2. HA n accordancy Canadian V substance E ralia). CAUSES on: Skin Irrit. tements (H ary Stateme thoroughly	AZARDS I ce with UN C WHMIS and A BUT NOT as C MILD SKIN IR . 3, Eye Irrit. 2/): H316 - Cal nts (P): P264 after handling	DENT Blobally Fustralian Value RITATION Luses mild - Wash h	larmon Work H goods I. CAL	ized s Health s acco	standar and Sa ording to SERIO	afety sta to the cl	andards assifica	. This prition crite	oduct is	s classified as
2.2 La		1910.1200, hazardous s Code (Austr WARNING! Classificatio Hazard Stat irritation. Precautiona warm water protection. I handling. F	n accordan Canadian \ substance E ralia). CAUSES on: Skin Irrit. tements (H	ce with UN C WHMIS and A BUT NOT as c MILD SKIN IR . 3, Eye Irrit. 2/): H316 – Ca nts (P): P264 after handling	Globally Fustralian Valangerous RITATION Luses mild - Wash h	larmon Work H goods I. CAL	ized s Health s acco	standar and Sa ording to SERIO	afety sta to the cl	andards assifica	. This prition crite	oduct is	s classified as
2.2 La		1910.1200, hazardous s Code (Austr WARNING! Classificatio Hazard Stat irritation. Precautiona warm water protection. I handling. F	n accordan Canadian \ substance E ralia). CAUSES on: Skin Irrit. tements (H	ce with UN C WHMIS and A BUT NOT as c MILD SKIN IR . 3, Eye Irrit. 2/): H316 – Ca nts (P): P264 after handling	Globally Fustralian Valangerous RITATION Luses mild - Wash h	larmon Work H goods I. CAL	ized s Health s acco	standar and Sa ording to SERIO	afety sta to the cl	andards assifica	. This prition crite	oduct is	s classified as
2.2 La		1910.1200, hazardous s Code (Austr WARNING! Classificatio Hazard Stat irritation. Precautiona warm water protection. I handling. F	Canadian National Canadian Causes Inc. Causes Inc. Skin Irrit. tements (H. ary Stateme thoroughly	WHMIS and A BUT NOT as o MILD SKIN IR . 3, Eye Irrit. 2/): H316 – Ca nts (P): P264 after handling	ustralian Mangerous RITATION A uses mild - Wash h	Work Hambers goods I. CAL skin in	Health s acco	and Sa ording to SERIO	afety sta to the cl	andards assifica	. This prition crite	oduct is	s classified as
	abel Elements:	hazardous s Code (Austr WARNING! Classificatio Hazard Stat irritation. Precautiona warm water protection. I handling. F	substance Eralia). CAUSES In Section 1. Skin Irrit. tements (Harry Statements thoroughly	MILD SKIN IR . 3, Eye Irrit. 2/): H316 – Car nts (P): P264 after handling	dangerous RITATION \(\) uses mild — Wash h	goods I. CAL skin ir	s acco	SERIO	o the cl	assifica	tion crite	ria of V	
	abel Elements:	WARNING! Classificatio Hazard Statirritation. Precautiona warm water protection. I handling. F	CAUSES I on: Skin Irrit. tements (Hings Statements)	. 3, Eye Irrit. 2/): H316 – Car nts (P): P264 after handling	uses mild - Wash h	skin ir							
	.abel Elements:	Classificatio Hazard Statirritation. Precautiona warm water protection. I handling. F	on: Skin Irrit. tements (Harry Statements thoroughly	. 3, Eye Irrit. 2/): H316 – Car nts (P): P264 after handling	uses mild - Wash h	skin ir							
	.abel Elements:	Hazard Statirritation. Precautiona warm water protection. I handling. F	tements (H): H316 – Ca <u>nts</u> (P): P264 after handling	uses mild – Wash h		rritatio	n. H3	19 – Ca	auses s	erious e		
	.abel Elements:	Hazard Statirritation. Precautiona warm water protection. I handling. F	tements (H): H316 – Ca <u>nts</u> (P): P264 after handling	uses mild – Wash h		rritatio	n. H3	19 – Ca	auses s	erious e		
2.3 Ot		irritation. Precautiona warm water protection. I handling. F	ry Stateme thoroughly	nts (P): P264 after handling	– Wash h		iiiaio			44000 0	011040 0	ve i	
2.3 Ot		Precautiona warm water protection. I handling. F	thoroughly	after handling		ondo c						,	
2.3 Ot		warm water protection. I handling. F	thoroughly	after handling			and ex	knosed	skin are	eas with	soan ai	nd	
2.3 Ot		protection. I handling. F			P280 - 1								
2.3 Ot		handling. F	protection. P302+P352 – IF ON SKIN: Wash with soap and warm water thoroughly after handling. P321 – For specific first aid treatment (see section 4 of this Safety Data Sheet)										
2.3 Ot		handling. P321 – For specific first aid treatment (see section 4 of this Safety Data Sheet). P332+P313 – If skin irritation occurs: Get medical advice/attention. P362+P364 – Take off											$\langle \cdot \cdot \rangle$
2.3 Ot		P332+P313											
2.3 Ot				and wash it b									
2.3 Ot				for several mi									
2.3 Ot		 continue ri 	insing. P33	37+P313 - If e	e irritation	n persis	sts: Ge	et medi	cal advi	ce/atten	tion.		
	Other Warnings:	KEEP OUT	OF REACH	OF CHILDRE	EN								
•		•											
		3. COM	IPOSITI	ON & INC	REDI	ENT	INF	ORN	IATIC	N			
									EXPOSU	IRE LIMIT	S IN AIR (m	ng/m³)	
						ACC	GIH		NOHSC		OSHA	L	
						pp	m	ļ.,	ppm		ppm		
CHEMICAL	L NAME(S)	CAS No.	TECS No.	EINECS No.	%	TLV	STEL	ES- TWA		ES- EAK PE	L STEL	IDLH	OTHER
		27176-87-0 D		248-289-4	5-10	NA	NA	NF		NF N		NA	OTHER
SULFONI	IIC ACID	27170-07-0 [D	D0000000	240-203-4	0 10	,	107	1			7. 1.7.	147	
		141-43-5 K	J5775000	205-483-3	1-3	3	6	(3)	7.5	NF 3	3 6	30	
MONOETI	THANOLAMINE			e Tox. 4 (oral); A			kin Co						
000005	-TAINIE	61789-40-0 N		263-058-8	1-3	NA	NA	NF		NF N		NA	
COCOBE	ETAINE	Skin Irrit. 2; Eye	e Irrit. 2; H31		•				•	•	•		
BLIBBLE (GUM FRAGRANCE	NA N	Α	NA	≤ 0.1	NA	NA	NF	NF	NF N	A NA	NA	
DODDLL (GOWITKAGRANCE												
CINNAMIC	IC ALDEHYDE	14371-10-9 N		604-377-8	≤ 0.1	NA	NA	NF	NF	NF N	A NA	NA	
	10 / 12 / 12 / 12 / 12 / 12 / 12 / 12 /			rit. 2A, STOT SE 3;									
ORANGE	ETERPENES	5989-27-5 G		227-813-5	≤ 0.1	NA	NA	NF		NF N		NA	<u></u>
				in Sens. 1; Aqua									
COUMAR	RIN	91-64-5 N.		202-086-7	≤ 0.1	NA	NA	NF	NF	NF N	A NA	NA	ALLERGEN
				1. 3; H301, H402	1.0.1	l NIA I	NI A	N-	NE	NE L	A NIA	NIA.	
GRAPEFF	RUIT TERPENES	68917-32-8 N		639-178-5	≤ 0.1	NA 1	NA	NF		NF N		NA	1440
				kin Irrit. 2, Skin S	_							-	1410
CLOVE O	OIL	8000-34-8 N		616-772-2	≤ 0.1	NA	NA	NF		NF N	A NA	NA	
				ye Irrit. 2A, Skin									
RHODAM	MINE B	81-88-9 N	Α	201-383-9	< 0.01	NA	NA	NF	NF	NF N	A NA	NA	



Page 2 of 6 **BB-016**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 1.0

SDS Revision Date: 5/9/2023

			4. FIRST AID MEASURES	
4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting. If product IMMEDIATELY. If the patient is vomiting, continuous to an unconscious person. Contact the nearest	has been swallowed, drink plenty of water or milk nue to offer water or milk. Never give water or milk Poison Control Center or local emergency number. e material was ingested and the amount of the
		Eyes:	Splashes are not likely; however, if product such such such sales are not likely; however, if product such such sales are not likely; however, if product such such such such such such such such	gets in the eyes, flush with copious amounts of ion occurs, contact a physician.
		<u>Skin</u> :		nse thoroughly with lukewarm water, followed by a soap and water. If irritation, redness or swelling
		Inhalation:	Remove victim to fresh air at once.	
4.2	Effects of Exposure:	Ingestion:	Abdominal pain, stomach upset, nausea, vomitir	ng and diarrhea.
		<u>Eyes</u> : <u>Skin</u> :	Irritating to the eyes. Contact with the skin during product use is not may cause an allergic reaction in some sensitive	expected to result in significant irritation. However, e individuals.
		Inhalation:	Irritation to the nose, throat and other tissues of	the respiratory system.
4.3	Symptoms of Overexposure:	Ingestion: Eyes:	Signs/symptoms may include abdominal pain, so Irritating to the eyes. Signs/symptoms may include hazy vision.	tomach upset, nausea, vomiting and diarrhea. lude redness, swelling, pain, tearing, and blurred or
		Skin: Inhalation:	Signs/symptoms may include localized redness may cause an allergic reaction in some sensi induced) signs/symptoms may include redness, Vapors of this product may be slightly irritati respiratory system. Signs/symptoms may include hoarseness, and nose and throat pain.	ing to the nose, throat and other tissues of the ude cough, sneezing, nasal discharge, headache, Central Nervous System (CNS) Depression: ness, drowsiness, incoordination, nausea, slowed
4.4	Acute Health Effects:			The product can cause allergic skin reactions (e.g.,
4.5	Chronic Health Effects:	None known.		
4.6	Target Organs:	Eyes, Skin		
4.7	Medical Conditions Aggravated by Exposure:		ermatitis, other skin conditions, and disorders of ins (eyes, skin).	FLAMMABILITY 0 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT B EYES SKIN
			5. FIREFIGHTING MEASURES	
5.1	Fire & Explosion Hazards:	high temperatu	s not flammable. However, if involved in a fire, thi ures to form toxic gases (e.g., CO , CO_2 , NO_x).	is product may decompose at
5.2	Extinguishing Methods:		Foam, CO ₂ , Dry Chemical, Halon (if permitted)	
5.3	Firefighting Procedures:	demand) and water spray to runoff from fire natural waterw pressure self	wear MSHA/NIOSH approved self-contained br full protective gear. Keep containers cool until v cool fire-exposed surfaces and to protect personn e control or dilution from entering sewers, drains, vay. Firefighters must use full bunker gear includ- contained breathing apparatus to protect a decomposition products and oxygen deficiencies.	well after the fire is out. Use lel. Fight fire upwind. Prevent drinking water supply, or any ling NIOSH-approved positive
		6. A	CCIDENTAL RELEASE MEASU	RES
6.1	Spills:	Before cleanir Equipment. For small spill Maximize vent absorbent mad with local, stat and soap. Re For large spills material (e.g., containers for contaminated	g any spill or leak, individuals involved in spill cl s (e.g., < 1 gallon (3.8 L)) wear appropriate persitiation (open doors and windows) and secure all terial and place into appropriate closed container(e and federal regulations. Wash all affected areas move any contaminated clothing and wash thoroug s (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unpro- bentonite, vermiculite, or commercially available recovery or disposal and solid diking material to	leanup must wear appropriate Personal Protective sonal protective equipment (e.g., goggles, gloves). sources of ignition. Remove spilled material with (s) for disposal. Dispose of properly in accordance and outside of container with plenty of warm water



Page 3 of 6 **BB-016**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 1.0

SDS Revision Date: 5/9/2023

		7. HANDLING & STORAGE INFORMATION					
7.1	Work & Hygiene Practices:	Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water. Avo					
7.1	work & Hygiene Practices.	breathing of vapors, mists or spray. Avoid prolonged or repeated skin contact. Wash hands after handling, and before eating.					
7.2	Storage & Handling:	Keep containers sealed at all times and store in well-ventilated area. Store away from areas where product may come into contact with food or pharmaceuticals. Store away from oxidizing agents.					
7.3	Special Precautions:	Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers m contain residual amounts of this product; therefore, empty containers should be handled with care.					
	8	EXPOSURE CONTROLS & PERSONAL PROTECTION					
8.1	Exposure Limits:	ACGIH NOHSC OSHA OTHER					
	ppm (mg/m³)	ES- ES- ES-					
		CHEMICAL NAME(S) TLV STEL TWA STEL PEAK PEL STEL IDLH MONOETHANOLAMINE 3 6 (3) 7.5 NF 3 6 30					
8.2	Ventilation & Engineering Controls:	When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans					
0.2	Tomason & Engineering Controls	Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes.					
8.3	Respiratory Protection:	No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia.					
8.4	Eye Protection:	AVOID EYE CONTACT. Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling large quantities (e.g., ≥ 1 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard as soft lenses may absorb and concentrate irritants.					
8.5	Hand Protection:	AVOID SKIN CONTACT. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. During use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.					
8.6	Body Protection:	Apron recommended when handling large quantities (e.g., ≥ 1 gallon). Eye wash stations and deluge showers should be available.					
		O DUVEICAL & CHEMICAL DEODEDTIES					
0.4	I A	9. PHYSICAL & CHEMICAL PROPERTIES					
9.1	Appearance: Odor:	Clear, light pink liquid Mild to no odor					
9.3	Odor Threshold:						
9.4	pH:	NA NA					
9.5	Melting Point/Freezing Point:	NA NA					
9.6	Initial Boiling Point/Boiling Range:	100 °C (212 °F)					
9.7	Flashpoint:	NA					
9.8	Upper/Lower Flammability Limits:	NA NA					
9.9	Vapor Pressure:	NA NA					
9.10	Vapor Density:	1.1 (Air = 1.0)					
9.11	Relative Density:	1.0, est.					
		1.0, 000.					
9.12	Solubility:	Soluble					
9.12	Solubility: Partition Coefficient (log Pow):	Soluble NA					
9.13	Partition Coefficient (log P _{ow}):	NA NA					
9.13 9.14	Partition Coefficient (log Pow): Autoignition Temperature:	NA NA					
9.13 9.14 9.15	Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature:	NA NA NA					
9.13 9.14 9.15 9.16	Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity:	NA NA NA NA					
9.13 9.14 9.15	Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature:	NA NA NA					
9.13 9.14 9.15 9.16	Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity:	NA NA NA NA					
9.13 9.14 9.15 9.16	Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity:	NA NA NA NA NA Evaporation Rate: Negligible; VOC: 0.0% 10. STABILITY & REACTIVITY					
9.13 9.14 9.15 9.16 9.17	Partition Coefficient (log P _{ow}): Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information:	NA NA NA NA Evaporation Rate: Negligible; VOC: 0.0%					
9.13 9.14 9.15 9.16 9.17	Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information: Stability:	NA NA NA NA NA Evaporation Rate: Negligible; VOC: 0.0% 10. STABILITY & REACTIVITY Stable under ambient conditions when stored properly (see section 7, Storage and Handling) If exposed to extremely high temperatures, the products of thermal decomposition may include irritation vapors a					
9.13 9.14 9.15 9.16 9.17 10.1 10.2	Partition Coefficient (log Pow): Autoignition Temperature: Decomposition Temperature: Viscosity: Other Information: Stability: Hazardous Decomposition Products:	NA NA NA NA NA Evaporation Rate: Negligible; VOC: 0.0% 10. STABILITY & REACTIVITY Stable under ambient conditions when stored properly (see section 7, Storage and Handling) If exposed to extremely high temperatures, the products of thermal decomposition may include irritation vapors a nitrogen and carbon oxide gases (e.g., NO _x , CO, CO ₂).					



15.8

Other Requirements:

SAFETY DATA SHEET

Page 4 of 6

BB-016 Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 1.0 SDS Revision Date: 5/9/2023 11. TOXICOLOGICAL INFORMATION Inhalation: YES Routes of Entry: Ingestion: YES Absorption: YES 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product but is not presented in this document. 11.3 Acute Toxicity: See Section 4.4 11.4 Chronic Toxicity: See Section 4.5 Suspected Carcinogen: 11.5 NA Reproductive Toxicity: 11.6 This product is not reported to cause reproductive toxicity in humans Mutagenicity: This product is not reported to cause mutagenic effects in humans. Embryotoxicity: This product is not reported to cause embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11 7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. Biological Exposure Indices: 118 NA 11.9 Physician Recommendations Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There are no specific data for this product. 12.2 Effects on Plants & Animals: There are no specific data for this product. Effects on Aquatic Life: 12.3 There are no specific data for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Waste disposal must be in accordance with appropriate Federal, state, and local regulations. 13.2 Special Considerations: 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): 14.1 **NOT REGULATED** IATA (AIR): 14.2 **NOT REGULATED** 14.3 IMDG (OCN): **NOT REGULATED** 14.4 TDGR (Canadian GND): **NOT REGULATED** 14.5 ADR/RID (EU): **NOT REGULATED** 14.6 SCT (MEXICO): NOT REGULATED 14.7 ADGC (AUS): **NOT REGULATED** 15. REGULATORY INFORMATION 15.1 SARA Reporting Requirements: This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements SARA Threshold Planning Quantity: 15.2 There are no specific Threshold Planning Quantities for the components of this product 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. 15.4 CERCLA Reportable Quantity (RQ): 15.5 Other Federal Requirements This product does not contain any substances identified as Hazardous Air Pollutants (HAPs) 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class D2B (Other Toxic Effects) State Regulatory Information: Orange Terpenes is listed on the following state criteria lists: MA. Rhodamine B is found on the following state criteria lists: CA, MA, NJ, AND pa. No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).

> The components in this product are found on the following inventory lists: Australia - AICS, China - IECSC, Europe ELINCS/EINEC, Japan - ENCS; Korea - KECI; New Zealand - NZIoC; Philippines - PICCS; USA - TSCA



Page 5 of 6 **BB-016**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 1.0 SDS Revision Date: 5/9/2023

		16. OTHER INFORMATION
16.1	Other Information:	WARNING! CAUSES MILD SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. Wash hands and exposed skin areas with soap and warm water thoroughly after handling. Wear protective gloves/protective clothing/eye protection. IF ON SKIN: Wash with soap and warm water thoroughly after handling. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists: Get medical advice/attention. KEEP OUT OF REACH OF CHILDREN.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Boat Bling's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
16.4	Prepared for:	Boat Bling, Inc. 1725 W Williams Dr, Suite 63 Phoenix, AZ 85027 USA Tel: +1 (800) 846-4899 Fax: +1 (623) 561-8106 https://www.boatbling.net https://www.blingsauce.com
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com



Page 6 of 6 **BB-016**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 1.0

SDS Revision Date: 5/9/2023

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
IDLH Immediately Dangerous to Life and Health		
NOHSC National Occupational Health and Safety Commission (Australia)		
OSHA U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit		
STEL Short Term Exposure Limit		
TLV Threshold Limit Value		
TWA Time Weighted Average		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	Slight Hazard	
2	2 Moderate Hazard	
3 Severe Hazard		
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:

Α			
В			
С	(Ell)		
D		THE SECOND SECON	
Е			
F		THE STATE OF THE S	





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic	
Irrit	Irritant	
NA	Not Available	
NR No Results		
ND	ND Not Determined	
NE	Not Established	
NF	Not Found	
SCBA	Self-Contained Breathing Apparatus	
Sens Sensitization		
STOT RE	Specific Target Organ Toxicity – Repeat Exposure	
STOT SE	Specific Target Organ Toxicity – Single Exposure	

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:		
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	
2	Moderate Hazard	REACTIVITY
3	3 Severe Hazard	
4	Extreme Hazard	
ACD Acidic		
ALK	Alkaline	
COR	Corrosive	/ ~~~
W	Use No Water	HEALTH 🔪
OX	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD50 Lethal Dose (solids & liquids) which kills 50% of the exposed animals LC50 Lethal concentration (gases) which kills 50% of the exposed animal ppm Concentration expressed in parts of material per million parts TD10 Lowest dose to cause a symptom TCLo Lowest concentration to cause a symptom
ppm Concentration expressed in parts of material per million parts TD ₁₀ Lowest dose to cause a symptom
TD _{lo} Lowest dose to cause a symptom
TCLo Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC _o , LC _{lo} , & LC _o
IARC International Agency for Research on Cancer
NTP National Toxicology Program
RTECS Registry of Toxic Effects of Chemical Substances
BCF Bioconcentration Factor
TL _m Median threshold limit
log Kow or log Koc Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA U.S. Environmental Protection Agency DSL Canadian Domestic Substance List						
					NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List					
TSCA	TSCA U.S. Toxic Substance Control Act					
EU	EU European Union (European Union Directive 67/548/EEC)					
WGK	WGK Wassergefährdungsklassen (German Water Hazard Class)					

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(A)	(2)	(3)	\odot	®		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

•		(\$)	®	\Diamond			\Diamond		*
	GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
	Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment