

Page 1 of 6 **BB-009**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 2.0

SDS Revision Date: 3/6/2023

	In		RODUCT		ANY	וחבוזו	ILICA	IIUN			
.1	Product Name:	TECHN	O SAUCE								
2	Chemical Name:	Aqueous S	Aqueous Solution								
3	Synonyms:	Techno Sa	uce								
4	Trade Names:	Techno Sa	uce								
5	Product Use:	Glass Trea	tment and Clea	ner							
6	Distributor's Name:	Boat Bling,	Inc.								
.7	Distributor's Address:	1725 W Wi	liams Dr, Suite	63, Phoenix	, AZ 850	27 USA					
8	Emergency Phone:		1 (800) 633-				(CN 1	1168) NO	RTH AMI	ERICA	
9	Business Phone / Fax:		6: NZ: 0800 6-4899 / +1 (62			11 26					
	Business Friend / Fux.	+1 (800) 64	0-4099 / +1 (02	23) 301-6100)						
			2. HAZ	ARDS II	DENTI	FICAT	ION				
.1	Hazard Identification:	Prepared in	accordance wi	ith UN Globa	lly Harmo	nized stan	dards. In	tended to co	omply with (OSHA 29	OCFR 1910.120
			VHMIS and Aus						, ,		
		WARNING	! CAUSES MIL	D SKIN IRR	ITATION	. CAUSES	SERIOL	JS EYE IRR	ITATION.		
		Classificati	on: Acute Tox.	4, Skin Irrit.	3, Eye Irri	t. 2A;					
.2	Label Elements:	Hazard Sta	atements (H):	H316 – Cau	ses mild	skin irrita	ion. H3	19 – Caus	es serious	eve	
		irritation.	<u> </u>							<i>^</i>	
		Precaution	ary Statements	s (P): P264 -	- Wash h	ands and	exposed	skin areas	with soap	and	<u> </u>
		warm wate	r thoroughly a	fter handling	. P270 –	Do not e	at drink	or smoke v	vhen using	this	
			280 - Wear pr								
			/ED: Call a Po								$\langle \cdot \cdot \rangle$
			3 – If skin irritat								
		EYES - RII	nse continuous	ly with water	for sever	al minutes	. Remov	e contact le	enses if pres	sent	
			to do – contin ntion. P501 –								
			cility (TSDF).	Dispose of o	contents/0	container t	o a licer	isea treatm	ent, storage	e or	
.3	Other Warnings:		OF REACH C	NE CHIL DRE	NI .						
_		KEEP OU	OF REACH C	OF CHILDRE	N						
		0 001	4DOOLTIO		DEDU				1		
		3 (:())	ルセいらけいい	INI X. INIT							
		<u> </u>	<u> </u>	IN & IING	KEDII	ENT IN	FORM	IATION			
		3. 331		IN & ING	KEDII			EXPOSURE	LIMITS IN AIR		
		3. 33N		in & inc	KEDII	ACGIH		EXPOSURE NOHSC	LIMITS IN AIR OSI	IA	
		0. 001		ii a iii c	KEDII			EXPOSURE NOHSC ppm	LIMITS IN AIR	IA	
IEM	ICAL NAME(S)			EINECS No.	KEDII	ACGIH	ES-	EXPOSURE NOHSC	LIMITS IN AIR OSH	n I	OTHER
		CAS No. F	RTECS No. E			ACGIH ppm	ES- TWA	EXPOSURE NOHSC ppm ES- ES-	LIMITS IN AIR OSH	n IDLH	OTHER
		CAS No. F	RTECS No. E	EINECS No.	%	ACGIH ppm	ES- TWA	EXPOSURE NOHSC ppm ES- ES- STEL PEAR	LIMITS IN AIR OSH ppr	n IDLH	OTHER
ATE	ER	CAS No. F	RTECS No. E	EINECS No.	%	ACGIH ppm	ES- TWA NF	EXPOSURE NOHSC ppm ES- ES- STEL PEAR	LIMITS IN AIR OSH ppr	n IDLH	OTHER
ATE		CAS No. F 7732-18-5 Z	RTECS No. E 2C0110000 2	EINECS No. 231-791-2 NA	% 80-90	ACGIH ppm TLV STE NA NA NA NA	ES- TWA NF	EXPOSURE NOHSC ppm ES- ES- STEL PEAM NF NF	LIMITS IN AIR OSH Ppp PEL STE NA NA NA NA	HA m	OTHER
ATE	ER 'LIC POLYMER	CAS No. F 7732-18-5 Z	RTECS No. E 2C0110000 2	EINECS No. 231-791-2	% 80-90	ACGIH ppm TLV STE NA NA	ES- TWA NF	EXPOSURE NOHSC ppm ES- ES- STEL PEAR NF NF	LIMITS IN AIR OSH ppi (PEL STE NA NA	HA m	OTHER
CRY	ER	CAS No. F 7732-18-5 Z NA NA NA	RTECS No. E 2C0110000 2 NA N	EINECS No. 231-791-2 NA	% 80-90 1-5	ACGIH ppm TLV STE NA NA NA NA	ES- TWA A NF	EXPOSURE NOHSC ppm ES-STEL PEAN NF	LIMITS IN AIR OSH ppi (PEL STE NA NA NA NA	HA IDLH NA NA NA NA	OTHER
ATE CRY MPH	ER 'LIC POLYMER	CAS No. F 7732-18-5 Z NA	RTECS No. E 2C0110000 2 NA N NA N	EINECS No. 231-791-2 NA NA 202-396-2	% 80-90 1-5 1-5	ACGIH ppm TLV STE NA NA NA NA NA NA	ES- TWA A NF A NF	EXPOSURE NOHSC ppm ES- ES- STEL PEAM NF NF	LIMITS IN AIR OSH Ppp PEL STE NA NA NA NA	HA IDLH NA NA NA NA	OTHER
ATE CRY MPH	CIC POLYMER HOTERIC DETERGENT	CAS No. F 7732-18-5 Z NA	RTECS No. E 2C0110000 2 NA N	EINECS No. 231-791-2 NA NA 202-396-2	% 80-90 1-5 1-5	ACGIH ppm TLV STE NA NA NA NA NA NA	ES- TWA A NF A NF	EXPOSURE NOHSC ppm ES-STEL PEAN NF	LIMITS IN AIR OSH ppi (PEL STE NA NA NA NA	HA IDLH NA NA NA NA	OTHER
ATE CRY MPH	CIC POLYMER HOTERIC DETERGENT	CAS No. F 7732-18-5 Z NA	RTECS No. E 2C0110000 2 NA NA N	EINECS No. 231-791-2 NA NA 202-396-2 rit. 2; Acute to	% 80-90 1-5 1-5 0-0.5 c. 4; H301,	ACGIH ppm TLV STE NA H311, H319	ES- TWA NF A NF A NF A NF A NF A NF A NF	EXPOSURE NOHSC ppm ES-STEL PEAN NF	LIMITS IN AIR OSH ppi (PEL STE NA NA NA NA	HA IDLH NA NA NA NA	OTHER
ATE CRY MPH ENZ	CIC POLYMER HOTERIC DETERGENT	CAS No. F 7732-18-5 Z NA N NA N 95-16-9 [Acute Tox. 3; Ac	RTECS No. E 2C0110000 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	EINECS No. 231-791-2 NA NA 202-396-2 rit. 2; Acute to	% 80-90 1-5 1-5 0-0.5 c. 4; H301,	ACGIH ppm TLV STE NA SURE	ES- TWA NF NF NF NF NF NF NF	EXPOSURE NOHSC ppm ES- ES- STEL PEAK NF NF NF NF NF NF	LIMITS IN AIR OSH PPI C PEL STE NA NA NA NA NA NA NA NA	IA m EL IDLH A NA A NA A NA NA	
ATE CRY MPH ENZ	COTHIAZOLINONE	CAS No. F 7732-18-5 Z NA	RTECS No. E 2C0110000 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	EINECS No. 231-791-2 NA NA 202-396-2 rit. 2; Acute to: IRST AIE d, do not ind	% 80-90 1-5 1-5 0-0.5 x. 4; H301,	ACGIH ppm TLV STE NA NA NA NA NA NA NA NA H311, H319 SURE	ES- TWA NF A NF A NF A NF A NF A NF A NF O, H332	EXPOSURE NOHSC ppm ES	LIMITS IN AIR OSH PPI C PEL STE NA	is IDLH A NA NA NA NA NA	y of water or mi
ATE CRY MPH ENZ	COTHIAZOLINONE	CAS No. F 7732-18-5 Z NA N NA N 95-16-9 [Acute Tox. 3; Ac	RTECS No. E 2C0110000 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	NA 202-396-2 rit. 2; Acute to: IRST AIL d, do not ind. TELY. If the	% 80-90 1-5 1-5 0-0.5 x. 4; H301, D MEA	ACGIH ppm TLV STE NA NA NA NA NA NA NA NA H311, H319 SURE: iting. If presoniting,	ES- TWA NF NF NF NF NF NF NF NF NF NF NF NF NF	EXPOSURE NOHSC ppm ES- ES- STEL PEAK NF SS been swale to offer wa	LIMITS IN AIR OSH PPI K PEL STE NA	IA MA L IDLH A NA A NA A NA A NA N	of water or migive water or migive
ATE CRY MPH	COTHIAZOLINONE	CAS No. F 7732-18-5 Z NA N NA N 95-16-9 [Acute Tox. 3; Ac	NA N	NA NA 202-396-2 rit. 2; Acute tox IRST AIE d, do not ind TELY. If the conscious per	% 80-90 1-5 1-5 0-0.5 x. 4; H301, D MEA duce vomi e patient is	NA N	ES- TWA NF A NF	EXPOSURE NOHSC ppm ES-STEL PEAK NF	NA NA NA	IA NA	y of water or migive water or minergency number
ATE CRY MPH	COTHIAZOLINONE	CAS No. F 7732-18-5 Z NA N NA N 95-16-9 [Acute Tox. 3; Ac	NA N	NA NA 202-396-2 rit. 2; Acute tox IRST AIE d, do not ind TELY. If the conscious per	% 80-90 1-5 1-5 0-0.5 x. 4; H301, D MEA duce vomi e patient is	NA N	ES- TWA NF A NF	EXPOSURE NOHSC ppm ES-STEL PEAK NF	NA NA NA	IA NA	y of water or migive water or minergency number
ATE CRY MPH	COTHIAZOLINONE	CAS No. F 7732-18-5 Z NA	RTECS No. POLO875000 LITE TOX. 3; Eye In Ingester IMMEDIA to an uncorporate at that was seen as a second control of the cont	NA NA 202-396-2 rit. 2; Acute tox IRST AIE d, do not ind TELY. If the onscious per n estimate of swallowed.	% 80-90 1-5 1-5 0-0.5 x. 4; H301, D MEA duce vomi e patient is son. Con f the time	NA N	ES- TWA NF A NF	EXPOSURE NOHSC ppm ES-STEL PEAK NF	NA NA NA	IA NA	y of water or migive water or minergency number of the substance
ATE CRY MPH	COTHIAZOLINONE	CAS No. F 7732-18-5 Z NA N NA N 95-16-9 [Acute Tox. 3; Ac	NA N	NA NA 202-396-2 rit. 2; Acute too IRST AIE d, do not ind TELY. If the conscious per n estimate of swallowed. are not likely	% 80-90 1-5 1-5 0-0.5 x. 4; H301, D MEA duce vominate patient is son. Conference of the time	NA NA NA H311, H319 SURE: storm the neat which the r, if produce	ES- TWA NF	EXPOSURE NOHSC ppm ES-STEL PEAN NF	NA NA NA	IA NA	y of water or migive water or minergency number
ATE CRY MPH ENZ	COTHIAZOLINONE	CAS No. F 7732-18-5 Z NA NA N 95-16-9 [Acute Tox. 3; Ac Ingestion: Eyes:	PRIECS No. EZCO110000 2 NA N	NA NA 202-396-2 rit. 2; Acute toy IRST AIE d, do not ind TELY. If the conscious per n estimate of swallowed. are not likely at least 15 m	% 80-90 1-5 1-5 0-0.5 x. 4; H301, D MEA luce vomic patient is son. Confithe time r; however, inutes. If	NA NA NA H311, H315 SURE at which the r, if produce irritation contains the containing of the contain	ES-TWA A NF A N	EXPOSURE NOHSC ppm ES-STEL PEAN NF	NA NA NA	IA NA	of water or migive water or minergency number of the substance
ATE CRY MPH ENZ	COTHIAZOLINONE	CAS No. F 7732-18-5 Z NA	RTECS No. ECO110000 NA NA NA DL0875000 Quite Tox. 3; Eye In If ingested IMMEDIA to an uncorprovide a that was seen water for a lf irritation	NA NA 202-396-2 rit. 2; Acute too IRST AIE d, do not ind TELY. If the conscious per n estimate of swallowed. are not likely at least 15 m n occurs and	% 80-90 1-5 1-5 0-0.5 c. 4; H301, D MEA duce vomic patient is son. Corf the time r; however, inutes. If product in product in product in the product	NA NA NA H311, H319 It set which the reat which the set on the set	ES- TWA NF	EXPOSURE NOHSC ppm ES-STEL PEAN NF N	NA NA NA	IA NA	of water or migive water or milergency number of the substance ounts of lukewar
ATE CRY MPH ENZ	COTHIAZOLINONE	CAS No. F 7732-18-5 Z NA NA N 95-16-9 [Acute Tox. 3; Ac Ingestion: Eyes:	RTECS No. ECO110000 NA NA NA NA NA NA NA NA NA	NA N	% 80-90 1-5 1-5 0-0.5 (.4; H301, DMEA luce vomic patient is son. Confithe time r; however, inutes. If product in affecte	NA NA NA H311, H315 s vomiting, itact the neat which the r, if produce is on the sid area with	ES- TWA NF	EXPOSURE NOHSC ppm ES-STEL PEAN NF N	NA NA NA	IA NA	of water or migive water or minergency number of the substance
ATE CRY MPH	COTHIAZOLINONE	CAS No. F 7732-18-5 Z NA NA N NA N NA N 95-16-9 [Acute Tox. 3; Ac Ingestion: Eyes: Skin:	RTECS No. ECO110000 NA NA NA NA DL0875000 Quite Tox. 3; Eye In Here In Ingested IMMEDIA Ito an uncomprovide a that was s Splashes water for a If irritation thorough contact a	NA NA 202-396-2 rit. 2; Acute too IRST AIE d, do not ind TELY. If the conscious per n estimate of swallowed. are not likely at least 15 m n occurs and washing of tr physician im	% 80-90 1-5 1-5 0-0.5 c. 4; H301, D MEA duce vominates is son. Confit the time r; however, inutes. If product in affecter mediately	NA NA NA H311, H315 SURE: iting. If product irritation of son the sid area with full control of the sid area.	ES- TWA NF	EXPOSURE NOHSC ppm ES-STEL PEAN NF N	NA NA NA	IA NA	of water or migive water or milergency number of the substance ounts of lukewar
ATE RYMPH ENZ	ER ZLIC POLYMER HOTERIC DETERGENT OTHIAZOLINONE First Aid:	CAS No. F 7732-18-5 Z NA NA N NA N 95-16-9 E Acute Tox. 3; Ac Ingestion: Eyes: Skin: Inhalation:	RTECS No. ECO110000 NA NA NA DL0875000 Quite Tox. 3; Eye In Here In Ingested In Ing	NA	% 80-90 1-5 0-0.5 c. 4; H301, D MEA luce vomice patient is son. Core the time r; however, inutes. If product in affecte mediately in air at or	NA NA NA H311, H315 the nat which the at which the so on the so d area with the nate.	ES- TWA NF NF NF NP NF	EXPOSURE NOHSC ppm ES-STEL PEAN NF N	NA NA NA	IA NA	of water or migive water or milergency number of the substance ounts of lukewar
ATE CRY MPH ENZ	COTHIAZOLINONE	CAS No. F 7732-18-5 Z NA NA N NA N 95-16-9 E Acute Tox. 3; Ac Ingestion: Eyes: Skin: Inhalation: Ingestion: Inge	RTECS No. RTECS No. RTECS No. RECO110000 AA INA INA INA INA INA INA	NA NA NA 202-396-2 rit. 2; Acute toy IRST AIE d, do not ind TELY. If the conscious per n estimate of swallowed. are not likely at least 15 m n occurs and washing of tr physician im victim to frest al pain, stoma	% 80-90 1-5 0-0.5 c. 4; H301, D MEA luce vomice patient is son. Core the time r; however, inutes. If product in affecte mediately in air at or	NA NA NA H311, H315 the nat which the at which the so on the so d area with the nate.	ES- TWA NF NF NF NP NF	EXPOSURE NOHSC ppm ES-STEL PEAN NF N	NA NA NA	IA NA	of water or migive water or milergency number of the substance ounts of lukewar
ATE CRY MPH ENZ	ER ZLIC POLYMER HOTERIC DETERGENT OTHIAZOLINONE First Aid:	CAS No. F 7732-18-5 Z NA N NA N NA N 95-16-9 [Acute Tox. 3; Ac Ingestion:	RTECS No. RTECS No. RTECS No. RTECS No. RTECS No. RECO110000 AND AND AND BLOB875000 Quite Tox. 3; Eye In A. FI If ingested IMMEDIA to an uncounce Provide a that was seen water for a If irritation thorough contact a Remove No. Abdomina Irritating to	NA	% 80-90 1-5 0-0.5 (A; H301, DMEA Juce vomine patient is son. Confirmed the time r; however, inutes. If product in affecte mediately in air at on ach upset	NA NA NA H311, H315 the nate which the r, if produce is on the s d area with r, nausea, r, nausea, r, nausea, r	ES- TWA NF NF NF NP NF NP NF	EXPOSURE NOHSC ppm ES- STEL PEAN NF NF NF	NA NA NA	IA NA INA INA INA INA INA INA INA INA INA I	of water or migive water or migergency number of the substance ounts of lukewar ter, followed by swelling persist
CRY	ER ZLIC POLYMER HOTERIC DETERGENT OTHIAZOLINONE First Aid:	CAS No. F 7732-18-5 Z NA NA N NA N 95-16-9 E Acute Tox. 3; Ac Ingestion: Eyes: Skin: Inhalation: Ingestion: Inge	RTECS No. ECO110000 NA NA NA NA NA NA NA NA NA	EINECS No. 231-791-2 NA NA 202-396-2 rit. 2; Acute toy IRST AIE d, do not ind TELY. If the onscious per n estimate of swallowed. are not likely at least 15 m n occurs and washing of tr physician im victim to fresl al pain, stoma o the eyes. vith the skin	% 80-90 1-5 1-5 0-0.5 (A; H301, DMEA luce vomine patient is son. Confithe time r; however, inutes. If product in affecte mediately in air at on ach upset during producting productions and upset during producting productions.	NA NA NA H311, H315 SURE: iting. If product the neat which the r, if product is on the s d area with A. In a ce.	ES- TWA NF NF NF NP NF NH NH NF NH	EXPOSURE NOHSC ppm ES- STEL PEAN NF NF NF	NA NA NA	IA NA INA INA INA INA INA INA INA INA INA I	of water or migive water or milergency number of the substance ounts of lukewar
ATE RYMPH ENZ	ER ZLIC POLYMER HOTERIC DETERGENT OTHIAZOLINONE First Aid:	CAS No. F 7732-18-5 Z NA N NA N NA N 95-16-9 [Acute Tox. 3; Ac Ingestion:	RTECS No. RTECS No. RTECS No. RTECS No. RTECS No. RECO1100000 AA INA INA INA INA INA INA	NA	% 80-90 1-5 0-0.5 (A; H301, DMEA luce vomine patient is son. Confithe time r; however, inutes. If product in affecte mediately in air at one ach upset during progreaction in the confit of the c	NA H311, H319 SURE: iting. If product is vomiting, itact the ne at which the r, if product is on the se d area with r. ce. n, nausea, coduct use in some se in some se	ES- TWA NF NF NF NP NF NH332 S oduct ha continue arest Pose material tocurs, cookin, rinse a soap and to the continue arest pose not to the cours, cookin, rinse a soap and tocurs, cookin, rinse a soap and tocurs.	EXPOSURE NOHSC ppm ES- STEL PEAN NF NF NF	INA NA NA NA N	IA NA INA INA INA INA INA INA INA INA INA I	y of water or m give water or m lergency number t of the substant punts of lukewar ter, followed by swelling persist



Page 2 of 6 SAFETY DATA SHEET **BB-009** Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 2.0 SDS Revision Date: 3/6/2023 4. FIRST AID MEASURES - cont'd 4.3 Symptoms of Overexposure: Ingestion: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea. Irritating to the eyes. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or Eyes: hazy vision. Skin: Contact with the skin during product use is not expected to result in significant irritation. Signs/symptoms may include localized redness, itching, drying and cracking of skin. However, may cause an allergic reaction in some sensitive individuals. Allergic skin reaction (non-photo induced) signs/symptoms may include redness, swelling, blistering, and itching. Inhalation: Vapors of this product may be slightly irritating to the nose, throat and other tissues of the respiratory system. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness Acute Health Effects: Mild to moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause 4.4 drowsiness, dizziness, headaches and nausea. Chronic Health Effects: 4.5 Target Organs: 4.6 Eyes, Skin, Respiratory System, Central Nervous System (CNS). Medical Conditions Aggravated by 47 Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 0 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В **EYES** SKIN 5. FIREFIGHTING MEASURES Non-flammable. Use media as appropriate for surrounding fire. 5.1 Fire & Explosion Hazards: Carbon dioxide, foam, water spray, Halon (if permitted), dry chemical extinguisher. Extinguishing Methods: 5.3 Firefighting Procedures: As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For <u>large spills</u> (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., bentonite, vermiculite, or commercially available inorganic absorbent material). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water. Avoid Work & Hygiene Practices: breathing of vapors, mists or spray. Avoid prolonged or repeated skin contact. Wash hands after handling, and before eating. Avoid breathing of dust created by sanding, grinding or machining. When polishing with product, keep moist 7.2 Storage & Handling: Keep containers sealed at all times, store in well-ventilated area. Store away from areas where product may come into contact with food or pharmaceuticals. Store away from oxidizing agents 7.3 Special Precautions: Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION 8.1 Exposure Limits: **ACGIH** NOHSC **OSHA** OTHER ppm (mg/m3) CHEMICAL NAME(S) TLV STEL PEL STEL TWA STEL PEAK 8 2 Ventilation & Engineering Controls: Provide appropriate local exhaust ventilation on open containers. When using keep the product moist at all times.

Use in an enclosed process area is recommended. Use in a well-ventilated area. Do not use in a confined area or

areas with little or no air movement.



11.9

Physician Recommendations:

Treat symptomatically

SAFETY DATA SHEET

Page 3 of 6 **BB-009**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 2.0 SDS Revision Date: 3/6/2023 EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd 8.3 Respiratory Protection: Avoid breathing of vapors, mists or spray. No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. Eye Protection: 8.4 Avoid eye contact. Wear safety glasses. If necessary, refer to U.S. OSHA 29 CFR §1910.133, Canadian standards, or the European Standard EN166. 8.5 Hand Protection: Avoid skin contact. Select and use gloves and/or protective clothing to prevent skin contact based on the results of an exposure assessment. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible materials. Gloves made from the following material(s) are recommended: Nitrile Rubber. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Purple liquid Odor: 9.2 Grape like Odor Threshold: 93 NA 94 pH: NA 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling Range: 9.6 98.89-101.67 °C (210-215 °F) 97 Flashpoint: NA 9.8 Upper/Lower Flammability Limits: NA 9.9 Vapor Pressure: NA Vapor Density: 9.10 NA Relative Density: 9.11 1.00-1.05 Solubility: 9.12 Complete 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9.16 Viscosity: Slight 9.17 Other Information: NA 10. STABILITY & REACTIVITY Stability: 10.1 Stable under ambient conditions when stored properly (see section 7, Storage and Handling) 10.2 Hazardous Decomposition Products: If exposed to extremely high temperatures, the products of thermal decomposition may include irritation vapors and nitrogen and carbon oxide gases (e.g., NOx, CO, CO2). Hazardous Polymerization: 10.3 Hazardous polymerization will not occur. 10.4 Conditions to Avoid High temperatures and incompatible substances. 10.5 Incompatible Substances Strong oxidizing agents. 11. TOXICOLOGICAL INFORMATION Absorption: YES Inhalation: YES Ingestion: YES Routes of Entry: 11.1 Toxicity Data: 11.2 This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature. is available for some of the components of the product but is not presented in this document. 11.3 Acute Toxicity: See Section 4.4 11.4 Chronic Toxicity See Section 4.5 Suspected Carcinogen: 11.5 NA 11.6 Reproductive Toxicity: This product is not reported to cause reproductive toxicity in humans Mutagenicity This product is not reported to cause mutagenic effects in humans Embryotoxicity: This product is not reported to cause embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure. 11.8 Biological Exposure Indices:



Page 4 of 6 **BB-009**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 2.0 SDS Revision Date: 3/6/2023 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There are no specific data for this product. 12.2 Effects on Plants & Animals: There are no specific data for this product. 12.3 Effects on Aquatic Life: There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Waste disposal must be in accordance with appropriate Federal, state, and local regulations. Special Considerations: 13.2 Reclaim product if feasible. As a disposal alternative, dispose of waste product in a facility permitted to accept chemical waste 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 14.1 49 CFR (GND): NOT REGULATED 14.2 IATA (AIR): NOT REGULATED 14.3 IMDG (OCN): **NOT REGULATED** 14.4 TDGR (Canadian GND): **NOT REGULATED** 14.5 ADR/RID (EU): **NOT REGULATED** SCT (MEXICO): 14 6 NOT REGULATED ADGC (AUS): 14.7 **NOT REGULATED** 15. REGULATORY INFORMATION This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements. SARA Reporting Requirements: 15.1 15.2 SARA Threshold Planning Quantity: There are no specific Threshold Planning Quantities for the components of this product TSCA Inventory Status: 15.3 The components of this product are listed on the TSCA Inventory CERCLA Reportable Quantity (RQ): 15.4 Other Federal Requirements: 15.5 This product does not contain any substances identified as Hazardous Air Pollutants (HAPs). This product does not contain any substances regulates as pollutants under the Clean Water Act (CWA). This product has been classified according to the hazard criteria of the HPR and the SDS contains 15.6 Other Canadian Regulations: all of the information required by the HPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class D2B (Other Toxic Effects) State Regulatory Information: 15.7 No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov Other Requirements: Components in this product are found on the following inventory lists: Australia - AICS, China – IECSC, Europe – 15.8 ELINCS/EINEC, Japan - ENCS; Korea - KECI; New Zealand - NZIoC; Philippines - PICCS; USA - TSCA.



Page 5 of 6 **BB-009**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.4

SDS Revision Date: 3/6/2023

		16. OTHER INFORMATION			
16.1	Other Information:	WARNING! CAUSES MILD SKIN IRRITATION. CAUSES SERIOUS EYE IRRITATION. Use as directed. Wash hands and exposed skin areas with soap and warm water thoroughly after handling. Do not eat drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. If skin irritation occurs: Get medical advice/attention. IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists: Get medical advice/attention. KEEP OUT OF REACH OF CHILDREN.			
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.			
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Boat Bling's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials all component properties must be considered. Data may be changed from time to time. Be sure to consult the lates edition.			
16.4	Prepared for:	Boat Bling, Inc. 1725 W Williams Dr, Suite 63 Phoenix, AZ 85027 USA Tel: +1 (800) 846-4899 Fax: +1 (623) 561-8106 https://www.boatbling.net https://www.blingsauce.com			
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com			



Page 6 of 6 **BB-009**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.4

SDS Revision Date: 3/6/2023

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH American Conference on Governmental Industrial Hygienists		
IDLH Immediately Dangerous to Life and Health		
NOHSC	National Occupational Health and Safety Commission (Australia)	
OSHA U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit		
STEL Short Term Exposure Limit		
TLV Threshold Limit Value		
TWA	Time Weighted Average	

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α		
В		
С		
D		
Е		
F		





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:				
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source			

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ ₹₩ ≯
₩	Use No Water	HEALTH 🔪
ОХ	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	MIS Canadian Workplace Hazardous Material Information System		
DOT	DOT U.S. Department of Transportation		
TC	Transport Canada		
EPA	U.S. Environmental Protection Agency		
DSL	Canadian Domestic Substance List		
NDSL	Canadian Non-Domestic Substance List		
PSL	Canadian Priority Substances List		
TSCA	U.S. Toxic Substance Control Act		
EU	European Union (European Union Directive 67/548/EEC)		
WGK	Wassergefährdungsklassen (German Water Hazard Class)		

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(A)	(2)	(*)	\odot	(4)		(R)
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\Leftrightarrow		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment