

Report Number:	23-013056/D002.R003
Report Date:	03/15/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	11/03/23 15:40



## This is an amended version of report# 23-013056/D002.R002. Reason: Updated customer information.

Customer:	Secret Nature
Product identity:	Live D9 gummy Strawberry Lifters
Client/Metrc ID:	3029RC-102623
Laboratory ID:	23-013056-0001

													S	Su	m	m	a	ry																						
 	 	-	-	-	-	-	-	-	-	—	-	-	-	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	—	-	-	

Potency:					
Analyte per 7g	Result	Limits	Units	Status	THC-Total per Serving Size 20.9 mg/7g
CBC per 7g	0.477		mg/7g		
CBD-A per 7g	0.742		mg/7g		
CBDV-A per 7g	0.349		mg/7g		CBD-Total per Serving Size 0.651 mg/7g
CBG per 7g	10.2		mg/7g		(Reported in milligrams per serving)
∆9-THC per 7g	20.9		mg/7g		(Reported in minigran's per serving)

### Metals:

Less than LOQ for all analytes.

## Microbiology:

\_ \_ \_ \_

Less than LOQ for all analytes.

\_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-013056/D002.R003
Report Date:	03/15/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	11/03/23 15:40

**Customer:** 

Secret Nature

Product identity:	Live D9 gummy Strawberry Lifters
Client/Metrc ID:	3029RC-102623
Sample Date:	
Laboratory ID:	23-013056-0001
Evidence of Cooling:	No
Temp:	22.5 °C
Relinquished by:	usps
Serving Size #1:	7 g

# **Sample Results**

Potency per 7g	Method: J AOAC 2015 V	98-6 (mod) <sup>þ</sup>	Units mg/se Ba	tch: 2312565	Analyze: 11/6/23 7:17:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 7g	0.477		mg/7g	0.231	
CBC-A per 7g	< LOQ		mg/7g	0.231	
CBC-Total per 7g	0.477		mg/7g	0.434	
CBD per 7g	< LOQ		mg/7g	0.231	
CBD-A per 7g⊥	0.742		mg/7g	0.231	
CBD-Total per 7g⊥	0.651		mg/7g	0.434	
CBDV per 7g	< LOQ		mg/7g	0.231	
CBDV-A per 7g	0.349		mg/7g	0.231	
CBDV-Total per 7g	< LOQ		mg/7g	0.432	
CBE per 7g	< LOQ		mg/7g	0.231	
CBG per 7g	10.2		mg/7g	0.231	
CBG-A per 7g	< LOQ		mg/7g	0.231	
CBG-Total per 7g	10.2		mg/7g	0.432	
CBL per 7g	< LOQ		mg/7g	0.231	
CBL-A per 7g	< LOQ		mg/7g	0.231	
CBL-Total per 7g	< LOQ		mg/7g	0.434	
CBN per 7g	< LOQ		mg/7g	0.231	
CBT per 7g	< LOQ		mg/7g	0.231	
$\Delta 8$ -THCV per 7g	< LOQ		mg/7g	0.231	
$\Delta 10$ -THC-9R per 7g	< LOQ		mg/7g	0.231	
$\Delta 10$ -THC-9S per 7g	< LOQ		mg/7g	0.231	
$\Delta 10$ -THC-Total per 7g	< LOQ		mg/7g	0.463	
$\Delta 8$ -THC per 7g <sup>⊥</sup>	< LOQ		mg/7g	0.231	
∆9-THC per 7g⊥	20.9		mg/7g	0.231	
delta-9-THCP per 7g	< LOQ		mg/7g	0.231	
exo-THC per 7g	< LOQ		mg/7g	0.231	
THC-A per 7g⊥	< LOQ		mg/7g	0.231	
THC-Total per 7g	20.9		mg/7g	0.434	
THCV per 7g	< LOQ		mg/7g	0.231	
THCV-A per 7g	< LOQ		mg/7g	0.231	

Page 2 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	23-013056/D002.R003
Report Date:	03/15/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	11/03/23 15:40

Potency per 7g	Method: J AOAC 2015 V	98-6 (mod) <sup>þ</sup>	Units mg/se Ba	tch: 2312565	Analyze: 11/6/23 7:17:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
THCV-Total per 7g	< LOQ		mg/7g	0.434	
Total Cannabinoids per 7g	32.6		mg/7g		

Microbiology							
Analyte	Result L	imits.	Units	LOQ	Batch	Analyzed Method	Status Notes
Aerobic Plate Count	< LOQ		cfu/g	10	2312493	11/07/23 AOAC 990.12 (Petrifilm) <sup>b</sup>	
E.coli	< LOQ		cfu/g	10	2312491	11/07/23 AOAC 991.14 (Petrifilm) <sup>b</sup>	
Total Coliforms	< LOQ		cfu/g	10	2312491	11/07/23 AOAC 991.14 (Petrifilm) <sup>b</sup>	
Staphylococcus aureus	< LOQ		cfu/g	10	2312495	11/06/23 AOAC 2003.07	
Mold (RAPID Petrifilm)	< LOQ		cfu/g	10	2312492	11/08/23 AOAC 2014.05 (RAPID) <sup>b</sup>	
Yeast (RAPID Petrifilm)	< LOQ		cfu/g	10	2312492	11/08/23 AOAC 2014.05 (RAPID) <sup>b</sup>	
Listeria spp.	Negative		/g		2312498	11/06/23 AOAC 2019.10	
Salmonella spp. by PCR <sup>¥</sup>	Negative		/g		2312496	11/06/23 AOAC 2020.02 <sup>b</sup>	
EHEC including STEC <sup>*</sup>	Negative		/g		2312497	11/06/23 AOAC RI 121806 <sup>b</sup>	

Result	Limits	Units	LOQ Batch	Analyzed Method	Status Notes
< LOQ	0.200	mg/kg	0.0156 2312692	11/10/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass
< LOQ	0.200	mg/kg	0.0156 2312692	11/10/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass
< LOQ	0.500	mg/kg	0.0156 2312692	11/10/23 AOAC 2013.06 (mod.) <sup>b</sup>	pass
< LOQ	0.100	mg/kg	0.007782312692	11/10/23 AOAC 2013.06 (mod.)b	pass
	< LOQ < LOQ < LOQ	< LOQ 0.200 < LOQ 0.200 < LOQ 0.500	< LOQ 0.200 mg/kg < LOQ 0.200 mg/kg < LOQ 0.500 mg/kg	<ul> <li>&lt; LOQ</li> <li>0.200 mg/kg</li> <li>0.0156</li> <li>2312692</li> <li>&lt; LOQ</li> <li>0.200 mg/kg</li> <li>0.0156</li> <li>2312692</li> <li>&lt; LOQ</li> <li>0.500 mg/kg</li> <li>0.0156</li> <li>2312692</li> </ul>	<ul> <li>&lt; LOQ</li> <li>0.200 mg/kg</li> <li>0.0156</li> <li>2312692</li> <li>11/10/23</li> <li>AOAC 2013.06 (mod.)<sup>b</sup></li> <li>&lt; LOQ</li> <li>0.200 mg/kg</li> <li>0.0156</li> <li>2312692</li> <li>11/10/23</li> <li>AOAC 2013.06 (mod.)<sup>b</sup></li> <li>&lt; LOQ</li> <li>0.500 mg/kg</li> <li>0.0156</li> <li>2312692</li> <li>11/10/23</li> <li>AOAC 2013.06 (mod.)<sup>b</sup></li> </ul>

Mycotoxins							
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status Notes
Aflatoxin B1 <sup>¥</sup>	< LOQ		µg/kg	5.00	2312564	11/07/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	
Aflatoxin B2 <sup>¥</sup>	< LOQ		µg/kg	5.00	2312564	11/07/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	
Aflatoxin G1 <sup>*</sup>	< LOQ		µg/kg	5.00	2312564	11/07/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	
Aflatoxin G2 <sup>¥</sup>	< LOQ		µg/kg	5.00	2312564	11/07/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	
Ochratoxin A <sup>¥</sup>	< LOQ	20.0	µg/kg	5.00	2312564	11/07/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	pass
Total Aflatoxins <sup>¥</sup>	0.000	20.0	µg/kg	20.0		11/10/23 AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>	pass

 Page 3 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0390
 OAR 333-007-0430





 Report Number:
 23-013056/D002.R003

 Report Date:
 03/15/2024

 ORELAP#:
 OR100028

 Purchase Order:
 11/03/23 15:40

### Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

= ISO/IEC 17025:2017 accredited method.
 \* = TNI accredited analyte.

#### Units of Measure

cfu/g = Colony forming units per gram g = g µg/kg = Micrograms per kilogram = parts per billion (ppb) mg/kg = Milligram per kilogram = parts per million (ppm) mg/7g = Milligram per 7g /g = Per gram % = Percentage of sample % wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-013056/D002.R003
Report Date:	03/15/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	11/03/23 15:40

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

JAOAC2015 V98-6 Batch ID: 2312565									
Laboratory Control							2012000		
Analyte	LCS	Result	Spike	Units	% Rec	I	imits	Evaluation	Notes
CBDVA	2	0.0330	0.0323	%	102	80.0	- 120	Acceptable	
CBDV	2	0.0341	0.0337	%	101	80.0	- 120	Acceptable	
CBE	2	0.0365	0.0358	%	102	80.0	- 120	Acceptable	
CBDA	1	0.0342	0.0311	%	110	90.0	- 110	Acceptable	
OBGA	1	0.0347	0.0313	%	111	80.0	- 120	Acceptable	
OBG	1	0.0355	0.0332	%	107	80.0	- 120	Acceptable	
CBD	1	0.0348	0.0319	%	109	90.0	- 110	Acceptable	
THOV	2	0.0348	0.0345	%	101	80.0	- 120	Acceptable	
d8THCV	2	0.0293	0.0283	%	104	80.0	- 120	Acceptable	
THCVA	2	0.0317	0.0312	%	102	80.0	- 120	Acceptable	
CBN	1	0.0357	0.0332	%	107	80.0	- 120	Acceptable	
exo-THC	2	0.0319	0.0315	%	101	80.0	- 120	Acceptable	
d9THC	1	0.0324	0.0320	%	101	90.0	- 110	Acceptable	
d8THC	1	0.0301	0.0277	%	109	90.0	- 110	Acceptable	
9Sd10THC	1	0.0337	0.0328	%	103	80.0	- 120	Acceptable	1
CBL	2	0.0334	0.0332	%	101	80.0	- 120	Acceptable	
9R-d10THC	1	0.0341	0.0314	%	109	80.0	- 120	Acceptable	
CBC	2	0.0346	0.0342	%	101	80.0	- 120	Acceptable	
THCA	1	0.0325	0.0303	%	107	90.0	- 110	Acceptable	
CBCA	2	0.0342	0.0338	%	101	80.0	- 120	Acceptable	
CBLA	2	0.0353	0.0342	%	103	80.0	- 120	Acceptable	
d9THOP	2	0.0336	0.0334	%	101	80.0	- 120	Acceptable	
CBT	2	0.0343	0.0343	%	100	80.0	- 120	Acceptable	
Method Blank									
Analyte		esult	LOQ		Units		jmits	Evaluation	Notes
CBDVA		LOQ	0.00319		%		0.00319	Acceptable	
CBDV		LOQ	0.00319		%		0.00319	Acceptable	
CBE		LOQ	0.00319		%	< 0.00319		Acceptable	
CBDA		LOQ	0.00319		%		0.00319	Acceptable	
OBGA		LOQ	0.00319		%		0.00319	Acceptable	
CBG			0.00319		%		0.00319	Acceptable	
CBD		LOQ	0.00319		%		0.00319	Acceptable	
THCV			0.00319		%		0.00319	Acceptable	
d8THCV		LOQ	0.00319		%		0.00319	Acceptable	
THCVA			0.00319	ļ	%		0.00319	Acceptable	
CBN avia TLF			0.00319		%		0.00319	Acceptable	
exo-THC			0.00319	L	%		0.00319	Acceptable	
d9THC			0.00319		%		0.00319	Acceptable	
d8THC			0.00319		%		0.00319	Acceptable	
9Sd10THC CBL		LOQ LOQ	0.00319	%			0.00319	Acceptable	
UBL 9R-d10THC			0.00319 0.00319	%			0.00319	Acceptable	
OBC				%			0.00319	Acceptable	
THCA			0.00319	<u> </u>	%		0.00319	Acceptable	
OBCA			0.00319 0.00319	<u> </u>	%		0.00319 0.00319	Acceptable Acceptable	
OBLA			0.00319	<u> </u>	%		0.00319	Acceptable	
d9THCP			0.00319	ļ	%		0.00319	Acceptable	
OBT			0.00319	<u> </u>	%		0.00319	Acceptable	
	<		0.00319	%		<(	1.00218	Acceptable	

Laboratory Quality Control Results

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: %- Percent

Page 5 of 8 www.columbialaboratories.com Page 5 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	23-013056/D002.R003				
Report Date:	03/15/2024				
ORELAP#:	OR100028				
Purchase Order:					
Received:	11/03/23 15:40				

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

JAOAC 2015 V98-6						ch ID: 2312565		
Sample Duplicate	Sample ID: 23-013009-0001							
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
OBDVA	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
OBE	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
OBDA	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
OBGA	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
OBG	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
OBD	0.266	0.270	0.00332	%	1.62	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
OBN	0.260	0.267	0.00332	%	2.84	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
d9THC	0.273	0.284	0.00332	%	3.89	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
9Sd10THC	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
OBC	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
JBCA	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
OBLA	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
19THOP	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00332</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00332	%	NA	< 20	Acceptable	

ND - None Detected at or above MRL RFD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

%- Percent

Page 6 of 8
www.columbialaboratories.com
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Test results requirements of the samples are unless
that the samples are unless
that





**Report Number:** 23-013056/D002.R003 **Report Date:** 03/15/2024 **ORELAP#:** OR100028 Purchase Order: **Received:** 11/03/23 15:40



 www.columbialaboratories.com
 Page 7 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0430
 OAR 333-007-0430





23-013056/D002.R003 **Report Number: Report Date:** 03/15/2024 **ORELAP#:** OR100028 **Purchase Order:** 11/03/23 15:40 **Received:** 

Explanation of QC Flag Comments:

Code	Explanation					
Q	Matrix interferences affecting spike or surrogate recoveries.					
Q1	Quality control result biased high. Only non-detect samples reported.					
Q2	Quality control outside QC limits. Data considered estimate.					
Q3	Sample concentration greater than four times the amount spiked.					
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.					
Q5	Spike results above calibration curve.					
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.					
R	Relative percent difference (RPD) outside control limit.					
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.					
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.					
LOQ1	Quantitation level raised due to low sample volume and/or dilution.					
LOQ2	Quantitaion level raised due to matrix interference.					
В	Analyte detected in method blank, but not in associated samples.					
B1	The sample concentration is greater than 5 times the blank concentration.					
B2	The sample concentration is less than 5 times the blank concentration.					

 www.columbialaboratories.com
 Page 8 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with: OAR 333-007-0430
 OAR 333-007-0430