

# **SAFETY DATA SHEET**

Prepared to OSHA, ANSI, NOHSC, WHMIS, 1002/58 & 1272/2008/EC Standards SDS Revision: 5.1

SDS Revision Date: 4/1/2021

	1. PRODUCT INDENTIFICATION				
1.1	Product Name: IOP COAT with TACKY LAYER				
1.2	Chemical Name:				
	POLYURETHANE (METH)ACRYLATE PREPOLYMER RESIN BLEND				
1.3	Synonyms: NA				
1.4	Trade Names: TOP COAT with TACKY LAYER				
1.5	Product Use: PROFESSIONAL USE ONLY				
1.6	Manufacturer's Name: RED IGUANA LLC				
1.7	Manufacturer's Address: 2707 E CRAIG RD, SUITE F, N LAS VEGAS, NV 89030				
1.8	Emergency Phone: E <b>HEMTREC: +1 703 527 3887 / +1 800 424 9300 (CCN 696869)</b>				
1.9	Business Phone:				
	1 619 5/7 8998				
	2. HAZARD INDENTIFICATION				
	IRRITATION. Hazard Statements (H):H317 - May cause an allergic skin reaction. H320 - Causes eye irritation. Precautionary Statements (P): P261 - Avoid breathing fumes/gas/vapors/spray. P272 - Contaiminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves. P302 + P352 - IF ON SKIN - wash with soap and warm water. P305 + P351 + P338 - IF IN EYES - Rince continually with water for several minutes. Remove contact lenses if present and easy to do, continue rinsing. P333 + P313 - If skin reaction or a rash occurs, get medical attention. P337 + P313 - ilf eye irritation persists, P321 - for specific first aid treatment (see section 4 of this Safety Data Sheet). P363 - Wash contaminated clothing before resuse. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).				
2.2	Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES				
2.3	<ul> <li>Effects of Exposure:</li> <li>NGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervouse system depression.</li> <li>EYES &amp; SKIN: The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye inflamation, ulceration. The vapor is discomforting to the eye. Splashes may cause severe eye irritation, possible corneal burns and eye damage. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to the skin, especially after prolonged contact. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated expsoure.</li> <li>NHALATION: Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion and difficulty breathing. Inhalation of concentrated vaors can cause central nervous system depression (e.g., drowsiness, headaches, nausea). Odor may give some warning of exposure but odor fatigue may occur.</li> </ul>				
2.4	symptoms of Overexposure: Symptoms of skin overexposure may include redness, itiching and irritation of affected areas. Overexposure in eyes may cause redness,				
	tching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, deratitis) upon prolonged or repeated exposure.				
2.5	Acute Health Effects: Moderate irritation to eyes near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.				
2.6	Chronic Health Effects:				
27	The material may cause an allergic reaction for some sensitive individuals.				
2.7	Target Organs: Eves. skin				

		3. COMP	OSITION 8	<b>INGRED</b>	IENT	INFC	DRMA		N				2 of 7
					EXPO	SURE I	LIMITS	IN AIR	(mg/m	າ3)			
					AC	GIH		NOHS	С		OSHA	4	
					p	pm		ppm			ppm		
						Ì	ES-	ES-	ES-				
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
Bis-HEA Poly(1,4-	NA	NA	NA	20-60	NA	NA	NA	NF	NF	NA	NA	NE	
butanediol)-9 / IPDI													
Copolymer		-		-		-	-				-		
Bis-Hydroxyethyl	NA	NA	NA	20-60	NA	NA	NF	NF	NF	NA	NA	NA	
Methacrylate													
Poly(neopentyl Glycol													
Adipate)/ IPDI													
Copolymer Dilution				_			1	1	1	1	1	_	
Bis-HEMA	NA	NA	NA	5-20	NA	NA	NF	NF	NF	NA	NA	NA	
trimethylhexamethyle		1			T	T	1	<b>1</b>	1	1	1	1 1	
Tripropyleneglycol	42978-66-5	NA	NA	1-15	NA	NA	NF	NF	NF	NA	NA	NA	
diacrylate							1				1		
1-Hydroxylcyclohexyl	947-19-3	NA	213-426-9	0.1 - 15	NA	NA	NF	NF	NF	NA	NA	NA	
phenyl ketone	116 61 0		204 227 6	0.1 5			LNE	Luc	Luc				
Benzophenone	116-61-9	NA	204-337-6	0.1 - 5	NA	NA	NF	NF	NF	NA	NA	NA	
bis-trimethylbenzoyl	Aquatic chromic 2 162-881-26-7	NA	423-340-5	i00 ≤1.0	NA	NA	NF	NF	NF	NA	NA	NA	
phenyl phosphine	Skin Sens. 1; Aqua			51.0	NA	ΝA	INF	INF	INF	ΝA	ΝA	NA	
MAY ALSO CONTAIN		alic Chronic 4,	пэ17, п415										
CI 77891 (Titanium	13463-67-7	XR2275000	236-675-5	≤1.0	NA	NA	NF	NF	NF	NA	NA	NA	
Dioxide)	13403 07 7	///2275000	230 073 3	21.0			141				11/4		
Cl 15850 (Red 6)	17852-98-1	NA	241-806-4	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
0. 10000 (neu 0)		1,	2.1 000 4	1-0.1			1		1				
Cl 47005 (Yellow 10))	8004-92-0	NA	305-897-5	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
CI 77491 (Iron Oxides)	1309-37-1	NO7420000	215-168-2	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
. ,		•	•	•		-							
CI77499 (Iron Oxides)	12227-89-3	NA	215-277-5	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	

# 4. FIRST AID MEASURES

4.1	First Aid:			
	INGESTION: If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingest the amount of the substance that was swallowed.			
	<ul> <li>SKIN &amp; EYES: If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelic to ensure thorough irrigation. Seek immediate medical attention. If problem persists, seek immediate medical attention irritation occurs &amp; product is on the skin, rinse thoroughly with lukewarm water followed by a thorough washing of the affected area with plenty of soak and waster. Remove all contaminated clothing including footwear and wash thorough before reuse. If irritation, redness or swelling persists, consult a physician immediately.</li> <li>INHALATION: Remove victim to fresh air at once. If breathing stops, perform artificial respiration. Seek immediate medical attention.</li> </ul>			
4.2		ons Aggravated by Exposure:	HEALTH	1
			FLAMMABILITY	0
	_		PHYSICAL HAZARDS	0
			PROTECTIVE EQUIPMENT	В
			EYES SKIN	

## **5. FIREFIGHTING MEASURES**

Upper Explosive Limit (UEL): NA

## 5.1 Flashpoint & Method:

> 100 °C (> 212 °F)
5.2 Autoignition Temperature:

## NA

5.3 Flammability Limits:5.4 Fire & Explosion Hazards:

This product is slightly flammable. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO, CO2 and Nox)

Lower Explosive Limit (LEL): NA

5.5 Extinguishing Methods:

Water, Foam, CO2, Dry Chemical

5.6 Fire Fighting Procedures:

First responders should wear eye protection. Structural fire fighters must wear full protective equipment and MSHA/NIOSH approved, self-contained breathing apparatus. If possible, prevent runoff water from entering storm drains, bodies of water or other enviormentally sensitive reas. If necessary, rinse contaminated equipment with soapy water before returnign to service.

## **6. ACCIDENTAL RELEASE MEASURES**

6.1 Spills:

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., , 1 gallon [3.785 liters]) wear appropriate personal protective equipment (e.g., goggles & gloves). Maximize ventilation (open doors and windows). Expose spilled material to UV light source for 2-5 minutes. Lift cured material from substrate and repeat until very little residue remains. Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. For large spills (e.g., > 1 gallon [3.785 liters]) deny entery to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Expose spilled material to UV light source for 2-5 minutes. Lift cured material to UV light source for 2-5 minutes. Lift cured material and place into appropriate closed container (s). Dispose of properly in substrate and repeat until very little residue remains. Remove remaining spilled material to UV light source for 2-5 minutes. Lift cured material from substrate and repeat until very little residue remains. Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container(s). Dispose of properly in accordance with local, state and federal regulations with warm, soapy water. Remove any contaminated clothing and wash before reuse. Keep spills and cleaning runoffs out of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

## 7. HANDLING AND STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Avoid prolonged contact with this material. Avoid breathing the vapors generated by this product. Use in a well ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap and water after using this product. If necessary, use a moisturizer after washing. Do not eat, drink or smoke while handling this product.

7.2 Storage & Handling:

Use and store in a cool, dry, well ventilated location. Keep away from excessive heat. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devises. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers shoiuld be handled with care. As a precaution against exposure to the eyes, nose, throat and face, this product should not be stored higher than waist level. KEEP AWAY FROM CHILDREN AT ALL TIMES!

7.3 Special Precautions:

Do not store where temperatures can exceed 50  $^{\circ}$ C (122 F).

3 of 7

	8. EX	(POSURE CONTROLS & PERSONAL PROTECTION	4 of 7
8.1	Ventilation & Engineering Controls:	Use with adequate ventilation (e.g., local exhaust ventilation, fans). Ensure appropriate de equipment is available (e.g., sink, safety shower, eye wash station).	econtaimination
8.2	Respiratory Protection:	No special respiratory protections is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR § 1910.134, application U.S. State regulations or the Candaian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC Member States or Australia.	
8.3	Eye Protection:	Wear protective eyewear (e.g., safety glasses with side shields) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.	
8.4	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., >1 gallon [3.785 liters]), wear nitrile or imprevious gloves.	
8.5	Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., . 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.	

	9. PHYSICAL & CHEMICAL PROPERTIES				
9.1	Density:	1.1			
9.2	Boiling Point:	NA			
9.3	Melting Point:	ND			
9.4	Evaporation Rate:	NA			
9.5	Vapor Pressure:	ND			
9.6	Molecular Weight:	NE			
9.7	Appearance & Color:	Clear or pigmented liquid			
9.8	Odor Threashold:	NE			
9.9	Solubility:	Not soluble			
9.1	pH:	NA			
9.1	Viscosity:	approximately 5,000 cps			
9.1	Other Information:	NA			

## **10. STABILITY & REACTIVITY**

10	Stability:					
	Relatively stable under ambient conditions when stored properly.					
10	Hazardous Decomposition Products:					
	f exposed to extremely high temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.g., oxides of					
	carbon and nitrogen).					
10	Hazardous Polymerization:					
	Will not occur.					
10	Conditions to Avoid:					
	Exposure or contact to extreme temperatures, incompatable chemicals, strong light sources, sparks and flame.					
11	Incompatable Substances:					
	Strong oxidizers, peroxides, strong acids or alkalis.					

#### TOVICOLOCICAL INFORMATION 4.4

	11. TOXICOLOGICAL INFORMATION 5 of 7
11	Toxicity Data:
	This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the produ t which
	are found in scientific literature. These data have not been presented in this document.
11	Acute Toxicity:
	See Section 2.5
11	Chronic Toxicity:
	See Section 2.6
11	Suspected Carcinogen:
	The ingredients of this product are not listed as carcinogens by the National Toxicology Program and have not been evaluated by the Internail
40	Agency for Research on Cancer or the American Conference of Government Industrial Hygenists.
12	Reproductive Toxicity:
	This product is not reported to cause reproductive toxicity in humans.
	Mutagenicity: This modust is not reported to produce mutagenic offects in humans
	This product is not reported to produce mutagenic effects in humans. Embryotoxicity:
	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:
	This products is not reported to cause teratogenic effects in humans.
12	Irritancy of Product:
	See Section 2.3
12	Biological Exposure Indicies:
	NE
12	Physician Recommendations:
	Treat syptomatically
	12. ECOLOGICAL INFORMATION
12	Environmental Stability:
	This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds.
12	Effects on Plants & Animals:
10	There is no specific data availble for this product on plant life.
12	Effects on Aquatic Life:
	There is no specific data availble for this product on aquatic life.
	13. DISPOSAL CONSIDERATIONS
13	Waste Disposal:
10	Dispose inaccordance with local, state and Federal waste laws.
13	Special Considerations:
	This material becomes an inert plastic upon prolonged exposure to sources of UV light and sunlight. Disposal of inert plastics is safer for the
	environment and is more easily handled for disposal according to local, state and Federal regulations.
	14. TRANSPORTATION INFORMATION
	asic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation.
	ional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADR and the CTDGR.
14	49 CFR (GRD):
	NOT REGULATED
14	
14	
14	IMDG (OCN): NOT REGULATED
14	TDGR (Canadian GND):
14	NOT REGULATED
15	ADR/RID (EU):
	NOT REGULATED
15	MEXICO (SCT):
	NOT REGULATED
15	ADGR (AUS):
	NOT REGULATED

E of 7

	15.	REGULATORY INFORMATION	6 of 7		
15	SARA Reporting: <b>NA</b>				
15	SARA Threshold Planning Quantity:				
	NA				
15	TSCA Inventory Status:				
15	All components of this product are listed in the CERCLA Reportable Quantity (RQ):	ISCA Inventory of are exempt			
15	NA				
16	Other Federal Requirements:				
	This products complies with the appropriate sec	tions of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).			
16	Other Canadian Regulations:		$\frown$		
		e hazard criteria of the CPR and the SDS contains all of the information	(T)		
	are on the Priorities Substances List.	oduct are listed on the DSL/NDSL. None of the components of this product	$\mathbf{\dot{\mathbf{O}}}$		
16	State Regulatory Information:				
		owing state criteria lists: <u>Titanium Dioxide</u> is listed on the following state criter	ria list(s):		
	Massachusetts Hazardous Substances List (MA),	Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know List	(PA) <i>,</i>		
		nzophenone is listed on the following state criteria list(s): MN. No toher ingre			
		reater, are listed on any of the following state criteria lists: California Proposit			
		s Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minn r List (NJ), New York Hazardous Substances List (NY), Pennylvania Right-to-Knc			
	Washington Permissible Exposures List (WA), W				
16	67/548/EEC (European Union), Australian NOHSC				
	The primary cononents of this product are not li	sted in Annex 1 of EU Directive 67/548/EEC. Irritant (Xi). Risk Phrases (R):			
		and skin. Safety Phrases (S): 2-23-29 - Keep out of reach of Children. Do not			
	breath gas, fumes, vapor or spray. Do not empt	y into drains.			
		16. OTHER INFORMATION			
16	16 Other Information:				
	WARNING! MAY CAUSE AN ALLERGIC SKIN REA	CTION. CAUSES EYE IRRITATION. Avoid breathing fume, gas, mist, vapors, spr	ay. Wear		
		SKIN - Wash with soap and water. IF IN EYES - Rinse continuously with water			
		easy to do - continue rinsing. If skin irritation or a rash occurs - get medical ad	lvice/attention.		
16	Do not take internally. Keep away from heat and open flame. KEEP OUT OF THE REACH OF CHILDREN.				
10	Please see last page of this SDS.				
16	Disclaimer:				
		o OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other governe			
		this product. To the best of McConnell Labs' knowledge, the information conta			
		ed; however, accuracy, suitability or completeness are not guaranteed and no v The information contained herein relates only to the specific product(s). If this			
		operties must be considered. Data may be changed from time to time. Be sure			
	latest edition.	, ,			
16	Prepared for:	<u>^</u>			
10	Red Iguana LLC				
	2707 E Craig Rd		$\wedge$		
	Suite F		$\land$		
	N Las Vegas, NV 89030				
	www.red-iguana.com	APRIL RIAN			
17	Prepared by:				
	Red Iguana LLC				
	2707 E Craig Rd		$\wedge$		
	Suite F				
	N Las Vegas, NV 89030				
	www.red-iguana.com				

## **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following: GENERAL INFORMATION:

## CAS No. Chemical Abstract Service Number

### EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health
	-

## FIRST AID MEASURES:


CPR Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

## HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

### HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

#### PERSONAL PROTECTION RATINGS:



### OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

## NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:					
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source					

#### HAZARD RATINGS:

0	Minimal Hazard						
1	Slight Hazard						
2	Moderate Hazard						
3	3 Severe Hazard						
4	Extreme Hazard						
ACD	Acidic						
ALK	Alkaline						
COR	Corrosive						
¥¥	Use No Water						
ох	Oxidizer						
TREFOIL	Radioactive						



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
	s
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD <sub>io</sub>	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log K <sub>ow</sub> or log K <sub>oc</sub>	Coefficient of Oil/Water Distribution

#### **REGULATORY INFORMATION:**

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
тс	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

# WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	۲	٨	$\textcircled{\begin{subarray}{c} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	1	۲		Ŕ
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

## EC (67/548/EEC) INFORMATION:

		*	¥		<b>.</b>	×	×
с	E	F	N	0	т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$					
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment