



Convergent Concrete Technologies, LLC.

Specialty Chemical Concrete Treatments

115 North 1380 West Orem, Utah 84057 United States of America

Office: 801-375-2280

www.convergentconcrete.com



PRODUCT DESCRIPTION

Pentra-CleanTM (CR) cleans floors by cutting through dirt, grime and residue. Through reactive Nano-Lithium[®] technology, this cleaner also hardens, protects and restores gloss and durability to the cleaned surface. Adding Pentra-CleanTM (CR) to a floor care program increases the floor's longevity, reducing maintenance and costly repairs. This product is ideal for cleaning commercial, retail, industrial, and institutional floors. Additionally, it enhances and restores dulled floors, setting it apart from conventional cleaners.

Pentra-Clean[™] (CR) helps prevent marking, scuffing, and scratching if used on a regular basis, reducing the frequency of routine buffing and burnishing. It also extends the intervals between deep cleaning or restoration processes.

KEY BENEFITS

- Easily removes dirt and other surface soils
- Reduces the need for periodic buffing or burnishing
- Helps resist scuffing, scratching, and water spots
- Amplifies overall gloss and clarity with Nano-Lithium® technology
- Leaves no residue that will dull or damage a floor or floor finish
- Certified by the National Floor Safety Institute (NSFI) as "High Traction" under ANSI B101.1 Wet Test

Pentra-Clean (CR) 2

Customer Service:

Call 1-866-375-2280

Visit our website:

www.convergentconcrete.com

Or scan the code:



USES

Grocery Stores, Parking Garages, Fire Stations, Sidewalks, Driveways, Loading Docks, Aircraft Hangars, Automotive Dealerships, Shipping Terminals, Vehicle Maintenance Areas, Office Buildings, Healthcare Facilities, Cafeterias/Restaurants, Correctional Institutions, Retail & Shopping Centers, Schools, Stadiums, Veterinary Clinics, Common Areas, Laboratories, Lobbies, Mechanical Rooms, Mezzanines, Manufacturing Facilities, Warehouses, Storage, Distribution Centers, Food Processing Plants, Textile Mills, Wastewater Treatment Plants, Pharmaceutical Plants, Electronic Facilities, Cold Storage/Freezers, Beverage Bottling Plants, Chemical Processing Plants, etc.

APPLICATION

Sweep or vacuum to remove loose materials from the floor's surface.

This product is concentrated for use with an automatic floor scrubber. Use soft brushes/soft pads. Never use aggressive brushes or pads on polished concrete. Dilute one 4 oz package per 15 gallons of fresh water or add 4 oz cleaner per 15 gallons to the automatic floor scrubber water tank.

For routine cleaning, scrub the floor with the squeegee down and vacuum/squeegee engaged.

For deep cleaning, apply the cleaner and scrub floor with the brushes/pads engaged, but the vacuum/squeegee up. Allow product to sit on the surface without drying for 15 to 20 minutes, then scrub again with the brushes on and the vacuum/squeegee engaged. Add more cleaner as necessary.

After cleaning, buff the floor with a white or tan burnishing pad to increase shine.

*Before application, always do a small test sample in a less-visible area to be sure there are no variables or contaminants in the substrate that may be incompatible with this product.

ESTIMATED COVERAGE

Add 4 oz of Pentra-Clean™ (CR) per 15 gallons of fresh water.

CLEAN UP

Clean tools and equipment with clean water.

MAINTENANCE

Daily cleaning with Pentra-Clean™ (DC) and periodic deep cleaning with Pentra-Clean™ (CR) is recommended to prolong the life of your surface. Consult a Convergent Concrete Representative for further information.

SAFETY/HEALTH INFORMATION

KEEP OUT OF REACH OF CHILDREN.

Do not drink. If swallowed, do not induce vomiting; drink two glasses of water and call a physician. Wear goggles and gloves. If splashed in eyes, rinse eyes immediately with clean water and call a physician if irritation persists. Clean skin with soap and water.

CAUTION: Surfaces wet with Pentra-Clean™ (CR) may be slippery.

Additional precautions, safety information and first aid treatments are contained in the Safety Data Sheet.

Pentra-Clean (CR)

3

Technical Service

Customer Care:

Toll Free 866-375-2280 or 801-375-2280

Email:

info@convergentconcrete.com

Web:

www.convergentconcrete.com

For Chemical/Medical Emergencies:

Infotrac 800-535-5053 Outside USA 352-323-3500

PROPERTIES

Form: Liquid Color: Clear

Odor: Slight to none Total Solids: 15.1% Specific Gravity: 1.08

pH: 11

VOC Content: <50g/L Flash Point: N/A Freeze Point: 32°F (0°C)

Shelf Life: 1 year in unopened, sealed container

PACKAGING

60 pouch box (4 oz. pouches) 1-Gal Jug • 3.79 L 5-Gal Pail • 18.93 L 55-Gal Drum • 208.20 L

LIMITATIONS

May not remove some embedded stains. Never use aggressive brushes or pads on polished concrete.

Make certain the most current versions of the Pentra-Clean $^{\text{TM}}$ (CR) Product Data Sheet and SDS are being used. Call Customer Service (1-866-375-2280) or visit our website (www.convergentconcrete.com) to find additional tips, guidelines and specifications. Proper application is the responsibility of the user. Field visits by Convergent Concrete Personnel are for the purpose of making technical recommendations only and not for supervising or providing quality control on the job site.

Pentra-Clean (CR)

Technical Service

Customer Care:

Toll Free 866-375-2280 or 801-375-2280

Email:

info@convergentconcrete.com

Web:

www.convergentconcrete.com

For Chemical/Medical Emergencies:

Infotrac 800-535-5053 Outside USA 352-323-3500

WARRANTY

The product and application information contained herein is offered in good faith and we believe it to be accurate. However, since conditions and methods of use of our products are beyond our control, this information should not be used in substitution for customer's tests to ensure that our products are safe, effective, and fully satisfactory for the intended end use. Suggestions of use shall not be taken as inducements to infringe any patent. Convergent Concrete Technologies, LLC.'s sole warranty is that our products will meet our specifications at the time of shipment. Your exclusive remedy for breach of such warranty is limited to refund of purchase price or replacement of any product shown to be other than as warranted.

CONVERGENT CONCRETE TECHNOLOGIES, LLC. SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY. CONVERGENT DISCLAIMS LIABILITY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.



Refer to www.convergentconcrete.com for latest Technical Data Sheet and MSDS.

Convergent Concrete Technologies, LLC. ~ Specialty Chemical Concrete Treatments • 115 North 1380 West • Orem, Utah 84057 • 801-375-2280

UNIQUE STRENGTHS, UNMATCHED PERFORMANCE™

©2020 Convergent Concrete Technologies, LLC. All Rights Reserved.