

INOGENONE[®] G4 System



Inogen One[®]
AC Power Supply*
Item # BA-401



Inogen One[®] G4
DC Power Cable*
Item # BA-306



Inogen One[®] G4
Lithium Ion Battery*
Up to 2.7 hours run time †
Item #BA-400



Inogen One[®] G4
Carry Strap*
Item # CA-401



Inogen One[®] G4
Carry Bag*
Item # CA-400



Inogen One[®] G4
Extended Life Lithium Ion Battery**
Up to 5 hours run time †
Item #BA-408



**Only
2.8 pounds!**

The Inogen One[®] G4 System (IS-400):

- Highest Capacity at or Below 5 Pounds
- Library-Quiet, Reliable Operation
- Clinically Proven for 24/7 Use
- Unique Field-Changeable Sieve Beds
- Inogen Connect Bluetooth App

* Included with system

** Accessory sold separately

† On Flow Setting 1

INOGEN ONE^{G4}

The lightweight Inogen One[®] G4 portable oxygen concentrator has the highest capacity of any portable weighing at or below 2.8 pounds. Patients appreciate its library-quiet and reliable operation for 24/7 use. Sieve bed maintenance can be easily performed. Advanced diagnostics take the guesswork out of patient support as the Inogen One G4 is bluetooth enabled and compatible with Inogen Connect, the free mobile app.

The Inogen One[®] G4 offers the patient a single solution for oxygen at home or away, day or night.

Weight	2.8 lbs. (includes single battery)
Size	Length: 5.91" Width: 2.68" Height: 7.2" (includes single battery)
Oxygen Flow	Pulse dose delivery system Three flow settings 1, 2, 3
Power	AC Power Supply 100-240V, 50-60Hz (auto sensing to allow worldwide use) DC Power Cable: for mobile use in car
Battery	Duration (single battery): Up to 2.7 hours [†] Recharge approximately 3 hours with AC or DC power Duration (double battery): Up to 5 hours [†] Recharge approximately 5 hours with AC or DC power
Noise Level	40 dBA*
Warranty	3 year standard warranty**
Operation	Simple control functions and easy-to-read LCD display Inogen Connect Bluetooth App
Use	Designed for 24/7 use in a home, institution, vehicle and various mobile environments

* At flow setting 2

** See Inogen One[®] Limited Warranty Statement for complete warranty information

† On Flow Setting 1

Manufactured by:



www.provider.inogen.com



PM230080 v12303