








# General purpose harnesses - Size Chart

		European versions		International versions		
		References	Certifications	References	Certifications	
<b>Fall arrest harnesses</b>						
NEWTON		NEWTON	C73AAA 1	CE EN 361 EAC	C73AAA 1U	CE EN 361 EAC, ANSI Z359.11 CSA Z259.10
			C73AAA 2		C73AAA 2U	
		NEWTON EASYFIT	C73JFA 0	CE EN 361 EAC	C73JFA 0U	CE EN 361 EAC, ANSI Z359.11 CSA Z259.10
	C73JFA 1		C73JFA 1U C73JFN 1U (1)			
	C73JFA 2		C73JFA 2U C73JFN 2U (1)			
	NEWTON EASYFIT HI-VIZ	-	-	C73JFV 1U	CE EN 361, EN ISO 20471, EAC ANSI Z359.11, ANSI 107 CSA Z259.10, CSA Z96-15	
				C73JFV 2U		

<b>Fall arrest and work positioning harnesses</b>						
VOLT		VOLT	C72AFA 0	CE EN 361 EN 358 EAC	C72AFA 0C	CE EN 361 EN 358 CSA Z259.10
			C72AFA 1		C72AFA 1C	
			C72AFA 2		C72AFA 2C	
		VOLT WIND	C72WFA 0		C72WFA 0C	
			C72WFA 1		C72WFA 1C	
			C72WFA 2		C72WFA 2C	
	VOLT LT	-	-	C72AFA 0U	CE EN 361 EN 358 ANSI Z359.11	
				C72AFA 1U		
				C72AFA 2U		
	VOLT WIND LT	-	-	C72WFA 0U		
				C72WFA 1U		
				C72WFA 2U		
Seat for VOLT harnesses		C72100	CE EN 358 (3)	-	-	



<b>Harnesses for fall arrest, work positioning and suspension</b>						
AVAO BOD European version		AVAO BOD	C071AA00	CE EN 361 EN 358 EN 813 EAC	C071CA00	ANSI Z359.11 NFPA 1983 class III CSA Z259.10 CE EN 361 EN 358 EN 813
			C071AA01		C071CA01	
			C071AA02		C071CA02	
NEW 2019 AVAO BOD international version		AVAO BOD FAST	C071BA00 C071BA03 (1)		C071DA00 C071DA03 (1)	
			C071BA01 C071BA04 (1)		C071DA01 C071DA04 (1)	
			C071BA02 C071BA05 (1)		C071DA02 C071DA05 (1)	
TOP			C081AA00 C081AA01 (1)	CE EN 361 (2) EAC	-	-
AVAO SIT		AVAO SIT	C079AA00 C079AA02 (1)	CE EN 358 EN 813 EAC	-	-
			C079AA01 C079AA03 (1)			
			C079BA00			
		AVAO SIT FAST	C079BA01			
			C079BA02			



	Attachment points				Size	Sizes			Weight	
	dorsal	sternal	ventral	side		Belt	Leg loops	Height		
●	●	●	-	-	1	70 - 93 cm	47 - 62 cm	165 - 185 cm	1050 g	
					2	83 - 120 cm	50 - 65 cm	175 - 200 cm	1080 g	
	●	●	-	-	0	65 - 80 cm	44 - 59 cm	160 - 180 cm	1240 g	
					1	70 - 93 cm	47 - 62 cm	165 - 185 cm	1300 g	
					2	83 - 120 cm	50 - 65 cm	175 - 200 cm	1350 g	
	●	●	-	-	1	70 - 93 cm	47 - 62 cm	165 - 185 cm	1360 g	
2					83 - 120 cm	50 - 65 cm	175 - 200 cm	1410 g		
●	●	●	-	●	0	65 - 80 cm	44 - 59 cm	160 - 180 cm	1955 g (4)	
					1	70 - 93 cm	47 - 62 cm	165 - 185 cm	2000 g (4)	
					2	83 - 120 cm	50 - 65 cm	175 - 200 cm	2080 g (4)	
	●	●	-	●	0	65 - 80 cm	44 - 59 cm	160 - 180 cm	2055 g (4)	
					1	70 - 93 cm	47 - 62 cm	165 - 185 cm	2100 g (4)	
					2	83 - 120 cm	50 - 65 cm	175 - 200 cm	2180 g (4)	
	●	●	-	●	0	65 - 80 cm	44 - 59 cm	160 - 180 cm	1850 g	
					1	70 - 93 cm	47 - 62 cm	165 - 185 cm	1895 g	
					2	83 - 120 cm	50 - 65 cm	175 - 200 cm	2000 g	
	●	●	-	●	0	65 - 80 cm	44 - 59 cm	160 - 180 cm	1965 g	
					1	70 - 93 cm	47 - 62 cm	165 - 185 cm	2010 g	
					2	83 - 120 cm	50 - 65 cm	175 - 200 cm	2115 g	
	-	-	-	-	-	-	-	-	1045 g	
	●	●	●	●	●	0	65 - 80 cm	44 - 59 cm	160 - 180 cm	2045 g / 2215 g (5)
						1	70 - 93 cm	47 - 62 cm	165 - 185 cm	2090 g / 2260 g (5)
						2	83 - 120 cm	50 - 65 cm	175 - 200 cm	2170 g / 2340 g (5)
		●	●	●	●	0	65 - 80 cm	44 - 59 cm	160 - 180 cm	2000 g / 2350 g (5)
						1	70 - 93 cm	47 - 62 cm	165 - 185 cm	2045 g / 2400 g (5)
2						83 - 120 cm	50 - 65 cm	175 - 200 cm	2125 g / 2485 g (5)	
-		●	-	-	-	-	-	160 - 200 cm	660 g	
-		-	●	●	1	70 - 93 cm	47 - 62 cm	165 - 185 cm	1175 g	
					2	83 - 120 cm	50 - 65 cm	175 - 200 cm	1190 g	
-		-	●	●	0	65 - 80 cm	44 - 59 cm	160 - 180 cm	1115 g	
					1	70 - 93 cm	47 - 62 cm	165 - 185 cm	1130 g	
					2	83 - 120 cm	50 - 65 cm	175 - 200 cm	1145 g	

(1) black harness, (2) with AVAO SIT harness, (3) with VOLT harness, (4) not including weight of OXAN connector for CSA certified versions, (5) weight of international version

# Specialised harnesses - Size Chart

		European versions		International versions		
		References	Certifications	References	Certifications	
<b>Rope access harnesses</b>						
<b>ASTRO BOD FAST</b> European version  <b>NEW 2019</b> <b>ASTRO BOD FAST</b> international version		C083AA00	CE EN 361 EN 358 EN 813 EN 12841 type B EAC	C083BA00 C083BA03 (1)	ANSI Z359.11 NFPA 1983 class III CSA Z259.10 CE EN 361 EN 358 EN 813 EN 12841 type B	
		C083AA01		C083BA01 C083BA04 (1)		
		C083AA02		C083BA02 C083BA05 (1)		
<b>TOP CROLL S</b>		C081BA00	CE EN 361 (2) EN 12841 type B EAC	-	-	
<b>TOP CROLL L</b>		C081CA00	CE EN 361 (3) EN 12841 type B EAC	-	-	
<b>ASTRO SIT FAST</b>		C085AA00	CE EN 358 EN 813 EAC	-	-	
		C085AA01				
		C085AA02				
<b>PODIUM</b>		S071AA00	-	-	-	
<b>Tree care harnesses</b>						
<b>NEW 2019</b> <b>SEQUOIA</b>		<b>SEQUOIA SRT</b>		CE EN 358 EN 813 EAC	-	
		C069BA00	-			
		C069BA01				
		C069BA02				
		<b>SEQUOIA</b>				
		C069AA00				
C069AA01						
C069AA02						
<b>NEW 2019</b>	Shoulder straps	C069DA00	-	-	-	
<b>NEW 2019</b>	Seat	S069AA00	-	-	-	
Adjustable attachment bridge		C69R	-	-	-	
<b>NEW 2019</b>	Attachment bridge	40 cm	C069CA00	-	-	
		45 cm	C069CA01			
		50 cm	C069CA02			
<b>Rescue harnesses</b>						
<b>FALCON</b>		<b>FALCON</b>		CE EN 358 EN 813 EAC	-	
		C038AA00	-			
		C038AA01 C038AA03 (1)				
		C038AA02 C038AA04 (1)				
		<b>FALCON ASCENT</b>				
		C038BA00				
C038BA01						
<b>FALCON MOUNTAIN</b>		C038CA00	CE EN 358, EN 813 EN 12277 type C EAC	-	-	
C038CA01						
<b>CHEST'AIR</b>		C98A	CE EN 361 (4) EN 12277 type D	-	-	
<b>Litter and evacuation triangles</b>						
<b>NEST</b>		S61	-	-	-	
<b>STEF</b>		S59	-	-	-	
<b>Bag for NEST litter</b>		S62	-	-	-	
<b>PITAGOR</b>		C80 BR	EN 1497, EN 1498	-	-	
<b>BERMUDE</b>		C80	EN 1498	-	-	
<b>Harness accessories</b>						
<b>LIFT</b>		L54	CE	-	-	
<b>NEW 2019</b> <b>CARITool</b>		P042AA00	-	-	-	
		P042AA01				
<b>TOOLBAG</b>	<b>NEW 2019</b>	S047AA00	-	-	-	
		S47Y S	-	-	-	
		S47Y L	-	-	-	
<b>RING OPEN</b>		P28	CE EN 362	-	-	
<b>Shackles</b>		C087AA00	-	-	-	



	Attachment points				Size	Sizes			Weight	
	dorsal	sternal	ventral	side		Belt	Leg loops	Height		
	●	●	●	●	0	65 - 80 cm	44 - 59 cm	160 - 180 cm	1855 g / 2480 g (4)	
					1	70 - 93 cm	47 - 62 cm	165 - 185 cm	1900 g / 2530 g (4)	
					2	83 - 120 cm	50 - 65 cm	175 - 200 cm	1980 g / 2620 g (4)	
	-	●	-	-	-	-	-	160 - 200 cm	515 g	
	-	●	-	-	-	-	-	160 - 200 cm	600 g	
	-	-	●	●	0	65 - 80 cm	44 - 59 cm	160 - 180 cm	1025 g	
					1	70 - 93 cm	47 - 62 cm	165 - 185 cm	1040 g	
					2	83 - 120 cm	50 - 65 cm	175 - 200 cm	1055 g	
					-	-	-	-	1060 g	
		-	-	●	●	0	65 - 80 cm	44 - 59 cm	-	1580 g
						1	70 - 93 cm	47 - 62 cm	-	1630 g
						2	83 - 120 cm	50 - 65 cm	-	1700 g
-		-	-	●	0	65 - 80 cm	44 - 59 cm	-	1480 g	
					1	70 - 93 cm	47 - 62 cm	-	1530 g	
					2	83 - 120 cm	50 - 65 cm	-	1600 g	
-		-	-	-	-	-	-	-	190 g	
-		-	-	-	-	-	-	-	885 g	
-		-	-	-	-	-	-	-	220 g	
-		-	-	-	S	-	-	-	65 g	
					M	-	-	-	70 g	
					L	-	-	-	75 g	
	-	-	●	●	0	65 - 80 cm	44 - 59 cm	-	840 g	
					1	70 - 93 cm	47 - 62 cm	-	855 g	
					2	83 - 120 cm	50 - 65 cm	-	885 g	
	-	-	●	●	1	70 - 93 cm	47 - 62 cm	-	765 g	
					2	83 - 120 cm	50 - 65 cm	-	795 g	
	-	-	●	●	1	70 - 93 cm	47 - 62 cm	-	810 g	
					2	83 - 120 cm	50 - 65 cm	-	840 g	
	-	●	-	-	-	-	-	160 - 200 cm	495 g	
		-	-	-	-	-	-	-	-	12800 g
		-	-	-	-	-	-	-	-	600 g
-		-	-	-	-	-	-	-	-	
-		-	-	-	-	-	-	-	1290 g	
-		-	-	-	-	-	-	-	795 g	
	-	-	-	-	-	-	-	-	520 g	
	-	-	-	-	S	-	-	-	35 g	
					L	-	-	-	75 g	
	-	-	-	-	XS (1.3 l)	-	-	-	105 g	
	-	-	-	-	S (2.5 l)	-	-	-	170 g	
	-	-	-	-	L (5 l)	-	-	-	240 g	
	-	-	-	-	-	-	-	-	70 g	
	-	-	-	-	-	-	-	-	20 g	

(1) black harness, (2) with ASTRO SIT FAST, AVAO SIT, AVAO SIT FAST, FALCON, FALCON ASCENT harnesses, (3) with ASTRO SIT FAST, AVAO SIT, AVAO SIT FAST, FALCON, FALCON ASCENT, SEQUOIA SRT harnesses, (4) international version.