



Www.teckwrap.com6214A FRANKFORD AVE.BALTIMORE, MD 21206, USA

0

0









ABOUT US

TeckWrap originally began as a vision and passion of Charles Heidenreich from Baltimore in the USA, and it started developing fast since then. Up until now, TeckWrap has built up a professional dealership network around the globe.

Our mission is to offer customers a wide variety of quality, affordable, and durable vinyl films worldwide. And we have warehouses in different spots, including the USA, Germany, Russia, and China, to make sure that our products can reach clients' hands within the minimum time.

Every single year, TeckWrap actively participates in various relevant fairs around the globe, including SEMA (based in the US) and FESPA, gathering international wrapping masters and wrapper groups. More than that, TeckWrap has spread its wings over different festivals and shows, including the ISA, Wrapscon, and Wrapping World, presenting unique and trending films.

Throughout those opportunities, TeckWrap continues meeting up with old and new clients by presenting, demonstrating wrap shows, explaining the process of film wrapping to customers. And some have been loyal enough to become one of our partners.

And this is one of the most valuable experiences for TeckWrap. Our mission is to work with distributors and customers, making peaceful and beneficial cooperation. Most of all, we grow together in this way. These experiences build up strong relationships with our partners. And helping each other friendly is what we especially value.

In comparison with other brands, TeckWrap might seem smaller. However, this is exactly why Teck-Wrap can always be flexible and efficient. We act as we think, and we seize every chance to reach out to every possibility to give our customers a unique and tremendous experience.

Bear our mission in mind; we are also devoted to keeping up with new trends so that customers can always find what they need with us. We offer vinyl films with an average three-year lifecycle and maintain a strategy of launching brand new designs every quarter as we believe color-change films are fashion products. The market tends to change quickly.

When TeckWrap first started, we had our first product line with the 180 series, where the colors of products are simple yet attractive. It is an ideal choice for partial application. Later on, we have our 190 series explicitly developed for full car wrapping, which has been growing and growing, as well as drawing interest from clients around the globe since it first launched the chrome and metallic products in 2015.

In the coming future, TeckWrap will continue developing its network, and in the meantime, focusing on expanding in printing media and paint protection film. Even more, we will be establishing more warehouses around the world so that we can always be available to our partners and closer to our customers.

TeckWrap is genuinely excited to offer you limitless possibilities to create fashionable, stylish exterior designs with different colors and finishes. Get in touch and feel the difference today.



COLOR SWATCHES AND TOOLS



STANDART SQUEEGEE WITH BLACK FELT



Please visit www.teckwrap.com for product specifications and installation instructions.





COLOR SWATCHES AND TOOLS



BLACK SQUEEGEE BLADE



SHORT SLEEVE T-SHIRT



SHORT HANDLE OXFORD

SQEEGEE

Please visit www.teckwrap.com for product specifications and installation instructions.







With a collection of 36 colors, this series stands for different spirits and emotions. Meanwhile, it looks fresh and compelling with a textured finish. Take your pick, and your favorite wrap will do the talking before someone tries to figure out what kind of person you are.

BASIC SPECIFICATIONS

The thickness of film: 0.16mm

Type of film: High grade polymeric multilayered calendared vinyl film with air release channels

Adhesive: Solvent polyacrylate


Storing period (shelf life): 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place
Avg. indoor life: 4 years when followed rules of application and usage
Avg. outdoor life: 3 years when followed rules of application and use
Post-heating temperature: 110°C flat surfaces, 130°C curves, and overlaps







FIERCE RED SKU: RB01






ACID LIME SKU: RB07



Roll Size: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd) Please visit www.teckwrap.com for product specifications and installation instructions.










SKU: RB09
















Sesempar













НД



НӘ

PASSIONATE PURPLE SKU: RB04-HD



TECHURER

SKU: RB02-HD

ACID LIME SKU: RB07-HD











CRYSTAL SILVER SKU: RB14-HD



COLUMBIA BLUE SKU: RB15-HD

ASH GREY

SKU: RB13-HD



SEA TURQUOISE SKU: RB16-HD











GLOSS METALLIC	190 SERIES	
DEEP ORANGE SKU: RB19-HD	MIDNIGHT PURPLE SKU: RB20-HD	
KELLY GREEN SKU: RB22-HD	MUSTARD YELLOW SKU: RB23-HD	
	A REPUBLIC REL	
GOLDEN YELLOW Sku: RB25-HD	RUBY GREEN SKU: RB26-HD	













Roll Size: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd) Please visit www.teckwrap.com for product specifications and installation instructions.

SKU: SL01-HD





Serugaar

GLOSS GREEN BLACK




SERUNGBER

OLIVE GREEN

SKU: HM11G



SKU: HM09G












GLOSS MOCHA LATTE SKU: MT02G





SKU: MT04G



LOSS ELECTRIC BLUE SKU: MT03G





COLOR SHIFT METALLIC

Ø

M&G 5387

190 SERIES

RAINBOW DRIFT METALLIC

With a collection of five stunning colors, TeckWrap offers you this series of color shifting vinyl wrap (Rainbow Drift), which gives your vehicle a unique, stylish finish. As a proud supplier, TeckWrap has plenty of film selections that have good conformability and durability. The better thing is, these vinyl wraps from TeckWrap are all in high quality but reasonable and affordable prices.

BASIC SPECIFICATIONS

The thickness of film: 0.16mm

Type of film: High grade polymeric multilayered calendared vinyl film with air release channels


Width & Length: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd)


Adhesive: Solvent polyacrylate

Storing period (shelf life): 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place
Avg. indoor life: 4 years when followed rules of application and usage
Avg. outdoor life: 3 years when followed rules of application and use
Post-heating temperature: 110°C flat surfaces, 130°C curves, and overlaps
Aftercare: PH neutral, Avoid wax or solvents




COLOR SHIFT METALLIC
















MATTE GOLDEN BLUE VIRIDIAN SKU: RD06













COLOR SHIFT METALLIC

190 SERIES







Q

190 SERIES

and and

20

TECHIURAR

.....

This series offers you a collection of three colors. Each of them gives you a stunning finish, where colorful sparkles are shinning all over the film. Pick your favorite color now, and turn your car into something elegant today!

BASIC SPECIFICATIONS

The thickness of film: 0.15mm

Type of film: High grade polymeric calendered vinyl film with air release channels

Glue: Henkel solvent based adhesive

Storing period: 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place

Indoor life: 4 years when followed rules of application and use

Outdoor life: 3 years when followed rules of application and use





SILVER FIREWORKS SKU: RCH01-HD



NIIGATA WHITE FIREWORKS

SKU: RCH03-HD

SERW/931



SILVER SUNSET SKU: DS03G

SILVER SUNSET

SKU: DS03-HD

















CHAMELEON METALLIC

190 SERIES

CHAMELEON METALLIC

Chameleon Metallic gives you a perfect finish with a lustrous and metallic appearance in a selection of three essential colors. But more than that, with varied colors in one, as you look from different angles. Pick your favorite now, and you will not regret it for sure.

BASIC SPECIFICATIONS


The thickness of film: 0.16mm

Type of film: High grade polymeric calendered vinyl film with air release channels **Adhesive:** Henkel solvent based acrylic adhesive **Storing period:** 2 years if stored in +10°C to +20°C for optimal quality, relative humidity 50%, in original package, away from direct sun light, clean and dry place **Indoor life:** 4 years when followed rules of application and use **Outdoor life:** 2 years when followed rules of application and use



CHAMELEON METALLIC









190 SERIES

With a collection of 14 fancy colors, TeckWrap offers you this series of matte metallic vinyl wrap with the eggshell finish, which gives your vehicle a subtle look of metallic steel with a flat finish. And with TeckWrap, there is a wide variety for you to choose from. Pick one today and feel the difference!

BASIC SPECIFICATIONS

The thickness of the film: 0.16mm

Type of film: High grade polymeric calendared vinyl film with air release channels **Adhesive:** Henkel solvent-based acrylic adhesive **Storing period:** 3 years if stored in +10°C to +20°C for optimal quality, relative humidity 50%, in original package, away from direct sunlight, clean and dry place **Indoor life:** 5 years when followed rules of application and use **Outdoor life:** 3 years when followed rules of application and use



MATTE METALLIC **190 SERIES** REEWSOAT SEEWSBAT **SATIN PERL WHITE GUNSMOKE GREY** SKU: ECH01 SKU: ECH02 REEWEDST SERUMBBER CHARCOAL GREY **ROYAL BRONZE SKU: ECH**03 **SKU: ECH**04 REFUNSION REEMBOAL


Roll Size: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd) Please visit www.teckwrap.com for product specifications and installation instructions.

HORNET YELLOW

SKU: ECH16

NAVY BLACK

SKU: ECH15







0

190 SERIES

Thinking about getting something lustrous like metal but not so glossy? Then matte metallic is your choice! It gives you a subtle look of metallic steel with a flat finish. And with TeckWrap, there is a wide variety for you to choose from. Pick one today and feel the difference!

BASIC SPECIFICATIONS

The thickness of film: 0.12mm

Type of film: Pressure sensitive high-grade polymeric vinyl film with air release channels


Glue: Henkel solvent-based adhesive

Storing period: 3 years if stored in +10°C to +20°C for optimal quality, relative humidity 50%, in original package, away from direct sunlight, clean and dry place
Indoor life: 5 years when followed rules of application and use
Outdoor life: 3 years when followed rules of application and use

Post heating: 100 Celcius







SKU: MT04



SKU: MT03





• WHITE CHAMELEONS

 \bigcirc

190 SERIES

WHITE CHAMELEONS

With a collection of ten gloss and matte colors, you will get a super distinctive finish with this series, where it is partly shady with extraordinary luster. It is THE head-turner among all the running cars on the road. Pick one and enjoy the view!

BASIC SPECIFICATIONS

The thickness of film: 0.15mm

Type of film: High grade polymeric calendared vinyl film with air release channels

Glue: Henkel solvent based adhesive

Storing period: 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package,

away from direct sun light, clean and dry place

Indoor life: 4 years when followed rules of application and use


Outdoor life: 2 years when followed rules of application and use

Post-heating: 100°C; cure time: 48 hours



WHITE CHAMELEONS















GLOSS GLITTER & DIAMOND



GLOSS GLITTER & DIAMOND

Looks fascinating! The finish shines just like a diamond! Even better, it is not hard to apply. Get your favorite color, and turn your car into the most stunning diamond on the road!

BASIC SPECIFICATIONS

TThe thickness of film: 0.16mm

Type of film: Medium grade polymeric multilayered calendered film with air release channels **Adhesive:** Henkel solvent-based acrylic adhesive **Storing period:** 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place **Indoor life:** 5 years when followed rules of application and use **Outdoor life:** 3 years when followed rules of application and use **Post heating:** 90°C



GLOSS GLITTER







HIGH & SUPER GLOSS

180/190 SERIES

HIGH GLOSS

With up to 19 different colors in this series, each of them creates an eye-catching and classic outfit for your car, shinning like nothing you have ever seen! Pick your favorite, get changed, and add charm to your car now!

BASIC SPECIFICATIONS

The thickness of the film: 0.11mm HD: 0.15mm

Type of film: Medium grade polymeric calendered film with air release channels

Glue: Henkel solvent based adhesive

Storing period: 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place

Indoor life: 4 years when followed rules of application and use

Outdoor life: 2 years when followed rules of application and use

Postheating: 100 Celcius HD: 95 Celcius









CHELSEA ROSE COATED SKU: CG25-SH



LAVA ORANGE COATED SKU: CG24-SH







HIGH & SUPER GLOSS 180/190 SERIES НЭ HD 2EEU 203 THURE **SUPER WHITE AMAZON GREY** SKU: CG02-HD SKU: CG03-HD HD НД RACING RED TIFFANY SKU: CG06-HD SKU: CG11-HD НД НД **SUNFLOWER YELLOW SLATE GREY** SKU: CG16-HD SKU: CG12-HD







HIGH & SUPER GLOSS 190 SERIES НД НД Jeem Beau LAVA ORANGE **CHELSEA ROSE** SKU: CG24-HD SKU: CG25-HD HD НД **IVORY CREAM** TRUE NARDO GREY SKU: CG27-HD SKU: CG26-HD НД НД CHARTER STREET **YACHT BLUE KHAKI GREEN** SKU: CG29-HD SKU: CG28-HD





HIGH & SUPER GLOSS 190 SERIES НД НД TEERUJAA PALE CELADON

FRENCH OLIVE SKU: CG31-HD

12210 ADD AL

AVALON TEAL

НӘ



SKU: CG30-HD

SKU: CG32-HD











GH & SUPER GLOSS	190 SERIES
	HD
LOUVRE YELLOW SKU: CG43-HD	SUNRAY YELLOW Sku: CG44-HD
12	
AMBERWAVE	
SKU: CG45-HD	





SUPER MATTE

180 SERIES

SUPER MATTE

It is not too glossy but with modest lustrous. With its subtle solid look, you will have a perfect distinctive flat finish. With TeckWrap, you have a wide range of selection to choose from. Take your pick and enjoy the difference!

BASIC SPECIFICATIONS

The thickness of film: 0.12mm


Type of film: Medium grade polymeric calendered film with air release channels


Glue: Henkel solvent based adhesive

Storing period: 3 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place

Indoor life: 5 years when followed rules of application and use

Outdoor life: 3 years when followed rules of application and use











TREARDRAP











Roll Size: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd)

Please visit www.teckwrap.com for product specifications and installation instructions.





180 SERIES



MIST BLUE

SKU: SCM37

Roll Size: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd) Please visit www.teckwrap.com for product specifications and installation instructions.

AUTUMN BLAZE

SKU: SCM36



MIRROR CHROME



MIRROR CHROME

Reflective and lustrous, your car will be drawing people's eyes, because Mirror Chrome looks so much more aesthetic and attractive. More than just the mirroring effect, with TeckWrap, you have a whole collection of 17 colors to choose from. Make your choice, and start lighting up the road!

BASIC SPECIFICATIONS

The thickness of film: 0.19mm

Type of film: Hybrid vinyl film (silver coating) with air release channels **Adhesive:** Henkel solvent based low initial tack adhesive, white and grey **Storing period:** 3 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place **Indoor life:** 4 years when followed rules of application and use **Outdoor life:** 1-2 years when followed rules of application and use. Durability depends on the surface and climate zone.



MIRROR CHROME 180 SERIES НД HD WHITE GOLD **ROSE GOLD** SKU: CHM01-HD SKU: CHM03-HD НД НД

CHERRY RED SKU: CHM04-HD SAPPHIRE BLUE

SKU: CHM08-HD











1



Also known as a semi-gloss or luster film, the appearance of Satin Chrome is halfway between matte and gloss, a perfect choice for those who want something posh and elegant. And with a collection of 10 colors to choose from, your car is going to be the most eye-catching thing running on the road. So why not take your pick with us now?

BASIC SPECIFICATIONS

The thickness of film: 0.10mm

Type of film: Polymeric vinyl film (silver coating) with new air release channels

Glue: Henkel solvent based adhesive

Storing period: 3 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place

Indoor life: 4 years when followed rules of application and use


Outdoor life: 2 years when followed rules of application and use

Post-heating: 90 Celcius. Cure time: 48 hours














SKU: VCH402-S

SKU: VCH406-S



EMERALD GREEN SKU: VCH405-S












REEWSOAT

ROSE GOLD

SKU: VCH414-S

SKU: VCH403-S











SUPER SILVER SAGE SKU: VCH411-S

SKU: VCH404-S







NEO CHROME

180 SERIES

NEO CHROME

Mystic chrome represents its product name. It creates some mystic, like in a wonderland. With each of the five colors of neochrome, you will have different ideas about five fairylands. It is recommended for partial wrapping on your car. With another film which is relatively more solid on other surfaces, it makes a well balanced distinctive outfit.

BASIC SPECIFICATIONS

The thickness of film: 0.11mm

Type of film: PET film with new air release channels

Glue: Henkel solvent based moderate adhesive

Storing period: 3 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place


Indoor life: Up to 3 years when followed rules of application and use

Outdoor life: Up to 1-2 years when followed rules of application and use



NEO CHROME







REEWBERT

FROZEN BERRY

SKU: MCH08



SKU: MCH01





GLOSS ALUMINUM

180 SERIES

8

GLOSS ALUMINUM

Humble but elegant, Gloss Aluminum provides you a collection of 28 colors. Nothing pretentious, but with nothing less, its glory cannot be hidden. With this series, you will be able to create a perfectly stylish outfit for your loving car. Try this out and enjoy the upmarket.

BASIC SPECIFICATIONS

TThe thickness of film: 0.12mm

Width & Length: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd)

Adhesive: solvent polyacrylate. TeckWrap high-tech adhesive is save for car paint and has low or moderate initial tack ensuring easy installation.

Storing period (shelf life): 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, in a clean and dry place.

Indoor life: 4 years.

Outdoor life: 3 years when followed rules of application and usage. Mentioned periods are enough for a car wrapping film.

Post-heating: 100°C for flat surfaces and 120°C for curves and overlaps. We recommend a steam vacuum or IRR heater for installation.

Aftercare: PH neutral products. Avoid hot wax or solvents.


Roll Size: 1.52m*18m (59.8"* 708,6", 4.98ft*59ft, 1.66yd* 19,6yd) Please visit www.teckwrap.com for product specifications and installation instructions.







YELLOW GREEN





SKU: GAL11-S

REEWBOAL

AZTEC GOLD

SKU: GAL24

180 SERIES







GLOSS ALUMINUM 180 SERIES HD HD **TRUE BLOOD BLUE GEM** SKU: GAL01R-HD SKU: GAL02-HD HD НД CANDY PURPLE **SUPER SILVER MIST** SKU: GAL03-HD SKU: GAL11-HD HD НЪ **SPACE BLUE ROYAL BLUE** SKU: GAL14-HD SKU: GAL19-HD



GLOSS ALUMINUM 180 SERIES HD HD PINK GOLD **SUPREME RED** SKU: GAL26-HD SKU: GAL23-HD HD HD TEERWAAR HUNTER GREEN **VELVET RED** SKU: GAL29-HD SKU: GAL30-HD





190 SERIES

P P 911 Corre

Silky and lustrous, the beauty of Satin Metallic is rather quiet and low-key. Self-restraint with graceful bearing, each of the five colors in this series will provide you a somewhat different taste. Try it on and feel the difference!

BASIC SPECIFICATIONS

The thickness of film: 0.12mm


Type of film: Pressure sensitive high-grade polymeric vinyl film with air release channels


Glue: Henkel solvent-based adhesive

Storing period: 3 years if stored in +10°C to +20°C for optimal quality, relative humidity 50%, in original package, away from direct sunlight, clean and dry place **Indoor life:** 5 years when followed rules of application and use

Outdoor life: 3 years when followed rules of application and use **Post heating:** 100 Celcius
















SKU: HM07








GREENFINCH GOLD SKU: HM09









SKU: SMT04



MINERAL GREY SKU: SMT01





SKU: SMT03













SKU: SMT10



RASANT BLUE SKU: SMT07















SERUTED

LAWN GREEN

SKU: SMT14

SKU: SMT17



PINE GREEN SKU: SMT13





FLAME RED SKU: SMT15









STRUCTURE VINYL

180 SERIES


STRUCTURE VINYL

With a collection of different styles, TeckWrap offers you this series of camouflage vinyl wraps that give your vehicle a stylish finish with a genuine look. As a proud supplier, TeckWrap has plenty of film selections that have good conformability and durability. The material is stretchable enough to wrap every edge and recessed area easily. Designed for interior and exterior applications.

BASIC SPECIFICATIONS

The thickness of film: 0.14mm


Type of film: High grade polymeric calendared vinyl film with air release channels **Adhesive:** Solvent-based adhesive, transparent, origin: Taiwan **Storing period:** 2 years if stored in +10°C to +20°C, relative humidity 50%, in original package, away from direct sunlight, clean and dry place **Indoor life:** 2 years when followed rules of application and use **Outdoor life:** 1 year when followed rules of application and use **Post-heating:** 80 Celsius. Cure time 48 hours
















SKU: BM06

REFERENCEST

LEE





180 SERIES



STRUCTURE VINYL



REEWEDST

SKU: RCF08M

MATTE FORGED CARBON



GLOSS FORGED CARBON SKU: RCF08





PAINT PROTECTION

170 SERIES

PAINT PROTECTION

Designed for protecting your loving car, we have a collection of four and three styles (including gloss PVC, matte PVC, PVC with top-coating, and TPU) for you to choose from. Take your pick and boost up the long term durability of the appearance of your car, and enjoy your rides with no more worries!

BASIC SPECIFICATIONS

Shelf-life: 1 year from production date (save LOT number)

Application: on a wet surface

Warranty: 5 years from production date. The product is warranted to be free of defects in the material. In case of product defects communicated in mentioned period, TeckWrap will consider and determine the existence of the defect and further decide at its sole discretion, to either replace defective product without charge or compensate it with money in such amount, as TeckWrap deems reasonable.

Topcoating features: solvent and stain resistance, resistance to heavy metals, resistance to scratches, self-healing



PAINT PROTECTION













WINDOW FILM

WINDOW FILM

Heat rejection, improve comfortability and reducing energy consumption. The temperature of air conditioning might not be able to suit all passengers' needs. With the window film, 35-65% of solar heat is blocked, and you can easily balance the inner climate, as well as decrease the consumption from air conditioning, which can save your fuel, too.

Perfect clarity, provide interruption-free and safe ride. You can still clearly see what you need without getting blinded by the sunlight or any disturbing dazzles, which can ensure perfect safety for your drive.

Fade reduction, keep your car new by blocking harsh sunshine and protecting interiors. Exposing your car in the sun on a long-term basis can cause the vinyl and leather to discolor, which can easily result in cracking and warping.


UV prevention, avoid harms from UVA and UVB rays. Perfectly protect you from 99% cancer causing ultraviolet rays, which can darken, burn and age your skin, even lead to skin cancer.

Weather-proof material, prolong life-span. With layers made of quality promising material, our window film can last for the long term, and in the meantime, guard you along the way as long as you need.



WINDOW FILM





LIGHT GREY SKU: MT65



PRINTABLE FILM



TERBWA

PRINTABLE FILM

Printing Polymeric Film has been developed for professional digitally printed car wrap applications. It features an excellent performance and durability.


- Bubble free installation with advanced air release technology
- Modern adhesive with medium initial tack
- For fleet graphics and vehicle wrapping
- High conformability
- Great durability and long-lasting lifespan
- Safe adhesive for easy removal with no residue

BASIC SPECIFICATIONS

Color: White Finish: Gloss or matte + Laminate Thickness of film: 0.005±0.01mm / basic weight: 100±10g/m2 Glue: White removable acrylic adhesive Temperature range: - 5∼80°C Release liner: 140g single PE coated release liner with air drains Package: Roll width 152 or 137 cm, length 30 m, weight 16-17 kg



PRINTABLE FILM



GLOSS WHITE 30M + LAMINATE 30M SKU: PF52005+LF52005





Roll Size: 1.52m*30m (5*98ft, 1.6*33yd) Please visit www.teckwrap.com for product specifications and installation instructions.