

DS-D5022FN-C 22-inch Monitor



- LED backlit technology with full HD 1920 × 1080.
- Wide viewing angle: Horizontal 178°, Vertical 178°.
- Multiple interfaces: HDMI, VGA.
- Image processing: 3D comb filter, 3D de-interlace, 3D noise reduction.

▪ Specification


Model		DS-D5022FN-C
Display	Screen Size	21.5"
	Active Display Area	478.656 (H) mm × 260.28 (V) mm
	Resolution	1920 × 1080
	Backlight	E-LED
	Pixel Pitch	0.0831 (H) mm × 0.241 (V) mm
	Brightness	250 cd/m ²
	Viewing Angle	178°/178°
	Color Depth	8 bit
	Contrast Ratio	3000:1
	Response Time	6.5 ms (typ)
	Refresh Rate	60 Hz
	Haze	25 %
	Reliability	7 × 16 H
	Color Gamut	72%
Interface	Video & Audio Input	HDMI × 1, VGA × 1
Power	Power Supply	12 VDC
	Power Consumption	≤ 22 W
	Standby Consumption	≤ 0.5 W
Working Environment	Working Temperature	0 °C to 40 °C (32 °F to 104 °F)
	Working Humidity	20% to 90% RH (Non-Condensing)
	Storage Temperature	-20 °C to 60 °C (-4 °F to 140 °F)
	Storage Humidity	20% to 80% RH (Non-Condensing)
General	Casing Material	Plastic
	VESA	75 mm × 75 mm, 4-M6 × 6 screw holes
	Bezel Width	19.06 mm (top/left/right), 30.87 mm (bottom)
	Product Dimensions (W × H × D)	With base: 492.356 (W) mm × 390.11 (H) mm × 199.79 (D) mm (19.38" × 15.36" × 7.87") Without base: 492.356 (W) mm × 289.680 (H) mm × 43.88 (D) mm (19.38" × 11.40" × 1.73")
	Package Dimensions (W × H × D)	644 (W) mm × 108 (H) mm × 403 (D) mm (25.35" × 4.25" × 15.87")
	Net Weight	2.5 ± 0.5 kg (5.5 ± 1.1 lb.)
	Gross Weight	3.8 ± 0.5 kg (8.4 ± 1.1 lb.)
	Packing List	Power adapter × 1, RoHS certificate × 1, base bracket × 1, user manual × 1, quick start guide × 1, HDMI cable × 1
	Remarks	*The base is included by default. *The product appearance and parameters in this specification may vary from your actual device. Please consult our local sales staff for further information.

▪ **Available Model**

DS-D5022FN-C

▪ **Physical Interface**

▪



Interface	Description
HDMI	HDMI digital signal input
VGA	VGA analog signal input
DC 12V	12 VDC power supply

Dimension

